

可燃性ガス・酸素の濃度状況

年度	回数	測定日時	外気温 (°C)	ガス抜き管 No.1			ガス抜き管 No.2			ガス抜き管 No.3			ガス抜き管 No.4		
				ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)
H25年度	1	H25.5.7			0	-		0	19.4		4	17.8		22	11.7
	2	H25.5.10			0	-		0	19.9		6	17.1		49	9.6
	3	H25.5.13			0	-		0	20.7		0	19.1		9	12.4
	4	H25.5.16	19.1	35.3	0	20.9	43.3	0	20.9	45.6	0	18.7	67.4	37	9.7
	5	H25.5.21	19.8	21.0	0	20.9	41.1	0	20.9	46.4	0	18.4	67.9	29	9.5
	6	H25.5.23	24.3	30.1	0	20.9	40.4	0	20.9	46.2	0	19.2	67.3	29	9.5
	7	H25.5.27	26.5	28.2	0	20.9	35.7	0	20.9	44.5	0	19.1	64.3	13	11.5
	8	H25.5.31	19.5	18.8	0	20.9	36.4	0	20.9	46.3	0	18.5	67.5	45	8.6
	9	H25.6.3	18.3	22.3	0	20.9	38.0	0	20.9	40.4	0	19.3	68.8	26	9.8
	10	H25.6.6	17.9	18.9	0	20.9	37.2	0	20.9	44.2	0	19.1	67.6	30	10.3
	11	H25.6.10	19.9	22.5	0	20.9	35.9	0	20.9	49.7	0	18.7	66.3	29	9.7
	12	H25.6.14	23.5	23.1	0	20.9	34.9	0	20.9	50.9	0	18.4	68.1	19	10.3
	13	H25.6.17	20.4	21.8	0	20.9	33.8	0	20.9	51.4	0	18.1	67.3	55	8.3
	14	H25.6.21	18.0	18.3	0	20.9	27.8	0	20.9	51.6	0	18.0	66.8	51	8.6
	15	H25.6.24	20.5	20.8	0	20.9	34.3	0	20.9	52.0	0	19.3	65.7	24	10.6
	16	H25.6.28	18.7	18.8	0	20.9	34.6	0	20.9	51.0	0	18.9	68.7	13	11.7
	17	H25.7.1	21.8	22.9	0	20.9	31.5	0	20.9	51.5	0	19.1	67.9	23	10.5
	18	H25.7.5	22.2	20.4	0	20.9	33.8	0	20.9	51.3	0	19.2	68.2	26	10.1
	19	H25.7.9	27.5	29.2	0	20.9	34.8	0	20.9	51.5	0	15.5	66.9	20	10.2
	20	H25.7.12	29.0	32.9	0	20.9	29.5	0	20.9	49.2	0	15.2	67.5	31	8.2
	21	H25.7.15	25.5	25.6	0	20.9	26.5	0	20.9	50.7	1	15.1	69.6	41	7.0
	22	H25.7.19	26.2	26.3	0	20.9	26.5	0	20.9	51.8	0	15.3	68.8	34	8.3
	23	H25.7.22	22.1	22.3	0	20.9	22.3	0	20.9	54.0	0	14.9	69.2	27	8.2
	24	H25.7.26	28.0	26.5	0	20.9	29.7	0	20.9	54.8	2	14.4	68.5	33	6.1
	25	H25.7.30	25.6	25.8	0	20.9	26.2	0	20.9	54.3	5	13.9	68.9	34	6.3
	26	H25.8.1	26.0	25.7	0	20.9	27.4	0	20.9	55.1	4	13.3	69.6	25	7.9
	27	H25.8.5	24.7	24.0	0	20.9	23.8	0	20.9	54.7	1	15.5	69.1	17	9.1
	28	H25.8.8	29.5	32.0	0	20.9	31.5	0	20.9	54.5	3	14.6	70.3	25	7.7
	29	H25.8.19	25.6	26.7	0	20.9	28.9	0	20.9	55.4	4	15.1	69.5	25	6.8
	30	H25.8.22	29.8	27.2	0	20.9	29.3	0	20.9	55.7	6	14.2	70.2	21	7.4
	31	H25.8.26	23.2	23.0	0	20.9	23.1	0	20.9	55.4	5	12.2	68.2	17	6.0
	32	H25.8.30	28.0	28.2	0	20.9	28.4	0	20.9	55.7	6	13.8	69.6	24	6.6
	33	H25.9.2	26.0	26.5	0	20.9	27.1	0	20.9	55.3	3	13.1	69.5	10	7.4
	34	H25.9.6	24.3	23.8	0	20.9	25.2	0	20.9	55.0	2	12.4	69.2	9	7.5
	35	H25.9.9	20.9	22.1	0	20.9	22.5	0	20.9	55.4	4	11.9	69.3	14	6.2
	36	H25.9.14	24.1	24.8	0	20.9	25.0	0	20.9	55.6	4	12.0	69.5	12	6.3
	37	H25.9.17	22.6	27.3	100	20.9	24.3	0	20.9	55.2	5	13.5	66.7	7	7.6
	38	H25.9.20	23.7	30.0	100	20.9	28.4	0	20.9	55.3	2	12.6	67.3	12	6.4
	39	H25.9.23	24.8	27.0	0	20.9	26.2	0	20.9	55.0	2	12.8	68.3	10	7.1
	40	H25.9.26	24.6	42.5	0	5.4	25.0	0	20.9	55.5	16	11.2	68.0	56	4.1
	41	H25.9.26		46.0	0	5.0		-	20.9		-	-		-	-
	42	H25.9.27	17.1	18.5	0	20.9		-	20.9		-	-		-	-
	43	H25.9.30	19.0	21.3	100	20.9	24.0	0	20.9	54.3	4	12.6	66.5	18	6.7
	44	H25.10.3	25.0	26.8	100	20.9	27.5	0	20.9	55.2	8	11.6	66.3	19	5.7
	45	H25.10.7	23.0	23.1	100	20.9	23.7	0	20.9	53.7	2	13.8	66.7	9	8.0
	46	H25.10.10	23.0	43.8	100	4.7	23.1	0	20.9	53.5	3	12.9	67.8	48	5.4
	47	H25.10.11	25.8	47.8	0	5.8		-	-		-	-		-	-
	48	H25.10.12	25.3	48.3	0	4.6	25.1	0	20.9	54.7	4	13.2	64.5	40	4.6
	49	H25.10.14	17.4	42.0	0	7.8	20.5	0	20.9	48.9	3	14.1	65.1	38	5.2
	50	H25.10.17	14.4	14.9	0	20.9	15.7	0	20.9	54.5	6	15.5	67.2	18	5.7
	51	H25.10.21	16.1	17.0	0	20.9	17.3	0	20.9	54.6	8	10.4	64.0	26	7.8
	52	H25.10.24	14.3	15.4	0	20.9	15.8	0	20.9	51.8	6	11.2	65.5	30	6.6
	53	H25.10.28	13.5	14.5	0	20.9	15.0	0	20.9	53.1	4	11.4	64.9	22	5.7
	54	H25.10.31	15.1	15.9	0	20.9	16.4	0	20.9	53.9	2	16.2	65.8	12	8.3
	55	H25.11.5	13.1	17.8	0	20.9	16.5	0	20.9	48.5	4	13.2	63.6	21	6.8
	56	H25.11.11	11.0	11.4	-	20.9	12.1	0	20.9	52.3	10	9.4	64.4	56	5.1
	57	H25.11.18	14.8	16.9	0	20.9	19.3	0	20.9	53.0	10	9.0	66.9	73	4.5
	58	H25.11.25	11.4	11.3	0	20.9	11.9	0	20.9	47.9	2	11.5	68.0	51	6.1

可燃性ガス・酸素の濃度状況

年度	回数	測定日時	外気温 (°C)	ガス抜き管 No.1			ガス抜き管 No.2			ガス抜き管 No.3			ガス抜き管 No.4		
				ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)
H25年度	59	H25.12.2	8.8	12.2	0	20.9	13.0	0	20.9	48.3	0	11.3	67.8	47	5.8
	60	H25.12.9	9.3	12.8	0	20.9	11.3	0	20.9	51.6	0	11.9	63.0	41	7.9
	61	H25.12.16	3.9	8.7	0	20.9	10.1	0	20.9	50.9	1	11.5	67.2	40	7.2
	62	H25.12.20	6.7	6.7	0	20.9	7.1	0	20.9	51.0	13	7.3	66.5	97	4.8
	63	H25.12.26	7.2	6.5	0	20.9	6.0	0	20.9	49.6	1	11.2	65.1	51	6.7
	64	H26.1.6	4.1	7.2	0	20.9	11.1	0	20.9	47.9	1	11.9	63.3	40	7.0
	65	H26.1.14	1.2	2.0	0	20.9	2.3	0	20.9	47.5	0	12.3	64.1	35	7.4
	66	H26.1.20	3.5	4.7	0	20.9	6.5	0	20.9	46.8	0	11.9	66.8	42	6.6
	67	H26.1.27	0.8	1.2	0	20.9	7.6	0	20.9	45.5	0	7.0	65.9	28	7.4
	68	H26.2.3	10.0	10.6	0	20.9	11.6	23	20.9	45.9	4	11.7	67.5	64	6.0
69	H26.2.10	3.5	2.8	0	20.9	3.1	0	20.9	39.5	2	10.9	64.5	34	6.4	
70	H26.2.12	3.4	2.9	0	20.9	3.6	0	20.9	45.6	1	10.2	65.8	45	5.7	
H26年度	71	H26.5.1			0	20.9		18	7.0		10	8.4		74	6.5
	72	H26.5.29			0	20.9		10	8.9		1	9.9		19	9.5
	73	H26.6.2	24.8	27.3	0	20.9	54.3	8	10.0	51.8	1	9.8	69.0	18	9.8
	74	H26.6.30	25.6	27.8	0	20.9	51.3	9	9.0	52.8	3	9.7	69.7	10	11.0
	75	H26.8.4	24.0	24.0	0	20.9	43.8	7.9	19.0	42.4	7	11.2	64.5	22	9.7
	76	H26.8.11	23.4	24.4	0	20.9	51.3	27	7.2	53.4	11	10.5	70.6	32	9.2
	77	H26.10.8	23.6	26.5	0	20.9	23.6	0	20.9	51.0	1	11.3	67.3	9	10.1
	78	H26.11.11	14.0	13.3	0	20.9	16.0	0	20.9	49.4	8	9.2	70.0	50	9.7
	79	H26.12.10	8.3	10.5	0	20.9	13.2	0	20.9	47.8	0	10.5	69.1	33	8.0
	80	H27.1.21	4.2	4.2	0	-	10.6	0	-	44.3	0	-	68.6	14	-
	81	H27.2.24	14.7	14.7	0	-	53.4	9.3	-	44.3	7	-	68.7	38	-
	82	H27.3.25	12.8	14.0	0	-	54.4	8	-	43.8	0	-	69.3	11	-
H27年度	83	H27.4.6	18.9	21.5	0	-	47.6	13	-	44.5	4	-	68.7	49	-
	84	H27.5.14	21.1	24.2	0	-	49.7	10	-	46.8	1	-	70.2	19	-
	85	H27.6.12	18.8	19.8	0	-	47.0	9	-	46.5	3	-	70.4	48	-
	86	H27.6.13			0	-		9	-		3	-		48	-
	87	H27.7.3	20.8	20.8	0	20.7	46.2	17	9.9	50.4	7	11.9	69.5	33	8.7
	88	H27.8.20	25.0	25.0	0	-	46.1	11.1	-	50.8	9.6	-	69.8	9.1	-
	89	H27.9.10	24.3	24.3	0	-	34.0	23	-	51.7	9	-	68.9	27	-
	90	H27.11.18	16.7	16.7	0	-	29.1	18	-	47.1	7	-	71.0	24	-
	91	H27.12.8			0	-		24	-		0	-		20	-
	92	H28.2.16	5.8	5.8	0	-	36.6	29	-	43.6	4	-	71.0	41	-
H28年度	93	H28.4.27	18.8	18.8	0	20.9	45.6	6	7.5	43.7	1	11.3	74.6	32	9.4
	94	H28.5.20	20.5	20.5	0	20.9	43.7	5	10.2	44.2	0	11.0	73.5	23	10.1
	95	H28.6.27	25.8	25.8			45.5			48.2			76.0		
		H28.8.23													
		H28.9.9													
	96	H28.11.10			0	20.9		12	18.6		0	9.5		14	7.3
	97	H29.1.12	8.0	8.0	0	-	32.0	10	-	36.0	18	-	67.0	61	-
98	H29.1.16	3.0	3.0	0	-	53.0	25	-	34.0	0	-	62.0	34	-	
99	H29.3.8	10.0	10.0	0	20.9	42.0	22	9.3	35.0	2	8.2	62.0	19	5.8	
H29年度	100	H29.4.21			0	20.9		7	11.3		0	12.2		18	6.6
	101	H29.5.19	20.7	20.7	0	20.9	40.9	2	11.8	41.5	0	10.7	67.6	13	9.8
	102	H29.6.9	29.0	29.2	0	19.5	40.6	4	8.0	40.5	1	9.1	68.8	14	9.0
	103	H29.7.19	31.0	30.7	0	17.1	36.4	10	6.9	44.6	3	10.6	69.1	10	10.6
	104	H29.9.14	24.9	26.2	0	20.9	25.6	0	20.9	27.0	0	10.8	66.3	9	10.3
	105	H29.11.24	9.1	9.5	0	20.9	12.7	0	22.1	42.5	0	11.6	66.3	11	6.7
	106	H29.12.14	15.8	15.0	0	21.9	12.1	0	20.9	42.5	0	12.0	65.5	10	8.3
	107	H30.1.10	13.0	13.0	0	20.9	26.0	34	11.2	40.9	6	9.6	65.0	10	7.3
	H30.3														
H30年度	108	H30.5.11	18.0	18.0	0	20.9	33.8	0	13.8	59.8	0	10.8	66.1	13	7.9
	109	H30.7.3	29.3	29.3	0	20.9	33.0	2	10.9	40.4	1	10.3	67.0	12	9.3
	110	H30.7.30	32.5	32.5	0	20.9	32.1	0	11.9	41.4	0	11.3	66.7	1	12.4
	111	H30.9.13	24.6	24.3	0	20.9	23.9	0	21.5	43.5	3	10.0	62.1	3	8.9
	112	H30.10.10	30.5	30.5	0	20.9	32.5	0	18.6	43.1	2	9.3	64.4	2	10.6
	113	H30.11.15	14.4	14.6	0	22.1	15.0	0	20.9	42.3	0	9.6	67.0	6	8.7
	114	H30.12.18	9.9	9.9	0	20.9	9.8	0	20.9	41.7	8	8.2	66.6	13	7.3
	115	H31.1.8	9.1	9.1	0	20.9	8.2	0	20.9	41.2	4	9.0	68.0	4	6.8
	116	H31.2.21	16.9	16.9	0	20.9	15.2	2	15.7	39.6	0	9.5	67.8	9	9.5
	117	H31.3.1	13.1	13.1	0	20.9	13.9	2	16.1	37.0	1	8.9	65.1	13	8.0

可燃性ガス・酸素の濃度状況

年度	回数	測定日時	外気温 (°C)	ガス抜き管 No.1			ガス抜き管 No.2			ガス抜き管 No.3			ガス抜き管 No.4		
				ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)	ガス温度 (°C)	CH4ガス (%LEL)	O2(%)
R1年度	118	R元.5.28	19.3	19.8	0	21.1	31.0	3	16.9	31.0	0	20.9	60.6	9	17.2
	119	R元.6.14	23.4	23.4	0	20.9	23.9	0	20.9	35.1	0	20.1	65.8	3	19.8
	120	R元.8.23	24.3	24.3	0	20.9	30.1	1	14.9	38.0	3	11.0	52.3	1	18.2
	121	R元.9.20	27.0	27.8	0	20.9	29.2	1	18.9	39.8	1	18.3	61.8	1	19.8
	122	R元.10.21	21.8	21.9	0	20.9	22.0	0	20.9	42.0	0	20.9	56.9	0	19.8
	123	R元.11.12	22.4	22.4	0	20.9	19.2	0	20.9	47.5	0	19.4	55.8	0	18.6
	124	R元.12.16	11.2	11.2	0	20.9	12.2	0	20.9	38.6	0	20.9	51.9	0	13.6
	125	R2.1.28	15.7	15.7	欠測	欠測	15.2	欠測	欠測	36.2	欠測	欠測	41.0	欠測	欠測
	126	R2.2.28	8.3	10.3	0	20.9	11.0	0	20.9	37.2	0	12.1	46.6	0	12.2
	127	R2.3.27	16.0	13.0	0	30.9	23.8	0	14.3	35.4	0	16.9	41.0	0	14.1
R2年度	128	R2.4.24	18.5	18.2	0	20.8	23.2	0	12.5	38.0	0	10.5	51.6	0	13.6
	129	R2.5.26	22.0	24.7	0	19.7	29.7	2	11.4	36.3	0	9.6	46.5	0	14.3
	130	R2.6.22	26.3	20.6	0	29.6	29.4	0	24.2	38.2	6	11.0	41.3	0	15.9
	131	R2.7.21	26.7	25.3	0	18.3	27.9	0	14.8	38.3	2	6.6	42.8	0	12.2
	132	R2.8.24	29.0	27.0	0	18.0	31.7	0	15.4	38.6	7	5.0	46.2	0	13.7
	133	R2.9.24	25.5	24.9	0	20.7	24.8	0	16.4	38.9	0	11.3	36.1	0	16.0
	134	R2.10.12	27.0	22.0	0	20.4	28.0	0	14.0	39.5	9	7.3	40.0	0	14.9
	135	R2.11.4	18.4	27.0	0	20.9	20.7	0	20.9	39.2	6	9.4	35.5	0	15.7
	136	R2.12.18	7.2	7.8	0	20.9	9.6	0	20.9	39.0	0	11.7	33.6	0	13.0
	137	R3.1.21	8.9	9.6	0	20.9	9.1	0	20.9	35.5	0	17.9	31.5	0	13.7
	138	R3.2.22	17.4	19.3	0	19.3	25.8	0	13.4	36.3	0	10.2	40.8	0	13.7
R3年度	139	R3.5.24	22.0	23.7	0	20.9	24.3	0	19.1	36.0	1	18.2	42.5	0	15.9
	140	R3.8.25	32.3	24.8	欠測	欠測	26.3	欠測	欠測	32.1	欠測	欠測	32.5	欠測	欠測
	150	R3.11.30	12.3	14.5	0	20.9	14.1	0	20.9	36.9	0	12.3	37.9	0	14.6
	151	R4.2.2	8.2	9.8	0	20.9	9.5	0	20.9	34.7	0	16.0	38.8	0	20.7
R4年度	152	R4.5.23	19.3	22.3	0	20.2	22.1	0	20.9	34.1	0	8.4	34.4	0	15.5
	153	R4.6.15	19.5	21.0	0	19.0	22.9	0	17.6	35.3	0	10.0	37.0	0	15.7
	154	R4.8.5	23.6	26.7	0	17.3	27.6	0	20.9	35.2	7	3.4	35.7	0	15.4
	155	R4.10.11	23.3	26.3	0	20.9	26.9	0	20.9	35.3	3	6.4	34.8	0	14.0
	156	R4.11.21	14.5	17.5	0	20.9	17.6	0	20.9	37.7	0	11.2	19.3	0	16.2
	157	R5.2.24	11.2	13.0	0	20.9	14.3	0	20.9	32.3	0	14.1	19.4	0	14.8
	158	R5.5.26	26.1	21.2	0	20.9	24.5	0	18.8	34.6	0	15.9	34.0	0	17.0
R5年度	159	R5.8.22	29.2	32.0	0	19.4	29.6	0	19.0	32.6	10	1.4	34.0	0	16.7
	160	R5.9.22	23.7	27.3	0	19.0	25.9	0	19.8	27.5	0	2.7	29.4	0	15.8
	161	R5.11.21	16.9	17.1	0	20.9	17.3	0	20.9	36.8	0	13.4	21.8	0	17.3
	162	R6.2.2	8.6	10.1	0	20.9	12.5	0	20.9	34.3	0	14.6	21.7	0	16.3