

# 保健所圏域別集計

表430 BMIによる判定(性・年齢階級別)

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数	
男 性	20~29歳	肥満	0 (0.0%)	1 (100.0%)	1 (11.1%)		2 (22.2%)	2 (15.4%)	4 (30.8%)	0 (0.0%)	0 (0.0%)	10 (19.6%)
		普通	1 (100.0%)	0 (0.0%)	8 (88.9%)		6 (66.7%)	8 (61.5%)	8 (61.5%)	1 (100.0%)	4 (100.0%)	36 (70.6%)
		やせ	0 (0.0%)	0 (0.0%)	0 (0.0%)		1 (11.1%)	3 (23.1%)	1 (7.7%)	0 (0.0%)	0 (0.0%)	5 (9.8%)
		合計	1 (100.0%)	1 (100.0%)	9 (100.0%)		9 (100.0%)	13 (100.0%)	13 (100.0%)	1 (100.0%)	4 (100.0%)	51 (100.0%)
	30~39歳	肥満	0 (0.0%)	1 (25.0%)	9 (20.0%)	2 (22.2%)	5 (33.3%)	3 (18.8%)	5 (38.5%)	0 (0.0%)	1 (50.0%)	26 (24.3%)
		普通	1 (100.0%)	3 (75.0%)	32 (71.1%)	7 (77.8%)	10 (66.7%)	12 (75.0%)	8 (61.5%)	2 (100.0%)	1 (50.0%)	76 (71.0%)
		やせ	0 (0.0%)	0 (0.0%)	4 (8.9%)	0 (0.0%)	0 (0.0%)	1 (6.3%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 (4.7%)
		合計	1 (100.0%)	4 (100.0%)	45 (100.0%)	9 (100.0%)	15 (100.0%)	16 (100.0%)	13 (100.0%)	2 (100.0%)	2 (100.0%)	107 (100.0%)
	40~49歳	肥満	3 (50.0%)	0 (0.0%)	9 (33.3%)	3 (33.3%)	7 (33.3%)	4 (15.4%)	7 (38.9%)	1 (25.0%)	1 (25.0%)	35 (30.2%)
		普通	3 (50.0%)	0 (0.0%)	18 (66.7%)	6 (66.7%)	13 (61.9%)	21 (80.8%)	11 (61.1%)	3 (75.0%)	3 (75.0%)	78 (67.2%)
		やせ	0 (0.0%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	1 (4.8%)	1 (3.8%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (2.6%)
		合計	6 (100.0%)	1 (100.0%)	27 (100.0%)	9 (100.0%)	21 (100.0%)	26 (100.0%)	18 (100.0%)	4 (100.0%)	4 (100.0%)	116 (100.0%)
	50~59歳	肥満	3 (30.0%)	1 (20.0%)	9 (37.5%)		8 (27.6%)	10 (31.3%)	9 (22.0%)	2 (28.6%)	0 (0.0%)	42 (26.9%)
		普通	7 (70.0%)	4 (80.0%)	15 (62.5%)		21 (72.4%)	20 (62.5%)	32 (78.0%)	5 (71.4%)	7 (87.5%)	111 (71.2%)
		やせ	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	2 (6.3%)	0 (0.0%)	0 (0.0%)	1 (12.5%)	3 (1.9%)
		合計	10 (100.0%)	5 (100.0%)	24 (100.0%)		29 (100.0%)	32 (100.0%)	41 (100.0%)	7 (100.0%)	8 (100.0%)	156 (100.0%)
	60~69歳	肥満	1 (11.1%)	0 (0.0%)	6 (28.6%)		7 (29.2%)	7 (24.1%)	6 (15.4%)	0 (0.0%)	2 (100.0%)	29 (22.5%)
		普通	7 (77.8%)	2 (100.0%)	13 (61.9%)		17 (70.8%)	22 (75.9%)	31 (79.5%)	3 (100.0%)	0 (0.0%)	95 (73.6%)
		やせ	1 (11.1%)	0 (0.0%)	2 (9.5%)		0 (0.0%)	0 (0.0%)	2 (5.1%)	0 (0.0%)	0 (0.0%)	5 (3.9%)
合計		9 (100.0%)	2 (100.0%)	21 (100.0%)		24 (100.0%)	29 (100.0%)	39 (100.0%)	3 (100.0%)	2 (100.0%)	129 (100.0%)	
70~79歳	肥満	2 (22.2%)	0 (0.0%)	5 (38.5%)	3 (42.9%)	1 (6.7%)	6 (25.0%)	2 (10.0%)	1 (33.3%)	0 (0.0%)	20 (20.0%)	
	普通	7 (77.8%)	1 (50.0%)	8 (61.5%)	4 (57.1%)	11 (73.3%)	15 (62.5%)	17 (85.0%)	2 (66.7%)	6 (85.7%)	71 (71.0%)	
	やせ	0 (0.0%)	1 (50.0%)	0 (0.0%)	0 (0.0%)	3 (20.0%)	3 (12.5%)	1 (5.0%)	0 (0.0%)	1 (14.3%)	9 (9.0%)	
	合計	9 (100.0%)	2 (100.0%)	13 (100.0%)	7 (100.0%)	15 (100.0%)	24 (100.0%)	20 (100.0%)	3 (100.0%)	7 (100.0%)	100 (100.0%)	
80歳以上	肥満	2 (28.6%)	0 (0.0%)	2 (28.6%)		1 (16.7%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 (12.5%)	
	普通	3 (42.9%)	1 (100.0%)	5 (71.4%)		4 (66.7%)	7 (77.8%)	7 (87.5%)	1 (100.0%)	1 (100.0%)	29 (72.5%)	
	やせ	2 (28.6%)	0 (0.0%)	0 (0.0%)		1 (16.7%)	2 (22.2%)	1 (12.5%)	0 (0.0%)	0 (0.0%)	6 (15.0%)	
	合計	7 (100.0%)	1 (100.0%)	7 (100.0%)		6 (100.0%)	9 (100.0%)	8 (100.0%)	1 (100.0%)	1 (100.0%)	40 (100.0%)	
20歳以上 (再掲)	肥満	11 (25.6%)	3 (18.8%)	41 (28.1%)	8 (32.0%)	31 (26.1%)	32 (21.5%)	33 (21.7%)	4 (19.0%)	4 (14.3%)	167 (23.9%)	
	普通	29 (67.4%)	11 (68.8%)	99 (67.8%)	17 (68.0%)	82 (68.9%)	105 (70.5%)	114 (75.0%)	17 (81.0%)	22 (78.6%)	496 (71.0%)	
	やせ	3 (7.0%)	2 (12.5%)	6 (4.1%)	0 (0.0%)	6 (5.0%)	12 (8.1%)	5 (3.3%)	0 (0.0%)	2 (7.1%)	36 (5.2%)	
	合計	43 (100.0%)	16 (100.0%)	146 (100.0%)	25 (100.0%)	119 (100.0%)	149 (100.0%)	152 (100.0%)	21 (100.0%)	28 (100.0%)	699 (100.0%)	
女 性	20~29歳	肥満	0 (0.0%)	0 (0.0%)	0 (0.0%)		2 (10.0%)	1 (6.7%)	4 (23.5%)	0 (0.0%)	0 (0.0%)	7 (9.5%)
		普通	2 (66.7%)	1 (100.0%)	12 (80.0%)		14 (70.0%)	7 (46.7%)	9 (52.9%)	1 (50.0%)	0 (0.0%)	46 (62.2%)
		やせ	1 (33.3%)	0 (0.0%)	3 (20.0%)		4 (20.0%)	7 (46.7%)	4 (23.5%)	1 (50.0%)	1 (100.0%)	21 (28.4%)
		合計	3 (100.0%)	1 (100.0%)	15 (100.0%)		20 (100.0%)	15 (100.0%)	17 (100.0%)	2 (100.0%)	1 (100.0%)	74 (100.0%)
	30~39歳	肥満	0 (0.0%)	0 (0.0%)	4 (9.1%)	0 (0.0%)	3 (20.0%)	5 (19.2%)	3 (15.8%)	0 (0.0%)	1 (20.0%)	16 (12.6%)
		普通	1 (50.0%)	2 (50.0%)	34 (77.3%)	6 (66.7%)	11 (73.3%)	20 (76.9%)	13 (68.4%)	1 (33.3%)	4 (80.0%)	92 (72.4%)
		やせ	1 (50.0%)	2 (50.0%)	6 (13.6%)	3 (33.3%)	1 (6.7%)	1 (3.8%)	3 (15.8%)	2 (66.7%)	0 (0.0%)	19 (15.0%)
		合計	2 (100.0%)	4 (100.0%)	44 (100.0%)	9 (100.0%)	15 (100.0%)	26 (100.0%)	19 (100.0%)	3 (100.0%)	5 (100.0%)	127 (100.0%)
	40~49歳	肥満	2 (33.3%)	1 (25.0%)	3 (12.5%)	1 (25.0%)	1 (5.6%)	3 (12.0%)	1 (6.7%)	1 (16.7%)	0 (0.0%)	13 (12.1%)
		普通	3 (50.0%)	3 (75.0%)	19 (79.2%)	3 (75.0%)	13 (72.2%)	17 (68.0%)	12 (80.0%)	4 (66.7%)	5 (100.0%)	79 (73.8%)
		やせ	1 (16.7%)	0 (0.0%)	2 (8.3%)	0 (0.0%)	4 (22.2%)	5 (20.0%)	2 (13.3%)	1 (16.7%)	0 (0.0%)	15 (14.0%)
		合計	6 (100.0%)	4 (100.0%)	24 (100.0%)	4 (100.0%)	18 (100.0%)	25 (100.0%)	15 (100.0%)	6 (100.0%)	5 (100.0%)	107 (100.0%)
	50~59歳	肥満	2 (25.0%)	1 (25.0%)	3 (12.0%)	1 (100.0%)	6 (23.1%)	8 (24.2%)	8 (17.8%)	1 (25.0%)	1 (25.0%)	31 (20.7%)
		普通	4 (50.0%)	3 (75.0%)	20 (80.0%)	0 (0.0%)	19 (73.1%)	21 (63.6%)	31 (68.9%)	3 (75.0%)	3 (75.0%)	104 (69.3%)
		やせ	2 (25.0%)	0 (0.0%)	2 (8.0%)	0 (0.0%)	1 (3.8%)	4 (12.1%)	6 (13.3%)	0 (0.0%)	0 (0.0%)	15 (10.0%)
		合計	8 (100.0%)	4 (100.0%)	25 (100.0%)	1 (100.0%)	26 (100.0%)	33 (100.0%)	45 (100.0%)	4 (100.0%)	4 (100.0%)	150 (100.0%)
	60~69歳	肥満	6 (50.0%)	1 (20.0%)	5 (16.7%)	1 (33.3%)	0 (0.0%)	13 (35.1%)	8 (22.2%)	2 (100.0%)	1 (50.0%)	37 (25.2%)
		普通	6 (50.0%)	4 (80.0%)	22 (73.3%)	2 (66.7%)	17 (85.0%)	18 (48.6%)	26 (72.2%)	0 (0.0%)	1 (50.0%)	96 (65.3%)
		やせ	0 (0.0%)	0 (0.0%)	3 (10.0%)	0 (0.0%)	3 (15.0%)	6 (16.2%)	2 (5.6%)	0 (0.0%)	0 (0.0%)	14 (9.5%)
合計		12 (100.0%)	5 (100.0%)	30 (100.0%)	3 (100.0%)	20 (100.0%)	37 (100.0%)	36 (100.0%)	2 (100.0%)	2 (100.0%)	147 (100.0%)	
70~79歳	肥満	0 (0.0%)	2 (50.0%)	5 (33.3%)	0 (0.0%)	4 (21.1%)	4 (16.0%)	6 (22.2%)	2 (100.0%)	2 (28.6%)	25 (21.7%)	
	普通	15 (100.0%)	1 (25.0%)	9 (60.0%)	1 (100.0%)	11 (57.9%)	14 (56.0%)	16 (59.3%)	0 (0.0%)	3 (42.9%)	70 (60.9%)	
	やせ	0 (0.0%)	1 (25.0%)	1 (6.7%)	0 (0.0%)	4 (21.1%)	7 (28.0%)	5 (18.5%)	0 (0.0%)	2 (28.6%)	20 (17.4%)	
	合計	15 (100.0%)	4 (100.0%)	15 (100.0%)	1 (100.0%)	19 (100.0%)	25 (100.0%)	27 (100.0%)	2 (100.0%)	7 (100.0%)	115 (100.0%)	
80歳以上	肥満	1 (25.0%)	0 (0.0%)	3 (25.0%)		5 (29.4%)	3 (25.0%)	1 (6.7%)	0 (0.0%)		13 (20.0%)	
	普通	3 (75.0%)	3 (100.0%)	7 (58.3%)		9 (52.9%)	6 (50.0%)	10 (66.7%)	2 (100.0%)		40 (61.5%)	
	やせ	0 (0.0%)	0 (0.0%)	2 (16.7%)		3 (17.6%)	3 (25.0%)	4 (26.7%)	0 (0.0%)		12 (18.5%)	
	合計	4 (100.0%)	3 (100.0%)	12 (100.0%)		17 (100.0%)	12 (100.0%)	15 (100.0%)	2 (100.0%)		65 (100.0%)	
20歳以上 (再掲)	肥満	11 (22.0%)	5 (20.0%)	23 (13.9%)	3 (16.7%)	21 (15.6%)	37 (21.4%)	31 (17.8%)	6 (28.6%)	5 (20.8%)	142 (18.1%)	
	普通	34 (68.0%)	17 (68.0%)	123 (74.5%)	12 (66.7%)	94 (69.6%)	103 (59.5%)	117 (67.2%)	11 (52.4%)	16 (66.7%)	527 (67.1%)	
	やせ	5 (10.0%)	3 (12.0%)	19 (11.5%)	3 (16.7%)	20 (14.8%)	33 (19.1%)	26 (14.9%)	4 (19.0%)	3 (12.5%)	116 (14.8%)	
	合計	50 (100.0%)	25 (100.0%)	165 (100.0%)	18 (100.0%)	135 (100.0%)	173 (100.0%)	174 (100.0%)	21 (100.0%)	24 (100.0%)	785 (100.0%)	

※妊婦を除く

		人(%)									総数	
		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松		
総 数	20~29歳	肥満	0 (0.0%)	1 (50.0%)	1 (4.2%)		4 (13.8%)	3 (10.7%)	8 (26.7%)	0 (0.0%)	0 (0.0%)	17 (13.6%)
		普通	3 (75.0%)	1 (50.0%)	20 (83.3%)		20 (69.0%)	15 (53.6%)	17 (56.7%)	2 (66.7%)	4 (80.0%)	82 (65.6%)
		やせ	1 (25.0%)	0 (0.0%)	3 (12.5%)		5 (17.2%)	10 (35.7%)	5 (16.7%)	1 (33.3%)	1 (20.0%)	26 (20.8%)
		合計	4 (100.0%)	2 (100.0%)	24 (100.0%)		29 (100.0%)	28 (100.0%)	30 (100.0%)	3 (100.0%)	5 (100.0%)	125 (100.0%)
	30~39歳	肥満	0 (0.0%)	1 (12.5%)	13 (14.6%)	2 (11.1%)	8 (26.7%)	8 (19.0%)	8 (25.0%)	0 (0.0%)	2 (28.6%)	42 (17.9%)
		普通	2 (66.7%)	5 (62.5%)	66 (74.2%)	13 (72.2%)	21 (70.0%)	32 (76.2%)	21 (65.6%)	3 (60.0%)	5 (71.4%)	168 (71.8%)
		やせ	1 (33.3%)	2 (25.0%)	10 (11.2%)	3 (16.7%)	1 (3.3%)	2 (4.8%)	3 (9.4%)	2 (40.0%)	0 (0.0%)	24 (10.3%)
		合計	3 (100.0%)	8 (100.0%)	89 (100.0%)	18 (100.0%)	30 (100.0%)	42 (100.0%)	32 (100.0%)	5 (100.0%)	7 (100.0%)	234 (100.0%)
	40~49歳	肥満	5 (41.7%)	1 (20.0%)	12 (23.5%)	4 (30.8%)	8 (20.5%)	7 (13.7%)	8 (24.2%)	2 (20.0%)	1 (11.1%)	48 (21.5%)
		普通	6 (50.0%)	3 (60.0%)	37 (72.5%)	9 (69.2%)	26 (66.7%)	38 (74.5%)	23 (69.7%)	7 (70.0%)	8 (88.9%)	157 (70.4%)
		やせ	1 (8.3%)	1 (20.0%)	2 (3.9%)	0 (0.0%)	5 (12.8%)	6 (11.8%)	2 (6.1%)	1 (10.0%)	0 (0.0%)	18 (8.1%)
		合計	12 (100.0%)	5 (100.0%)	51 (100.0%)	13 (100.0%)	39 (100.0%)	51 (100.0%)	33 (100.0%)	10 (100.0%)	9 (100.0%)	223 (100.0%)
	50~59歳	肥満	5 (27.8%)	2 (22.2%)	12 (24.5%)	1 (100.0%)	14 (25.5%)	18 (27.7%)	17 (19.8%)	3 (27.3%)	1 (8.3%)	73 (23.9%)
		普通	11 (61.1%)	7 (77.8%)	35 (71.4%)	0 (0.0%)	40 (72.7%)	41 (63.1%)	63 (73.3%)	8 (72.7%)	10 (83.3%)	215 (70.3%)
		やせ	2 (11.1%)	0 (0.0%)	2 (4.1%)	0 (0.0%)	1 (1.8%)	6 (9.2%)	6 (7.0%)	0 (0.0%)	1 (8.3%)	18 (5.9%)
		合計	18 (100.0%)	9 (100.0%)	49 (100.0%)	1 (100.0%)	55 (100.0%)	65 (100.0%)	86 (100.0%)	11 (100.0%)	12 (100.0%)	306 (100.0%)
	60~69歳	肥満	7 (33.3%)	1 (14.3%)	11 (21.6%)	1 (33.3%)	7 (15.9%)	20 (30.3%)	14 (18.7%)	2 (40.0%)	3 (75.0%)	66 (23.9%)
		普通	13 (61.9%)	6 (85.7%)	35 (68.6%)	2 (66.7%)	34 (77.3%)	40 (60.6%)	57 (76.0%)	3 (60.0%)	1 (25.0%)	191 (69.2%)
		やせ	1 (4.8%)	0 (0.0%)	5 (9.8%)	0 (0.0%)	3 (6.8%)	6 (9.1%)	4 (5.3%)	0 (0.0%)	0 (0.0%)	19 (6.9%)
	合計	21 (100.0%)	7 (100.0%)	51 (100.0%)	3 (100.0%)	44 (100.0%)	66 (100.0%)	75 (100.0%)	5 (100.0%)	4 (100.0%)	276 (100.0%)	
70~79歳	肥満	2 (8.3%)	2 (33.3%)	10 (35.7%)	3 (37.5%)	5 (14.7%)	10 (20.4%)	8 (17.0%)	3 (60.0%)	2 (14.3%)	45 (20.9%)	
	普通	22 (91.7%)	2 (33.3%)	17 (60.7%)	5 (62.5%)	22 (64.7%)	29 (59.2%)	33 (70.2%)	2 (40.0%)	9 (64.3%)	141 (65.6%)	
	やせ	0 (0.0%)	2 (33.3%)	1 (3.6%)	0 (0.0%)	7 (20.6%)	10 (20.4%)	6 (12.8%)	0 (0.0%)	3 (21.4%)	29 (13.5%)	
	合計	24 (100.0%)	6 (100.0%)	28 (100.0%)	8 (100.0%)	34 (100.0%)	49 (100.0%)	47 (100.0%)	5 (100.0%)	14 (100.0%)	215 (100.0%)	
80歳以上	肥満	3 (27.3%)	0 (0.0%)	5 (26.3%)		6 (26.1%)	3 (14.3%)	1 (4.3%)	0 (0.0%)	0 (0.0%)	18 (17.1%)	
	普通	6 (54.5%)	4 (100.0%)	12 (63.2%)		13 (56.5%)	13 (61.9%)	17 (73.9%)	3 (100.0%)	1 (100.0%)	69 (65.7%)	
	やせ	2 (18.2%)	0 (0.0%)	2 (10.5%)		4 (17.4%)	5 (23.8%)	5 (21.7%)	0 (0.0%)	0 (0.0%)	18 (17.1%)	
	合計	11 (100.0%)	4 (100.0%)	19 (100.0%)		23 (100.0%)	21 (100.0%)	23 (100.0%)	3 (100.0%)	1 (100.0%)	105 (100.0%)	
20歳以上 (再掲)	肥満	22 (23.7%)	8 (19.5%)	64 (20.6%)	11 (25.6%)	52 (20.5%)	69 (21.4%)	64 (19.6%)	10 (23.8%)	9 (17.3%)	309 (20.8%)	
	普通	63 (67.7%)	28 (68.3%)	222 (71.4%)	29 (67.4%)	176 (69.3%)	208 (64.6%)	231 (70.9%)	28 (66.7%)	38 (73.1%)	1023 (68.9%)	
	やせ	8 (8.6%)	5 (12.2%)	25 (8.0%)	3 (7.0%)	26 (10.2%)	45 (14.0%)	31 (9.5%)	4 (9.5%)	5 (9.6%)	152 (10.2%)	
	合計	93 (100.0%)	41 (100.0%)	311 (100.0%)	43 (100.0%)	254 (100.0%)	322 (100.0%)	326 (100.0%)	42 (100.0%)	52 (100.0%)	1484 (100.0%)	

※妊婦を除く

表431 高血圧症の判定区分(性・年齢階級別)

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数	
男	20	非該当	1 (100.0%)		2 (66.7%)		1 (100.0%)	2 (66.7%)	1 (50.0%)		7 (70.0%)	
	～	高血圧症予備群	0 (0.0%)		0 (0.0%)		0 (0.0%)	1 (33.3%)	1 (50.0%)		2 (20.0%)	
	29	高血圧症有症者	0 (0.0%)		1 (33.3%)		0 (0.0%)	0 (0.0%)	0 (0.0%)		1 (10.0%)	
	歳	合計	1 (100.0%)		3 (100.0%)		1 (100.0%)	3 (100.0%)	2 (100.0%)		10 (100.0%)	
	30	非該当		1 (100.0%)	25 (96.2%)	2 (100.0%)	2 (100.0%)	3 (75.0%)	4 (100.0%)	1 (100.0%)	1 (100.0%)	39 (95.1%)
	～	高血圧症予備群		0 (0.0%)	1 (3.8%)	0 (0.0%)	0 (0.0%)	1 (25.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (4.9%)
	39	高血圧症有症者		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
	歳	合計		1 (100.0%)	26 (100.0%)	2 (100.0%)	2 (100.0%)	4 (100.0%)	4 (100.0%)	1 (100.0%)	1 (100.0%)	41 (100.0%)
	40	非該当	2 (66.7%)		7 (70.0%)	2 (50.0%)	2 (50.0%)	3 (60.0%)	3 (42.9%)		2 (66.7%)	21 (58.3%)
	～	高血圧症予備群	0 (0.0%)		0 (0.0%)	1 (25.0%)	1 (25.0%)	1 (20.0%)	1 (14.3%)		0 (0.0%)	4 (11.1%)
	49	高血圧症有症者	1 (33.3%)		3 (30.0%)	1 (25.0%)	1 (25.0%)	1 (20.0%)	3 (42.9%)		1 (33.3%)	11 (30.6%)
	歳	合計	3 (100.0%)		10 (100.0%)	4 (100.0%)	4 (100.0%)	5 (100.0%)	7 (100.0%)		3 (100.0%)	36 (100.0%)
	50	非該当	2 (28.6%)	1 (33.3%)	2 (25.0%)		2 (16.7%)	2 (22.2%)	7 (43.8%)	1 (20.0%)	1 (50.0%)	18 (29.0%)
	～	高血圧症予備群	1 (14.3%)	0 (0.0%)	0 (0.0%)		3 (25.0%)	3 (33.3%)	1 (6.3%)	0 (0.0%)	1 (50.0%)	9 (14.5%)
	59	高血圧症有症者	4 (57.1%)	2 (66.7%)	6 (75.0%)		7 (58.3%)	4 (44.4%)	8 (50.0%)	4 (80.0%)	0 (0.0%)	35 (56.5%)
歳	合計	7 (100.0%)	3 (100.0%)	8 (100.0%)		12 (100.0%)	9 (100.0%)	16 (100.0%)	5 (100.0%)	2 (100.0%)	62 (100.0%)	
60	非該当	3 (60.0%)	0 (0.0%)	1 (11.1%)		3 (21.4%)	4 (30.8%)	7 (35.0%)	0 (0.0%)		18 (27.7%)	
～	高血圧症予備群	0 (0.0%)	0 (0.0%)	0 (0.0%)		4 (28.6%)	1 (7.7%)	2 (10.0%)	0 (0.0%)		7 (10.8%)	
69	高血圧症有症者	2 (40.0%)	1 (100.0%)	8 (88.9%)		7 (50.0%)	8 (61.5%)	11 (55.0%)	3 (100.0%)		40 (61.5%)	
歳	合計	5 (100.0%)	1 (100.0%)	9 (100.0%)		14 (100.0%)	13 (100.0%)	20 (100.0%)	3 (100.0%)		65 (100.0%)	
70	非該当	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (25.0%)	1 (14.3%)	0 (0.0%)	1 (10.0%)	0 (0.0%)	2 (40.0%)	5 (11.4%)	
～	高血圧症予備群	0 (0.0%)	0 (0.0%)	1 (20.0%)	1 (25.0%)	1 (14.3%)	2 (33.3%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 (11.4%)	
79	高血圧症有症者	5 (100.0%)	1 (100.0%)	4 (80.0%)	2 (50.0%)	5 (71.4%)	4 (66.7%)	9 (90.0%)	1 (100.0%)	3 (60.0%)	34 (77.3%)	
歳	合計	5 (100.0%)	1 (100.0%)	5 (100.0%)	4 (100.0%)	7 (100.0%)	6 (100.0%)	10 (100.0%)	1 (100.0%)	5 (100.0%)	44 (100.0%)	
80	非該当	2 (66.7%)		1 (25.0%)		1 (33.3%)	1 (20.0%)	1 (20.0%)			6 (28.6%)	
歳	高血圧症予備群	0 (0.0%)		0 (0.0%)		0 (0.0%)	1 (20.0%)	1 (20.0%)			2 (9.5%)	
以上	高血圧症有症者	1 (33.3%)		3 (75.0%)		2 (66.7%)	3 (60.0%)	3 (60.0%)			13 (61.9%)	
	合計	3 (100.0%)		4 (100.0%)		3 (100.0%)	5 (100.0%)	5 (100.0%)			21 (100.0%)	
総	非該当	10 (41.7%)	2 (33.3%)	38 (58.5%)	5 (50.0%)	12 (27.9%)	15 (33.3%)	24 (37.5%)	2 (20.0%)	6 (54.5%)	114 (40.9%)	
数	高血圧症予備群	1 (4.2%)	0 (0.0%)	2 (3.1%)	2 (20.0%)	9 (20.9%)	10 (22.2%)	6 (9.4%)	0 (0.0%)	1 (9.1%)	31 (11.1%)	
	高血圧症有症者	13 (54.2%)	4 (66.7%)	25 (38.5%)	3 (30.0%)	22 (51.2%)	20 (44.4%)	34 (53.1%)	8 (80.0%)	4 (36.4%)	134 (48.0%)	
	合計	24 (100.0%)	6 (100.0%)	65 (100.0%)	10 (100.0%)	43 (100.0%)	45 (100.0%)	64 (100.0%)	10 (100.0%)	11 (100.0%)	279 (100.0%)	
女	20	非該当			7 (100.0%)		3 (100.0%)		1 (100.0%)		11 (100.0%)	
	～	高血圧症予備群			0 (0.0%)		0 (0.0%)		0 (0.0%)		0 (0.0%)	
	29	高血圧症有症者			0 (0.0%)		0 (0.0%)		0 (0.0%)		0 (0.0%)	
	歳	合計			7 (100.0%)		3 (100.0%)		1 (100.0%)		11 (100.0%)	
	30	非該当	1 (100.0%)	1 (100.0%)	33 (100.0%)	7 (87.5%)	9 (81.8%)	13 (92.9%)	9 (90.0%)	2 (100.0%)	2 (66.7%)	77 (92.8%)
	～	高血圧症予備群	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (18.2%)	0 (0.0%)	1 (10.0%)	0 (0.0%)	1 (33.3%)	4 (4.8%)
	39	高血圧症有症者	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (12.5%)	0 (0.0%)	1 (7.1%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (2.4%)
	歳	合計	1 (100.0%)	1 (100.0%)	33 (100.0%)	8 (100.0%)	11 (100.0%)	14 (100.0%)	10 (100.0%)	2 (100.0%)	3 (100.0%)	83 (100.0%)
	40	非該当	2 (100.0%)	2 (66.7%)	9 (75.0%)	1 (25.0%)	4 (57.1%)	8 (100.0%)	8 (88.9%)	3 (75.0%)	3 (100.0%)	40 (76.9%)
	～	高血圧症予備群	0 (0.0%)	0 (0.0%)	2 (16.7%)	1 (25.0%)	1 (14.3%)	0 (0.0%)	0 (0.0%)	1 (25.0%)	0 (0.0%)	5 (9.6%)
	49	高血圧症有症者	0 (0.0%)	1 (33.3%)	1 (8.3%)	2 (50.0%)	2 (28.6%)	0 (0.0%)	1 (11.1%)	0 (0.0%)	0 (0.0%)	7 (13.5%)
	歳	合計	2 (100.0%)	3 (100.0%)	12 (100.0%)	4 (100.0%)	7 (100.0%)	8 (100.0%)	9 (100.0%)	4 (100.0%)	3 (100.0%)	52 (100.0%)
	50	非該当	3 (60.0%)	1 (25.0%)	8 (57.1%)		10 (50.0%)	9 (56.3%)	17 (60.7%)	1 (33.3%)	1 (50.0%)	50 (54.3%)
	～	高血圧症予備群	1 (20.0%)	1 (25.0%)	2 (14.3%)		4 (20.0%)	1 (6.3%)	5 (17.9%)	0 (0.0%)	0 (0.0%)	14 (15.2%)
	59	高血圧症有症者	1 (20.0%)	2 (50.0%)	4 (28.6%)		6 (30.0%)	6 (37.5%)	6 (21.4%)	2 (66.7%)	1 (50.0%)	28 (30.4%)
歳	合計	5 (100.0%)	4 (100.0%)	14 (100.0%)		20 (100.0%)	16 (100.0%)	28 (100.0%)	3 (100.0%)	2 (100.0%)	92 (100.0%)	
60	非該当	3 (42.9%)	2 (50.0%)	9 (47.4%)	0 (0.0%)	4 (40.0%)	13 (50.0%)	10 (38.5%)	0 (0.0%)	1 (50.0%)	42 (42.9%)	
～	高血圧症予備群	2 (28.6%)	1 (25.0%)	3 (15.8%)	0 (0.0%)	1 (10.0%)	2 (7.7%)	6 (23.1%)	0 (0.0%)	0 (0.0%)	15 (15.3%)	
69	高血圧症有症者	2 (28.6%)	1 (25.0%)	7 (36.8%)	2 (100.0%)	5 (50.0%)	11 (42.3%)	10 (38.5%)	2 (100.0%)	1 (50.0%)	41 (41.8%)	
歳	合計	7 (100.0%)	4 (100.0%)	19 (100.0%)	2 (100.0%)	10 (100.0%)	26 (100.0%)	26 (100.0%)	2 (100.0%)	2 (100.0%)	98 (100.0%)	
70	非該当	2 (25.0%)	0 (0.0%)	3 (25.0%)	0 (0.0%)	2 (15.4%)	6 (40.0%)	3 (15.0%)	0 (0.0%)	2 (50.0%)	18 (23.7%)	
～	高血圧症予備群	4 (50.0%)	0 (0.0%)	4 (33.3%)	0 (0.0%)	2 (15.4%)	0 (0.0%)	4 (20.0%)	0 (0.0%)	1 (25.0%)	15 (19.7%)	
79	高血圧症有症者	2 (25.0%)	1 (100.0%)	5 (41.7%)	1 (100.0%)	9 (69.2%)	9 (60.0%)	13 (65.0%)	2 (100.0%)	1 (25.0%)	43 (56.6%)	
歳	合計	8 (100.0%)	1 (100.0%)	12 (100.0%)	1 (100.0%)	13 (100.0%)	15 (100.0%)	20 (100.0%)	2 (100.0%)	4 (100.0%)	76 (100.0%)	
80	非該当	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	3 (50.0%)	0 (0.0%)		3 (12.0%)	
歳	高血圧症予備群	0 (0.0%)	1 (100.0%)	0 (0.0%)		1 (20.0%)	2 (50.0%)	1 (16.7%)	0 (0.0%)		5 (20.0%)	
以上	高血圧症有症者	2 (100.0%)	0 (0.0%)	6 (100.0%)		4 (80.0%)	2 (50.0%)	2 (33.3%)	1 (100.0%)		17 (68.0%)	
	合計	2 (100.0%)	1 (100.0%)	6 (100.0%)		5 (100.0%)	4 (100.0%)	6 (100.0%)	1 (100.0%)		25 (100.0%)	
総	非該当	11 (44.0%)	6 (42.9%)	69 (67.0%)	8 (53.3%)	32 (46.4%)	49 (59.0%)	51 (51.0%)	6 (42.9%)	9 (64.3%)	241 (55.1%)	
数	高血圧症予備群	7 (28.0%)	3 (21.4%)	11 (10.7%)	1 (6.7%)	11 (15.9%)	5 (6.0%)	17 (17.0%)	1 (7.1%)	2 (14.3%)	58 (13.3%)	
	高血圧症有症者	7 (28.0%)	5 (35.7%)	23 (22.3%)	6 (40.0%)	26 (37.7%)	29 (34.9%)	32 (32.0%)	7 (50.0%)	3 (21.4%)	138 (31.6%)	
	合計	25 (100.0%)	14 (100.0%)	103 (100.0%)	15 (100.0%)	69 (100.0%)	83 (100.0%)	100 (100.0%)	14 (100.0%)	14 (100.0%)	437 (100.0%)	

\*妊婦を除く20歳以上の血圧測定者で「血圧を下げる薬」の服薬状況に回答のあった者を分析対象とした

\*高血圧症有病者とは収縮期血圧140mmHg以上または拡張期血圧90mmHgであるか、血圧を下げる薬服薬者

\*血圧を下げる薬服薬者でなく、高血圧症予備群とは130mmHg≤収縮期血圧&lt;140mmHgまたは85mmHg≤拡張期血圧&lt;90mmHgの者

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数
総 数	20 非該当	1 (100.0%)		9 (90.0%)		4 (100.0%)	2 (66.7%)	2 (66.7%)			18 (85.7%)
	～ 高血圧症予備群	0 (0.0%)		0 (0.0%)		0 (0.0%)	1 (33.3%)	1 (33.3%)			2 (9.5%)
	29 高血圧症有症者	0 (0.0%)		1 (10.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)			1 (4.8%)
	歳 合計	1 (100.0%)		10 (100.0%)		4 (100.0%)	3 (100.0%)	3 (100.0%)			21 (100.0%)
	30 非該当	1 (100.0%)	2 (100.0%)	58 (98.3%)	9 (90.0%)	11 (84.6%)	16 (88.9%)	13 (92.9%)	3 (100.0%)	3 (75.0%)	116 (93.5%)
	～ 高血圧症予備群	0 (0.0%)	0 (0.0%)	1 (1.7%)	0 (0.0%)	2 (15.4%)	1 (5.6%)	1 (7.1%)	0 (0.0%)	1 (25.0%)	6 (4.8%)
	39 高血圧症有症者	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (10.0%)	0 (0.0%)	1 (5.6%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (1.6%)
	歳 合計	1 (100.0%)	2 (100.0%)	59 (100.0%)	10 (100.0%)	13 (100.0%)	18 (100.0%)	14 (100.0%)	3 (100.0%)	4 (100.0%)	124 (100.0%)
	40 非該当	4 (80.0%)	2 (66.7%)	16 (72.7%)	3 (37.5%)	6 (54.5%)	11 (84.6%)	11 (68.8%)	3 (75.0%)	5 (83.3%)	61 (69.3%)
	～ 高血圧症予備群	0 (0.0%)	0 (0.0%)	2 (9.1%)	2 (25.0%)	2 (18.2%)	1 (7.7%)	1 (6.3%)	1 (25.0%)	0 (0.0%)	9 (10.2%)
	49 高血圧症有症者	1 (20.0%)	1 (33.3%)	4 (18.2%)	3 (37.5%)	3 (27.3%)	1 (7.7%)	4 (25.0%)	0 (0.0%)	1 (16.7%)	18 (20.5%)
	歳 合計	5 (100.0%)	3 (100.0%)	22 (100.0%)	8 (100.0%)	11 (100.0%)	13 (100.0%)	16 (100.0%)	4 (100.0%)	6 (100.0%)	88 (100.0%)
	50 非該当	5 (41.7%)	2 (28.6%)	10 (45.5%)		12 (37.5%)	11 (44.0%)	24 (54.5%)	2 (25.0%)	2 (50.0%)	68 (44.2%)
	～ 高血圧症予備群	2 (16.7%)	1 (14.3%)	2 (9.1%)		7 (21.9%)	4 (16.0%)	6 (13.6%)	0 (0.0%)	1 (25.0%)	23 (14.9%)
	59 高血圧症有症者	5 (41.7%)	4 (57.1%)	10 (45.5%)		13 (40.6%)	10 (40.0%)	14 (31.8%)	6 (75.0%)	1 (25.0%)	63 (40.9%)
	歳 合計	12 (100.0%)	7 (100.0%)	22 (100.0%)		32 (100.0%)	25 (100.0%)	44 (100.0%)	8 (100.0%)	4 (100.0%)	154 (100.0%)
	60 非該当	6 (50.0%)	2 (40.0%)	10 (35.7%)	0 (0.0%)	7 (29.2%)	17 (43.6%)	17 (37.0%)	0 (0.0%)	1 (50.0%)	60 (36.8%)
	～ 高血圧症予備群	2 (16.7%)	1 (20.0%)	3 (10.7%)	0 (0.0%)	5 (20.8%)	3 (7.7%)	8 (17.4%)	0 (0.0%)	0 (0.0%)	22 (13.5%)
	69 高血圧症有症者	4 (33.3%)	2 (40.0%)	15 (53.6%)	2 (100.0%)	12 (50.0%)	19 (48.7%)	21 (45.7%)	5 (100.0%)	1 (50.0%)	81 (49.7%)
	歳 合計	12 (100.0%)	5 (100.0%)	28 (100.0%)	2 (100.0%)	24 (100.0%)	39 (100.0%)	46 (100.0%)	5 (100.0%)	2 (100.0%)	163 (100.0%)
70 非該当	2 (15.4%)	0 (0.0%)	3 (17.6%)	1 (20.0%)	3 (15.0%)	6 (28.6%)	4 (13.3%)	0 (0.0%)	4 (44.4%)	23 (19.2%)	
～ 高血圧症予備群	4 (30.8%)	0 (0.0%)	5 (29.4%)	1 (20.0%)	3 (15.0%)	2 (9.5%)	4 (13.3%)	0 (0.0%)	1 (11.1%)	20 (16.7%)	
79 高血圧症有症者	7 (53.8%)	2 (100.0%)	9 (52.9%)	3 (60.0%)	14 (70.0%)	13 (61.9%)	22 (73.3%)	3 (100.0%)	4 (44.4%)	77 (64.2%)	
歳 合計	13 (100.0%)	2 (100.0%)	17 (100.0%)	5 (100.0%)	20 (100.0%)	21 (100.0%)	30 (100.0%)	3 (100.0%)	9 (100.0%)	120 (100.0%)	
80 非該当	2 (40.0%)	0 (0.0%)	1 (10.0%)		1 (12.5%)	1 (11.1%)	4 (36.4%)	0 (0.0%)		9 (19.6%)	
～ 高血圧症予備群	0 (0.0%)	1 (100.0%)	0 (0.0%)		1 (12.5%)	3 (33.3%)	2 (18.2%)	0 (0.0%)		7 (15.2%)	
以上 高血圧症有症者	3 (60.0%)	0 (0.0%)	9 (90.0%)		6 (75.0%)	5 (55.6%)	5 (45.5%)	1 (100.0%)		30 (65.2%)	
歳 合計	5 (100.0%)	1 (100.0%)	10 (100.0%)		8 (100.0%)	9 (100.0%)	11 (100.0%)	1 (100.0%)		46 (100.0%)	
総 非該当	21 (42.9%)	8 (40.0%)	107 (63.7%)	13 (52.0%)	44 (39.3%)	64 (50.0%)	75 (45.7%)	8 (33.3%)	15 (60.0%)	355 (49.6%)	
～ 高血圧症予備群	8 (16.3%)	3 (15.0%)	13 (7.7%)	3 (12.0%)	20 (17.9%)	15 (11.7%)	23 (14.0%)	1 (4.2%)	3 (12.0%)	89 (12.4%)	
高血圧症有症者	20 (40.8%)	9 (45.0%)	48 (28.6%)	9 (36.0%)	48 (42.9%)	49 (38.3%)	66 (40.2%)	15 (62.5%)	7 (28.0%)	272 (38.0%)	
歳 合計	49 (100.0%)	20 (100.0%)	168 (100.0%)	25 (100.0%)	112 (100.0%)	128 (100.0%)	164 (100.0%)	24 (100.0%)	25 (100.0%)	716 (100.0%)	

表432 喫煙習慣(性・年齢階級別)

人(%)

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数	
男	20~29歳 有	1 (100.0%)	0 (0.0%)	6 (66.7%)		5 (55.6%)	6 (42.9%)	5 (35.7%)	0 (0.0%)	0 (0.0%)	23 (43.4%)	
	総数	1	1	9		9	14	14	1	4	53	
	性	30~39歳 有	1 (100.0%)	1 (33.3%)	21 (46.7%)	6 (75.0%)	10 (71.4%)	10 (62.5%)	6 (46.2%)	0 (0.0%)	0 (0.0%)	55 (52.9%)
		総数	1	3	45	8	14	16	13	2	2	104
	性	40~49歳 有	4 (66.7%)	1 (100.0%)	10 (35.7%)	3 (42.9%)	7 (33.3%)	13 (50.0%)	7 (38.9%)	0 (0.0%)	1 (25.0%)	46 (40.0%)
		総数	6	1	28	7	21	26	18	4	4	115
	性	50~59歳 有	6 (50.0%)	1 (20.0%)	4 (16.7%)		13 (44.8%)	12 (36.4%)	15 (36.6%)	2 (28.6%)	2 (25.0%)	55 (34.6%)
		総数	12	5	24		29	33	41	7	8	159
	性	60~69歳 有	1 (11.1%)	1 (33.3%)	10 (40.0%)		5 (20.8%)	7 (24.1%)	9 (23.1%)	1 (33.3%)	1 (50.0%)	35 (26.1%)
総数		9	3	25		24	29	39	3	2	134	
性	70~79歳 有	2 (22.2%)	1 (50.0%)	1 (7.7%)	3 (42.9%)	1 (6.7%)	6 (24.0%)	2 (9.5%)	0 (0.0%)	1 (14.3%)	17 (16.7%)	
	総数	9	2	13	7	15	25	21	3	7	102	
性	80歳以上 有	0 (0.0%)	0 (0.0%)	1 (12.5%)		0 (0.0%)	3 (30.0%)	1 (12.5%)	0 (0.0%)	0 (0.0%)	5 (11.9%)	
	総数	7	1	8		6	10	8	1	1	42	
性	20歳以上 有	15 (33.3%)	5 (31.3%)	53 (34.9%)	12 (54.5%)	41 (34.7%)	57 (37.3%)	45 (29.2%)	3 (14.3%)	5 (17.9%)	236 (33.3%)	
	(再掲) 総数	45	16	152	22	118	153	154	21	28	709	
女	20~29歳 有	0 (0.0%)	1 (100.0%)	1 (6.7%)		3 (15.0%)	3 (15.8%)	1 (6.3%)	0 (0.0%)	0 (0.0%)	9 (11.5%)	
	総数	3	1	15		20	19	16	2	2	78	
	性	30~39歳 有	0 (0.0%)	1 (25.0%)	5 (10.4%)	1 (12.5%)	4 (26.7%)	4 (14.8%)	1 (5.0%)	0 (0.0%)	0 (0.0%)	16 (12.1%)
		総数	2	4	48	8	15	27	20	3	5	132
	性	40~49歳 有	2 (33.3%)	0 (0.0%)	3 (12.0%)	0 (0.0%)	4 (23.5%)	2 (7.4%)	1 (6.3%)	0 (0.0%)	0 (0.0%)	12 (10.7%)
		総数	6	4	25	4	17	27	16	6	7	112
	性	50~59歳 有	1 (12.5%)	0 (0.0%)	2 (8.0%)	0 (0.0%)	2 (7.7%)	2 (6.1%)	3 (6.4%)	0 (0.0%)	1 (25.0%)	11 (7.2%)
		総数	8	5	25	1	26	33	47	4	4	153
	性	60~69歳 有	0 (0.0%)	1 (20.0%)	1 (3.2%)	0 (0.0%)	1 (5.0%)	1 (2.5%)	1 (2.8%)	0 (0.0%)	0 (0.0%)	5 (3.3%)
総数		12	5	31	3	20	40	36	2	2	151	
性	70~79歳 有	0 (0.0%)	1 (25.0%)	1 (6.7%)	0 (0.0%)	1 (5.3%)	1 (3.8%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	4 (3.4%)	
	総数	15	4	15	1	19	26	28	2	7	117	
性	80歳以上 有	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	
	総数	5	3	12		16	16	18	2		72	
性	20歳以上 有	3 (5.9%)	4 (15.4%)	13 (7.6%)	1 (5.9%)	15 (11.3%)	13 (6.9%)	7 (3.9%)	0 (0.0%)	1 (3.7%)	57 (7.0%)	
	(再掲) 総数	51	26	171	17	133	188	181	21	27	815	
総数	20~29歳 有	1 (25.0%)	1 (50.0%)	7 (29.2%)		8 (27.6%)	9 (27.3%)	6 (20.0%)	0 (0.0%)	0 (0.0%)	32 (24.4%)	
	総数	4	2	24		29	33	30	3	6	131	
	性	30~39歳 有	1 (33.3%)	2 (28.6%)	26 (28.0%)	7 (43.8%)	14 (48.3%)	14 (32.6%)	7 (21.2%)	0 (0.0%)	0 (0.0%)	71 (30.1%)
		総数	3	7	93	16	29	43	33	5	7	236
	性	40~49歳 有	6 (50.0%)	1 (20.0%)	13 (24.5%)	3 (27.3%)	11 (28.9%)	15 (28.3%)	8 (23.5%)	0 (0.0%)	1 (9.1%)	58 (25.6%)
		総数	12	5	53	11	38	53	34	10	11	227
	性	50~59歳 有	7 (35.0%)	1 (10.0%)	6 (12.2%)	0 (0.0%)	15 (27.3%)	14 (21.2%)	18 (20.5%)	2 (18.2%)	3 (25.0%)	66 (21.2%)
		総数	20	10	49	1	55	66	88	11	12	312
	性	60~69歳 有	1 (4.8%)	2 (25.0%)	11 (19.6%)	0 (0.0%)	6 (13.6%)	8 (11.6%)	10 (13.3%)	1 (20.0%)	1 (25.0%)	40 (14.0%)
総数		21	8	56	3	44	69	75	5	4	285	
性	70~79歳 有	2 (8.3%)	2 (33.3%)	2 (7.1%)	3 (37.5%)	2 (5.9%)	7 (13.7%)	2 (4.1%)	0 (0.0%)	1 (7.1%)	21 (9.6%)	
	総数	24	6	28	8	34	51	49	5	14	219	
性	80歳以上 有	0 (0.0%)	0 (0.0%)	1 (5.0%)		0 (0.0%)	3 (11.5%)	1 (3.8%)	0 (0.0%)	0 (0.0%)	5 (4.4%)	
	総数	12	4	20		22	26	26	3	1	114	
性	20歳以上 有	18 (18.8%)	9 (21.4%)	66 (20.4%)	13 (33.3%)	56 (22.3%)	70 (20.5%)	52 (15.5%)	3 (7.1%)	6 (10.9%)	293 (19.2%)	
	(再掲) 総数	96	42	323	39	251	341	335	42	55	1524	

\*現在習慣的に喫煙している人とは、これまでに総数100本以上また6ヶ月以上たばこを吸っている者のうち、「この1ヶ月間に毎日または時々煙草を吸っている」と回答した者。

表433 飲酒習慣(性・年齢階級別)

		人(%)									
		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数
男 性	20~29歳 有 総数	1 (100.0%) 1	0 (0.0%) 1	0 (0.0%) 8		1 (11.1%) 9	3 (23.1%) 13	0 (0.0%) 13	0 (0.0%) 1	0 (0.0%) 4	5 (10.0%) 50
	30~39歳 有 総数	0 (0.0%) 1	1 (50.0%) 2	12 (26.7%) 45	6 (75.0%) 8	2 (14.3%) 14	5 (31.3%) 16	4 (30.8%) 13	0 (0.0%) 2	0 (0.0%) 2	30 (29.1%) 103
	40~49歳 有 総数	3 (50.0%) 6	1 (100.0%) 1	8 (28.6%) 28	3 (42.9%) 7	9 (42.9%) 21	8 (33.3%) 24	9 (50.0%) 18	2 (50.0%) 4	0 (0.0%) 4	43 (38.1%) 113
	50~59歳 有 総数	7 (63.6%) 11	2 (40.0%) 5	9 (40.9%) 22		17 (58.6%) 29	15 (45.5%) 33	15 (36.6%) 41	2 (28.6%) 7	0 (0.0%) 8	67 (42.9%) 156
	60~69歳 有 総数	6 (66.7%) 9	3 (100.0%) 3	10 (40.0%) 25		8 (33.3%) 24	15 (51.7%) 29	15 (38.5%) 39	3 (100.0%) 3	1 (50.0%) 2	61 (45.5%) 134
	70~79歳 有 総数	3 (33.3%) 9	0 (0.0%) 2	5 (38.5%) 13	0 (0.0%) 7	4 (28.6%) 14	5 (20.0%) 25	7 (33.3%) 21	1 (33.3%) 3	0 (0.0%) 7	25 (24.8%) 101
	80歳以上 有 総数	3 (42.9%) 7	0 (0.0%) 1	2 (25.0%) 8		2 (33.3%) 6	2 (20.0%) 10	1 (12.5%) 8	1 (100.0%) 1	0 (0.0%) 1	11 (26.2%) 42
	20歳以上 有 (再掲) 総数	23 (52.3%) 44	7 (46.7%) 15	46 (30.9%) 149	9 (40.9%) 22	43 (36.8%) 117	53 (35.3%) 150	51 (33.3%) 153	9 (42.9%) 21	1 (3.6%) 28	242 (34.6%) 699
	女 性	20~29歳 有 総数	0 (0.0%) 3	0 (0.0%) 1	0 (0.0%) 15		0 (0.0%) 20	1 (5.3%) 19	0 (0.0%) 16	0 (0.0%) 2	0 (0.0%) 2
30~39歳 有 総数		0 (0.0%) 2	1 (25.0%) 4	3 (6.3%) 48	0 (0.0%) 8	2 (13.3%) 15	2 (7.4%) 27	1 (5.0%) 20	0 (0.0%) 3	0 (0.0%) 5	9 (6.8%) 132
40~49歳 有 総数		0 (0.0%) 6	0 (0.0%) 4	3 (12.0%) 25	0 (0.0%) 4	2 (11.8%) 17	5 (19.2%) 26	1 (6.3%) 16	0 (0.0%) 6	1 (14.3%) 7	12 (10.8%) 111
50~59歳 有 総数		1 (12.5%) 8	0 (0.0%) 4	1 (4.2%) 24	0 (0.0%) 1	1 (3.8%) 26	2 (6.1%) 33	0 (0.0%) 47	0 (0.0%) 4	0 (0.0%) 4	5 (3.3%) 151
60~69歳 有 総数		0 (0.0%) 12	0 (0.0%) 5	2 (6.7%) 30	0 (0.0%) 3	1 (5.0%) 20	1 (2.6%) 38	2 (5.6%) 36	0 (0.0%) 2	0 (0.0%) 2	6 (4.1%) 148
70~79歳 有 総数		0 (0.0%) 15	0 (0.0%) 4	1 (6.7%) 15	0 (0.0%) 1	0 (0.0%) 19	1 (3.8%) 26	0 (0.0%) 28	0 (0.0%) 2	0 (0.0%) 7	2 (1.7%) 117
80歳以上 有 総数		0 (0.0%) 5	0 (0.0%) 3	0 (0.0%) 12		0 (0.0%) 16	1 (6.7%) 15	2 (11.1%) 18	0 (0.0%) 2		3 (4.2%) 71
20歳以上 有 (再掲) 総数		1 (2.0%) 51	1 (4.0%) 25	10 (5.9%) 169	0 (0.0%) 17	6 (4.5%) 133	13 (7.1%) 184	6 (3.3%) 181	0 (0.0%) 21	1 (3.7%) 27	38 (4.7%) 808
総 数		20~29歳 有 総数	1 (25.0%) 4	0 (0.0%) 2	0 (0.0%) 23		1 (3.4%) 29	4 (12.5%) 32	0 (0.0%) 29	0 (0.0%) 3	0 (0.0%) 6
	30~39歳 有 総数	0 (0.0%) 3	2 (33.3%) 6	15 (16.1%) 93	6 (37.5%) 16	4 (13.8%) 29	7 (16.3%) 43	5 (15.2%) 33	0 (0.0%) 5	0 (0.0%) 7	39 (16.6%) 235
	40~49歳 有 総数	3 (25.0%) 12	1 (20.0%) 5	11 (20.8%) 53	3 (27.3%) 11	11 (28.9%) 38	13 (26.0%) 50	10 (29.4%) 34	2 (20.0%) 10	1 (9.1%) 11	55 (24.6%) 224
	50~59歳 有 総数	8 (42.1%) 19	2 (22.2%) 9	10 (21.7%) 46	0 (0.0%) 1	18 (32.7%) 55	17 (25.8%) 66	15 (17.0%) 88	2 (18.2%) 11	0 (0.0%) 12	72 (23.5%) 307
	60~69歳 有 総数	6 (28.6%) 21	3 (37.5%) 8	12 (21.8%) 55	0 (0.0%) 3	9 (20.5%) 44	16 (23.9%) 67	17 (22.7%) 75	3 (60.0%) 5	1 (25.0%) 4	67 (23.8%) 282
	70~79歳 有 総数	3 (12.5%) 24	0 (0.0%) 6	6 (21.4%) 28	0 (0.0%) 8	4 (12.1%) 33	6 (11.8%) 51	7 (14.3%) 49	1 (20.0%) 5	0 (0.0%) 14	27 (12.4%) 218
	80歳以上 有 総数	3 (25.0%) 12	0 (0.0%) 4	2 (10.0%) 20		2 (9.1%) 22	3 (12.0%) 25	3 (11.5%) 26	1 (33.3%) 3	0 (0.0%) 1	14 (12.4%) 113
	20歳以上 有 (再掲) 総数	24 (25.3%) 95	8 (20.0%) 40	56 (17.6%) 318	9 (23.1%) 39	49 (19.6%) 250	66 (19.8%) 334	57 (17.1%) 334	9 (21.4%) 42	2 (3.6%) 55	280 (18.6%) 1507

\* 飲酒習慣ありとは週3日以上、1回日本換算して1合以上の者

\* 母数は「週に何日お酒を飲みますか」に回答した者

表434 運動習慣(性・年齢階級別)

人(%)

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数
男 性	15~19歳 有	2 (100.0%)		3 (30.0%)	1 (100.0%)	6 (50.0%)	4 (36.4%)	8 (72.7%)	2 (50.0%)	1 (50.0%)	27 (50.9%)
	総数	2		10	1	12	11	11	4	2	53
	20~29歳 有	1 (100.0%)	0 (0.0%)	1 (11.1%)		0 (0.0%)	0 (0.0%)	3 (21.4%)	0 (0.0%)	2 (50.0%)	7 (13.5%)
	総数	1	1	9		9	13	14	1	4	52
	30~39歳 有	0 (0.0%)	0 (0.0%)	3 (6.7%)	4 (50.0%)	2 (14.3%)	4 (25.0%)	3 (23.1%)	0 (0.0%)	0 (0.0%)	16 (15.4%)
	総数	1	3	45	8	14	16	13	2	2	104
	40~49歳 有	2 (33.3%)	1 (100.0%)	3 (10.7%)	4 (57.1%)	6 (28.6%)	7 (28.0%)	4 (22.2%)	0 (0.0%)	1 (25.0%)	28 (24.6%)
	総数	6	1	28	7	21	25	18	4	4	114
	50~59歳 有	4 (36.4%)	0 (0.0%)	6 (26.1%)		6 (20.7%)	7 (21.2%)	8 (19.5%)	2 (28.6%)	2 (25.0%)	35 (22.3%)
	総数	11	5	23		29	33	41	7	8	157
60~69歳 有	2 (22.2%)	1 (33.3%)	9 (37.5%)		7 (29.2%)	8 (27.6%)	13 (33.3%)	0 (0.0%)	0 (0.0%)	40 (30.1%)	
総数	9	3	24		24	29	39	3	2	133	
70~79歳 有	1 (11.1%)	1 (50.0%)	3 (23.1%)	3 (42.9%)	4 (26.7%)	8 (33.3%)	12 (57.1%)	0 (0.0%)	1 (14.3%)	33 (32.7%)	
総数	9	2	13	7	15	24	21	3	7	101	
80歳以上 有	2 (28.6%)	1 (100.0%)	2 (25.0%)		3 (50.0%)	2 (20.0%)	1 (12.5%)	0 (0.0%)	0 (0.0%)	11 (26.2%)	
総数	7	1	8		6	10	8	1	1	42	
20歳以上 有 (再掲)	14 (30.4%)	4 (25.0%)	30 (18.8%)	12 (52.2%)	34 (26.2%)	40 (24.8%)	52 (31.5%)	4 (16.0%)	7 (23.3%)	197 (26.1%)	
総数	46	16	160	23	130	161	165	25	30	756	
女 性	15~19歳 有			3 (60.0%)	0 (0.0%)	7 (87.5%)	7 (70.0%)	3 (60.0%)	2 (40.0%)	2 (66.7%)	24 (64.9%)
	総数			5	1	8	10	5	5	3	37
	20~29歳 有	0 (0.0%)	0 (0.0%)	2 (13.3%)		0 (0.0%)	0 (0.0%)	4 (25.0%)	0 (0.0%)	0 (0.0%)	6 (7.7%)
	総数	3	1	15		20	19	16	2	2	78
	30~39歳 有	0 (0.0%)	1 (25.0%)	3 (6.3%)	0 (0.0%)	1 (6.7%)	5 (18.5%)	0 (0.0%)	0 (0.0%)	1 (20.0%)	11 (8.3%)
	総数	2	4	48	8	15	27	20	3	5	132
	40~49歳 有	0 (0.0%)	0 (0.0%)	4 (16.0%)	1 (25.0%)	1 (5.9%)	2 (7.7%)	1 (6.3%)	1 (16.7%)	3 (42.9%)	13 (11.7%)
	総数	6	4	25	4	17	26	16	6	7	111
	50~59歳 有	1 (12.5%)	0 (0.0%)	3 (12.0%)	0 (0.0%)	5 (19.2%)	2 (6.1%)	6 (12.8%)	0 (0.0%)	0 (0.0%)	17 (11.1%)
	総数	8	5	25	1	26	33	47	4	4	153
60~69歳 有	2 (16.7%)	2 (40.0%)	6 (20.0%)	2 (66.7%)	8 (40.0%)	9 (23.1%)	12 (34.3%)	0 (0.0%)	0 (0.0%)	41 (27.7%)	
総数	12	5	30	3	20	39	35	2	2	148	
70~79歳 有	2 (13.3%)	0 (0.0%)	4 (26.7%)	0 (0.0%)	6 (31.6%)	7 (26.9%)	13 (46.4%)	0 (0.0%)	1 (14.3%)	33 (28.2%)	
総数	15	4	15	1	19	26	28	2	7	117	
80歳以上 有	0 (0.0%)	0 (0.0%)	3 (25.0%)		1 (6.3%)	3 (20.0%)	2 (11.1%)	1 (50.0%)		10 (14.1%)	
総数	5	3	12		16	15	18	2		71	
20歳以上 有 (再掲)	5 (9.8%)	3 (11.5%)	28 (16.0%)	3 (16.7%)	29 (20.6%)	35 (17.9%)	41 (22.2%)	4 (15.4%)	7 (23.3%)	155 (18.3%)	
総数	51	26	175	18	141	195	185	26	30	847	
総 数	20~29歳 有	0 (0.0%)	0 (0.0%)	5 (8.3%)		2 (5.9%)	4 (11.4%)	7 (24.1%)	0 (0.0%)	0 (0.0%)	22 (12.1%)
	総数	4	4	60		34	35	29	4	4	182
	30~39歳 有	2 (25.0%)	2 (40.0%)	6 (7.9%)	4 (26.7%)	7 (19.4%)	12 (23.1%)	4 (10.5%)	0 (0.0%)	2 (22.2%)	39 (15.9%)
	総数	8	5	76	15	36	52	38	7	9	246
	40~49歳 有	4 (23.5%)	0 (0.0%)	10 (20.8%)	1 (25.0%)	7 (15.2%)	9 (15.3%)	9 (15.8%)	3 (23.1%)	5 (33.3%)	48 (17.9%)
	総数	17	9	48	4	46	59	57	13	15	268
	50~59歳 有	3 (17.6%)	1 (12.5%)	12 (24.5%)	0 (0.0%)	12 (24.0%)	10 (16.1%)	19 (22.1%)	0 (0.0%)	0 (0.0%)	57 (19.9%)
	総数	17	8	49	1	50	62	86	7	6	286
	60~69歳 有	3 (14.3%)	3 (42.9%)	9 (20.9%)	5 (50.0%)	12 (34.3%)	17 (27.0%)	24 (42.9%)	0 (0.0%)	1 (11.1%)	74 (29.7%)
総数	21	7	43	10	35	63	56	5	9	249	
70~79歳 有	4 (18.2%)	1 (20.0%)	6 (26.1%)	0 (0.0%)	9 (36.0%)	9 (25.0%)	14 (38.9%)	0 (0.0%)	1 (12.5%)	44 (27.7%)	
総数	22	5	23	1	25	36	36	3	8	159	
80歳以上 有	14 (27.5%)	4 (21.1%)	33 (19.2%)		35 (24.0%)	43 (24.4%)	54 (29.5%)	5 (18.5%)	7 (23.3%)	207 (25.0%)	
総数	51	19	172		146	176	183	27	30	827	
20歳以上 有 (再掲)	5 (9.8%)	3 (11.5%)	31 (17.2%)	3 (15.8%)	36 (24.2%)	42 (20.5%)	44 (23.2%)	6 (19.4%)	9 (27.3%)	179 (20.2%)	
総数	51	26	180	19	149	205	190	31	33	884	

\* 運動習慣のある者とは、運動を週2回以上、1回30分以上、1年以上継続している者

\* 母数は問15を回答した者

表435 睡眠による休養が不足している人の割合(性・年齢階級別)

人(%)

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数
男	15~19歳 不足	1 (50.0%)		2 (20.0%)	0 (0.0%)	2 (16.7%)	4 (40.0%)	3 (27.3%)	0 (0.0%)	1 (50.0%)	13 (25.0%)
	総数	2		10	1	12	10	11	4	2	52
	20~29歳 不足	0 (0.0%)	1 (100.0%)	1 (12.5%)		5 (55.6%)	2 (15.4%)	4 (28.6%)	0 (0.0%)	0 (0.0%)	13 (25.5%)
	総数	1	1	8		9	13	14	1	4	51
	30~39歳 不足	0 (0.0%)	1 (50.0%)	13 (28.9%)	1 (12.5%)	3 (21.4%)	5 (31.3%)	5 (38.5%)	1 (50.0%)	1 (50.0%)	30 (29.1%)
	総数	1	2	45	8	14	16	13	2	2	103
	40~49歳 不足	4 (66.7%)	1 (100.0%)	11 (39.3%)	0 (0.0%)	7 (33.3%)	8 (33.3%)	1 (5.6%)	1 (25.0%)	2 (50.0%)	35 (31.0%)
	総数	6	1	28	7	21	24	18	4	4	113
	50~59歳 不足	5 (45.5%)	2 (40.0%)	5 (21.7%)		8 (27.6%)	4 (12.1%)	6 (14.6%)	1 (14.3%)	1 (12.5%)	32 (20.4%)
	総数	11	5	23		29	33	41	7	8	157
60~69歳 不足	2 (22.2%)	0 (0.0%)	1 (4.0%)		1 (4.2%)	3 (10.3%)	4 (10.3%)	0 (0.0%)	0 (0.0%)	11 (8.2%)	
総数	9	3	25		24	29	39	3	2	134	
70~79歳 不足	1 (11.1%)	0 (0.0%)	1 (7.7%)	2 (28.6%)	1 (6.7%)	1 (4.2%)	3 (14.3%)	0 (0.0%)	2 (28.6%)	11 (10.9%)	
総数	9	2	13	7	15	24	21	3	7	101	
80歳以上 不足	1 (14.3%)	0 (0.0%)	1 (12.5%)		1 (16.7%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 (7.1%)	
総数	7	1	8		6	10	8	1	1	42	
20歳以上 不足 (再掲)	14 (30.4%)	5 (33.3%)	35 (21.9%)	3 (13.0%)	28 (21.5%)	27 (17.0%)	26 (15.8%)	3 (12.0%)	7 (23.3%)	148 (19.7%)	
総数	46	15	160	23	130	159	165	25	30	753	
女	15~19歳 不足			3 (60.0%)	1 (100.0%)	3 (37.5%)	1 (11.1%)	2 (40.0%)	1 (20.0%)	1 (33.3%)	12 (33.3%)
	総数			5	1	8	9	5	5	3	36
	20~29歳 不足	2 (66.7%)	0 (0.0%)	3 (20.0%)		5 (25.0%)	6 (31.6%)	1 (6.3%)	1 (50.0%)	1 (50.0%)	19 (24.4%)
	総数	3	1	15		20	19	16	2	2	78
	30~39歳 不足	0 (0.0%)	1 (25.0%)	16 (33.3%)	2 (25.0%)	4 (26.7%)	7 (25.9%)	8 (40.0%)	2 (66.7%)	1 (20.0%)	41 (31.1%)
	総数	2	4	48	8	15	27	20	3	5	132
	40~49歳 不足	2 (33.3%)	0 (0.0%)	11 (44.0%)	1 (25.0%)	2 (11.8%)	10 (38.5%)	3 (18.8%)	0 (0.0%)	1 (14.3%)	30 (27.0%)
	総数	6	4	25	4	17	26	16	6	7	111
	50~59歳 不足	4 (50.0%)	1 (25.0%)	6 (24.0%)	0 (0.0%)	4 (16.0%)	14 (42.4%)	8 (17.0%)	1 (25.0%)	1 (25.0%)	39 (25.8%)
	総数	8	4	25	1	25	33	47	4	4	151
60~69歳 不足	4 (33.3%)	2 (40.0%)	3 (10.3%)	0 (0.0%)	3 (15.0%)	4 (10.5%)	3 (8.6%)	0 (0.0%)	0 (0.0%)	19 (13.0%)	
総数	12	5	29	3	20	38	35	2	2	146	
70~79歳 不足	0 (0.0%)	0 (0.0%)	4 (26.7%)	1 (100.0%)	0 (0.0%)	5 (19.2%)	1 (3.6%)	1 (50.0%)	1 (14.3%)	13 (11.1%)	
総数	15	4	15	1	19	26	28	2	7	117	
80歳以上 不足	0 (0.0%)	1 (33.3%)	0 (0.0%)		0 (0.0%)	1 (6.3%)	3 (16.7%)	0 (0.0%)		5 (6.9%)	
総数	5	3	12		16	16	18	2		72	
20歳以上 不足 (再掲)	12 (23.5%)	5 (20.0%)	46 (26.4%)	5 (27.8%)	21 (15.0%)	48 (24.7%)	29 (15.7%)	6 (23.1%)	6 (20.0%)	178 (21.1%)	
総数	51	25	174	18	140	194	185	26	30	843	
総数	20~29歳 不足	2 (50.0%)	1 (33.3%)	16 (26.7%)		8 (23.5%)	11 (31.4%)	6 (20.7%)	2 (50.0%)	2 (50.0%)	49 (27.1%)
	総数	4	3	60		34	35	29	4	4	181
	30~39歳 不足	4 (50.0%)	2 (40.0%)	27 (35.5%)	2 (13.3%)	11 (30.6%)	15 (29.4%)	9 (23.7%)	3 (42.9%)	3 (33.3%)	76 (31.0%)
	総数	8	5	76	15	36	51	38	7	9	245
	40~49歳 不足	7 (41.2%)	2 (22.2%)	16 (33.3%)	1 (25.0%)	10 (21.7%)	14 (23.7%)	9 (15.8%)	1 (7.7%)	2 (13.3%)	62 (23.1%)
	総数	17	9	48	4	46	59	57	13	15	268
	50~59歳 不足	6 (35.3%)	1 (14.3%)	7 (14.0%)	0 (0.0%)	5 (10.2%)	17 (27.4%)	12 (14.0%)	1 (14.3%)	1 (16.7%)	50 (17.5%)
	総数	17	7	50	1	49	62	86	7	6	285
	60~69歳 不足	5 (23.8%)	2 (28.6%)	4 (9.5%)	2 (20.0%)	4 (11.4%)	5 (8.1%)	6 (10.7%)	0 (0.0%)	2 (22.2%)	30 (12.1%)
	総数	21	7	42	10	35	62	56	5	9	247
70~79歳 不足	1 (4.5%)	0 (0.0%)	5 (21.7%)	1 (100.0%)	1 (4.0%)	5 (13.9%)	1 (2.8%)	1 (33.3%)	1 (12.5%)	16 (10.1%)	
総数	22	5	23	1	25	36	36	3	8	159	
80歳以上 不足	14 (27.5%)	6 (33.3%)	35 (20.3%)		28 (19.2%)	28 (16.0%)	29 (15.8%)	3 (11.1%)	7 (23.3%)	153 (18.5%)	
総数	51	18	172		146	175	183	27	30	825	
20歳以上 不足 (再掲)	12 (23.5%)	5 (20.0%)	49 (27.4%)	6 (31.6%)	24 (16.2%)	49 (24.1%)	31 (16.3%)	7 (22.6%)	7 (21.2%)	190 (21.6%)	
総数	51	25	179	19	148	203	190	31	33	879	

表436 平均歩行数(性・年齢階級別)

性別	年代別	賀茂			熱海			東部			御殿場			富士		
		度数	平均値	標準偏差	度数	平均値	標準偏差	度数	平均値	標準偏差	度数	平均値	標準偏差	度数	平均値	標準偏差
男性	20~29歳	1	12,199	-				5	7,688	3,721				1	15,227	-
	30~39歳	1	5,620	-	2	9,084	9,847	29	8,935	3,710	6	11,408	4,528	10	8,362	2,297
	40~49歳	1	7,138	-				16	7,813	4,152	4	11,608	9,020	9	5,501	2,810
	50~59歳	6	7,871	2,834	4	6,880	4,289	20	7,806	4,162				19	7,444	4,374
	60~69歳	3	8,598	687	1	6,332	-	14	7,132	2,545				15	8,092	4,035
	70~79歳	3	9,551	2,603	1	1,471	-	5	7,977	3,796	3	7,092	534	7	6,390	2,038
	80歳以上	2	6,475	3,639				3	4,937	1,242				2	6,526	2,415
	20歳以上	17	8,210	2,552	8	6,686	5,225	92	7,970	3,690	13	10,474	5,714	63	7,444	3,664
女性	20~29歳	2	8,886	2,733	1	9,913	-	13	6,092	2,726				12	4,624	3,313
	30~39歳	1	8,362	-	1	6,820	-	28	6,246	2,074	6	6,475	3,322	9	5,605	2,648
	40~49歳	3	5,523	3,084	2	7,167	2,979	18	7,089	3,454	4	9,728	8,891	7	4,767	1,423
	50~59歳	4	9,546	1,651	4	6,175	2,365	16	5,286	1,750				19	7,209	3,019
	60~69歳	4	5,938	5,465	2	4,682	1,006	16	5,954	2,472	2	8,613	6,380	11	6,582	3,105
	70~79歳	7	3,089	2,805	2	1,952	1,365	4	4,315	2,295	1	3,193	-	8	5,210	2,665
	80歳以上							7	2,261	2,488				6	1,316	767
	20歳以上	21	6,013	3,899	12	5,753	2,745	102	5,830	2,700	13	7,552	5,629	72	5,531	3,116
総数	20~29歳	3	9,990	2,719	1	9,913	-	18	6,536	3,008				13	5,439	4,326
	30~39歳	2	6,991	1,939	3	8,330	7,085	57	7,614	3,285	12	8,941	4,579	19	7,056	2,785
	40~49歳	4	5,926	2,644	2	7,167	2,979	34	7,430	3,757	8	10,668	8,352	16	5,180	2,272
	50~59歳	10	8,541	2,474	8	6,527	3,228	36	6,686	3,511				38	7,326	3,709
	60~69歳	7	7,078	4,136	3	5,232	1,189	30	6,504	2,534	2	8,613	6,380	26	7,453	3,682
	70~79歳	10	5,028	4,061	3	1,792	1,005	9	6,350	3,593	4	6,117	1,998	15	5,761	2,388
	80歳以上	2	6,475	3,639				10	3,064	2,478				8	2,618	2,659
	20歳以上	38	6,996	3,501	20	6,126	3,826	194	6,845	3,374	26	9,013	5,753	135	6,424	3,503

性別	年代別	中部			西部			静岡			浜松		
		度数	平均値	標準偏差	度数	平均値	標準偏差	度数	平均値	標準偏差	度数	平均値	標準偏差
男性	20~29歳	9	8,374	2,890	10	6,666	3,627				2	11,122	2,152
	30~39歳	10	6,251	3,280	8	6,692	3,682	1	6,931	-	2	8,202	4,380
	40~49歳	19	7,841	3,346	14	7,177	3,877	4	6,961	3,631	3	5,743	3,514
	50~59歳	23	7,048	3,464	29	8,730	4,172	5	8,662	4,057	3	6,862	2,543
	60~69歳	20	6,456	2,485	31	8,526	4,330	1	7,947	-	1	8,954	-
	70~79歳	16	6,235	4,510	14	6,186	2,607	2	549	563	4	4,625	2,676
	80歳以上	5	5,554	2,207	6	4,537	4,064						
	20歳以上	102	6,918	3,348	112	7,607	4,021	13	6,702	4,108	15	6,928	3,283
女性	20~29歳	11	7,244	2,654	11	6,410	3,772	1	3,094	-	1	9,040	-
	30~39歳	20	5,168	2,385	14	7,087	2,636	2	6,359	974	4	7,703	3,178
	40~49歳	17	6,576	3,084	12	6,640	2,302	4	6,732	4,824	3	8,301	681
	50~59歳	23	5,956	3,215	35	6,909	3,079				3	7,124	3,699
	60~69歳	31	6,778	3,069	29	6,761	3,001						
	70~79歳	17	5,401	2,973	18	4,971	2,764	1	571	-	3	2,998	1,027
	80歳以上	8	1,277	1,338	10	1,564	1,656						
	20歳以上	127	5,858	3,127	129	6,143	3,190	8	5,414	3,934	14	6,794	3,031
総数	20~29歳	20	7,752	2,749	21	6,532	3,613	1	3,094	-	3	10,428	1,940
	30~39歳	30	5,529	2,709	22	6,944	2,976	3	6,550	764	6	7,869	3,156
	40~49歳	36	7,243	3,243	26	6,929	3,197	8	6,846	3,955	6	7,022	2,662
	50~59歳	46	6,502	3,350	64	7,734	3,699	5	8,662	4,057	6	6,993	2,843
	60~69歳	51	6,652	2,833	60	7,673	3,821	1	7,947	-	1	8,954	-
	70~79歳	33	5,806	3,759	32	5,503	2,723	3	557	398	7	3,927	2,165
	80歳以上	13	2,922	2,712	16	2,679	3,060						
	20歳以上	229	6,330	3,263	241	6,823	3,666	21	6,211	3,994	29	6,863	3,108

\*15歳以上

\*3日間とも測定し、歩数計を「朝起きてから寝るまで、ほぼずっとつけていた」と回答し、歩数計のカウント状況に問題のなかったものの3日間の平均

表437 朝食の喫食状況(性・年齢階級別)

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数	
男 性	20	ほぼ毎日食べている(週5~7日)	1 (100.0%)	1 (100.0%)	6 (66.7%)		5 (55.6%)	10 (83.3%)	9 (69.2%)	1 (100.0%)	3 (75.0%)	36 (72.0%)
	~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	2 (22.2%)		2 (22.2%)	0 (0.0%)	4 (30.8%)	0 (0.0%)	1 (25.0%)	9 (18.0%)
	29	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	1 (11.1%)		2 (22.2%)	2 (16.7%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 (10.0%)
	歳	総数	1 (100.0%)	1 (100.0%)	9 (100.0%)		9 (100.0%)	12 (100.0%)	13 (100.0%)	1 (100.0%)	4 (100.0%)	50 (100.0%)
	30	ほぼ毎日食べている(週5~7日)	1 (100.0%)	2 (66.7%)	34 (73.9%)	6 (75.0%)	10 (66.7%)	12 (75.0%)	9 (69.2%)	2 (100.0%)	1 (100.0%)	77 (73.3%)
	~	時々食べている(週2~4日)	0 (0.0%)	1 (33.3%)	7 (15.2%)	1 (12.5%)	4 (26.7%)	2 (12.5%)	2 (15.4%)	0 (0.0%)	0 (0.0%)	17 (16.2%)
	39	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	5 (10.9%)	1 (12.5%)	1 (6.7%)	2 (12.5%)	2 (15.4%)	0 (0.0%)	0 (0.0%)	11 (10.5%)
	歳	総数	1 (100.0%)	3 (100.0%)	46 (100.0%)	8 (100.0%)	15 (100.0%)	16 (100.0%)	13 (100.0%)	2 (100.0%)	1 (100.0%)	105 (100.0%)
	40	ほぼ毎日食べている(週5~7日)	4 (80.0%)	0 (0.0%)	23 (79.3%)	7 (77.8%)	21 (100.0%)	22 (91.7%)	14 (77.8%)	4 (100.0%)	3 (75.0%)	98 (85.2%)
	~	時々食べている(週2~4日)	1 (20.0%)	0 (0.0%)	3 (10.3%)	1 (11.1%)	0 (0.0%)	0 (0.0%)	2 (11.1%)	0 (0.0%)	0 (0.0%)	7 (6.1%)
	49	ほとんど食べていない(週0~1日)	0 (0.0%)	1 (100.0%)	3 (10.3%)	1 (11.1%)	0 (0.0%)	2 (8.3%)	2 (11.1%)	0 (0.0%)	1 (25.0%)	10 (8.7%)
	歳	総数	5 (100.0%)	1 (100.0%)	29 (100.0%)	9 (100.0%)	21 (100.0%)	24 (100.0%)	18 (100.0%)	4 (100.0%)	4 (100.0%)	115 (100.0%)
50	ほぼ毎日食べている(週5~7日)	9 (90.0%)	2 (40.0%)	22 (88.0%)		28 (96.6%)	29 (90.6%)	36 (87.8%)	6 (85.7%)	7 (100.0%)	139 (89.1%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	2 (8.0%)		0 (0.0%)	2 (6.3%)	0 (0.0%)	1 (14.3%)	0 (0.0%)	5 (3.2%)	
59	ほとんど食べていない(週0~1日)	1 (10.0%)	3 (60.0%)	1 (4.0%)		1 (3.4%)	1 (3.1%)	5 (12.2%)	0 (0.0%)	0 (0.0%)	12 (7.7%)	
歳	総数	10 (100.0%)	5 (100.0%)	25 (100.0%)		29 (100.0%)	32 (100.0%)	41 (100.0%)	7 (100.0%)	7 (100.0%)	156 (100.0%)	
60	ほぼ毎日食べている(週5~7日)	9 (100.0%)	3 (100.0%)	20 (87.0%)		23 (95.8%)	29 (100.0%)	37 (94.9%)	3 (100.0%)	2 (100.0%)	126 (95.5%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	1 (4.3%)		0 (0.0%)	0 (0.0%)	1 (2.6%)	0 (0.0%)	0 (0.0%)	2 (1.5%)	
69	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	2 (8.7%)		1 (4.2%)	0 (0.0%)	1 (2.6%)	0 (0.0%)	0 (0.0%)	4 (3.0%)	
歳	総数	9 (100.0%)	3 (100.0%)	23 (100.0%)		24 (100.0%)	29 (100.0%)	39 (100.0%)	3 (100.0%)	2 (100.0%)	132 (100.0%)	
70	ほぼ毎日食べている(週5~7日)	8 (100.0%)	2 (100.0%)	13 (100.0%)	7 (100.0%)	14 (93.3%)	25 (100.0%)	20 (100.0%)	3 (100.0%)	6 (85.7%)	98 (98.0%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (6.7%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (1.0%)	
79	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (14.3%)	1 (1.0%)	
歳	総数	8 (100.0%)	2 (100.0%)	13 (100.0%)	7 (100.0%)	15 (100.0%)	25 (100.0%)	20 (100.0%)	3 (100.0%)	7 (100.0%)	100 (100.0%)	
80	ほぼ毎日食べている(週5~7日)	7 (100.0%)	1 (100.0%)	8 (100.0%)		6 (100.0%)	10 (100.0%)	8 (100.0%)	1 (100.0%)	1 (100.0%)	42 (100.0%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
以上	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
歳	総数	7 (100.0%)	1 (100.0%)	8 (100.0%)		6 (100.0%)	10 (100.0%)	8 (100.0%)	1 (100.0%)	1 (100.0%)	42 (100.0%)	
総	ほぼ毎日食べている(週5~7日)	39 (95.1%)	11 (68.8%)	126 (82.4%)	20 (83.3%)	107 (89.9%)	137 (92.6%)	133 (87.5%)	20 (95.2%)	23 (88.5%)	616 (88.0%)	
数	時々食べている(週2~4日)	1 (2.4%)	1 (6.3%)	15 (9.8%)	2 (8.3%)	7 (5.9%)	4 (2.7%)	9 (5.9%)	1 (4.8%)	1 (3.8%)	41 (5.9%)	
	ほとんど食べていない(週0~1日)	1 (2.4%)	4 (25.0%)	12 (7.8%)	2 (8.3%)	5 (4.2%)	7 (4.7%)	10 (6.6%)	0 (0.0%)	2 (7.7%)	43 (6.1%)	
	総数	41 (100.0%)	16 (100.0%)	153 (100.0%)	24 (100.0%)	119 (100.0%)	148 (100.0%)	152 (100.0%)	21 (100.0%)	26 (100.0%)	700 (100.0%)	
女 性	20	ほぼ毎日食べている(週5~7日)	3 (100.0%)	1 (100.0%)	14 (93.3%)		17 (85.0%)	17 (89.5%)	14 (93.3%)	2 (100.0%)	1 (50.0%)	69 (89.6%)
	~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	1 (6.7%)		1 (5.0%)	1 (5.3%)	1 (6.7%)	0 (0.0%)	0 (0.0%)	4 (5.2%)
	29	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)		2 (10.0%)	1 (5.3%)	0 (0.0%)	0 (0.0%)	1 (50.0%)	4 (5.2%)
	歳	総数	3 (100.0%)	1 (100.0%)	15 (100.0%)		20 (100.0%)	19 (100.0%)	15 (100.0%)	2 (100.0%)	2 (100.0%)	77 (100.0%)
	30	ほぼ毎日食べている(週5~7日)	2 (100.0%)	3 (75.0%)	44 (91.7%)	7 (77.8%)	11 (73.3%)	25 (92.6%)	20 (100.0%)	3 (100.0%)	4 (100.0%)	119 (90.2%)
	~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	2 (4.2%)	2 (22.2%)	3 (20.0%)	1 (3.7%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	8 (6.1%)
	39	ほとんど食べていない(週0~1日)	0 (0.0%)	1 (25.0%)	2 (4.2%)	0 (0.0%)	1 (6.7%)	1 (3.7%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 (3.8%)
	歳	総数	2 (100.0%)	4 (100.0%)	48 (100.0%)	9 (100.0%)	15 (100.0%)	27 (100.0%)	20 (100.0%)	3 (100.0%)	4 (100.0%)	132 (100.0%)
	40	ほぼ毎日食べている(週5~7日)	5 (83.3%)	4 (100.0%)	22 (88.0%)	3 (75.0%)	16 (88.9%)	23 (92.0%)	14 (93.3%)	6 (100.0%)	7 (100.0%)	100 (90.9%)
	~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	2 (8.0%)	1 (25.0%)	0 (0.0%)	1 (4.0%)	1 (6.7%)	0 (0.0%)	0 (0.0%)	5 (4.5%)
	49	ほとんど食べていない(週0~1日)	1 (16.7%)	0 (0.0%)	1 (4.0%)	0 (0.0%)	2 (11.1%)	1 (4.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 (4.5%)
	歳	総数	6 (100.0%)	4 (100.0%)	25 (100.0%)	4 (100.0%)	18 (100.0%)	25 (100.0%)	15 (100.0%)	6 (100.0%)	7 (100.0%)	110 (100.0%)
50	ほぼ毎日食べている(週5~7日)	7 (87.5%)	4 (100.0%)	24 (92.3%)	0 (0.0%)	26 (100.0%)	32 (97.0%)	45 (97.8%)	4 (100.0%)	3 (75.0%)	145 (95.4%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	1 (3.8%)	0 (0.0%)	0 (0.0%)	1 (3.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (1.3%)	
59	ほとんど食べていない(週0~1日)	1 (12.5%)	0 (0.0%)	1 (3.8%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	1 (2.2%)	0 (0.0%)	1 (25.0%)	5 (3.3%)	
歳	総数	8 (100.0%)	4 (100.0%)	26 (100.0%)	1 (100.0%)	26 (100.0%)	33 (100.0%)	46 (100.0%)	4 (100.0%)	4 (100.0%)	152 (100.0%)	
60	ほぼ毎日食べている(週5~7日)	11 (91.7%)	4 (100.0%)	31 (100.0%)	3 (100.0%)	19 (95.0%)	38 (100.0%)	36 (100.0%)	2 (100.0%)	2 (100.0%)	146 (98.6%)	
~	時々食べている(週2~4日)	1 (8.3%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.7%)	
69	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (5.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.7%)	
歳	総数	12 (100.0%)	4 (100.0%)	31 (100.0%)	3 (100.0%)	20 (100.0%)	38 (100.0%)	36 (100.0%)	2 (100.0%)	2 (100.0%)	148 (100.0%)	
70	ほぼ毎日食べている(週5~7日)	15 (100.0%)	4 (100.0%)	15 (100.0%)	1 (100.0%)	19 (100.0%)	26 (100.0%)	26 (100.0%)	2 (100.0%)	6 (85.7%)	114 (99.1%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
79	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (14.3%)	1 (0.9%)	
歳	総数	15 (100.0%)	4 (100.0%)	15 (100.0%)	1 (100.0%)	19 (100.0%)	26 (100.0%)	26 (100.0%)	2 (100.0%)	7 (100.0%)	115 (100.0%)	
80	ほぼ毎日食べている(週5~7日)	5 (100.0%)	3 (100.0%)	12 (100.0%)		16 (100.0%)	16 (100.0%)	17 (100.0%)	2 (100.0%)		71 (100.0%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	
以上	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	
歳	総数	5 (100.0%)	3 (100.0%)	12 (100.0%)		16 (100.0%)	16 (100.0%)	17 (100.0%)	2 (100.0%)		71 (100.0%)	
総	ほぼ毎日食べている(週5~7日)	48 (94.1%)	23 (95.8%)	162 (94.2%)	14 (77.8%)	124 (92.5%)	177 (96.2%)	172 (98.3%)	21 (100.0%)	23 (88.5%)	764 (94.9%)	
数	時々食べている(週2~4日)	1 (2.0%)	0 (0.0%)	6 (3.5%)	3 (16.7%)	4 (3.0%)	4 (2.2%)	2 (1.1%)	0 (0.0%)	0 (0.0%)	20 (2.5%)	
	ほとんど食べていない(週0~1日)	2 (3.9%)	1 (4.2%)	4 (2.3%)	1 (5.6%)	6 (4.5%)	3 (1.6%)	1 (0.6%)	0 (0.0%)	3 (11.5%)	21 (2.6%)	
	総数	51 (100.0%)	24 (100.0%)	172 (100.0%)	18 (100.0%)	134 (100.0%)	184 (100.0%)	175 (100.0%)	21 (100.0%)	26 (100.0%)	805 (100.0%)	

		賀茂	熱海	東部	御殿場	富士	中部	西部	静岡	浜松	総数	
総 数	20	ほぼ毎日食べている(週5~7日)	4 (100.0%)	2 (100.0%)	20 (83.3%)		22 (75.9%)	27 (87.1%)	23 (82.1%)	3 (100.0%)	4 (66.7%)	105 (82.7%)
	~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	3 (12.5%)		3 (10.3%)	1 (3.2%)	5 (17.9%)	0 (0.0%)	1 (16.7%)	13 (10.2%)
	29	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	1 (4.2%)		4 (13.8%)	3 (9.7%)	0 (0.0%)	0 (0.0%)	1 (16.7%)	9 (7.1%)
	歳	総数	4 (100.0%)	2 (100.0%)	24 (100.0%)		29 (100.0%)	31 (100.0%)	28 (100.0%)	3 (100.0%)	6 (100.0%)	127 (100.0%)
	30	ほぼ毎日食べている(週5~7日)	3 (100.0%)	5 (71.4%)	78 (83.0%)	13 (76.5%)	21 (70.0%)	37 (86.0%)	29 (87.9%)	5 (100.0%)	5 (100.0%)	196 (82.7%)
	~	時々食べている(週2~4日)	0 (0.0%)	1 (14.3%)	9 (9.6%)	3 (17.6%)	7 (23.3%)	3 (7.0%)	2 (6.1%)	0 (0.0%)	0 (0.0%)	25 (10.5%)
	39	ほとんど食べていない(週0~1日)	0 (0.0%)	1 (14.3%)	7 (7.4%)	1 (5.9%)	2 (6.7%)	3 (7.0%)	2 (6.1%)	0 (0.0%)	0 (0.0%)	16 (6.8%)
	歳	総数	3 (100.0%)	7 (100.0%)	94 (100.0%)	17 (100.0%)	30 (100.0%)	43 (100.0%)	33 (100.0%)	5 (100.0%)	5 (100.0%)	237 (100.0%)
	40	ほぼ毎日食べている(週5~7日)	9 (81.8%)	4 (80.0%)	45 (83.3%)	10 (76.9%)	37 (94.9%)	45 (91.8%)	28 (84.8%)	10 (100.0%)	10 (90.9%)	198 (88.0%)
	~	時々食べている(週2~4日)	1 (9.1%)	0 (0.0%)	5 (9.3%)	2 (15.4%)	0 (0.0%)	1 (2.0%)	3 (9.1%)	0 (0.0%)	0 (0.0%)	12 (5.3%)
	49	ほとんど食べていない(週0~1日)	1 (9.1%)	1 (20.0%)	4 (7.4%)	1 (7.7%)	2 (5.1%)	3 (6.1%)	2 (6.1%)	0 (0.0%)	1 (9.1%)	15 (6.7%)
	歳	総数	11 (100.0%)	5 (100.0%)	54 (100.0%)	13 (100.0%)	39 (100.0%)	49 (100.0%)	33 (100.0%)	10 (100.0%)	11 (100.0%)	225 (100.0%)
50	ほぼ毎日食べている(週5~7日)	16 (88.9%)	6 (66.7%)	46 (90.2%)	0 (0.0%)	54 (98.2%)	61 (93.8%)	81 (93.1%)	10 (90.9%)	10 (90.9%)	284 (92.2%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	3 (5.9%)	0 (0.0%)	0 (0.0%)	3 (4.6%)	0 (0.0%)	1 (9.1%)	0 (0.0%)	7 (2.3%)	
59	ほとんど食べていない(週0~1日)	2 (11.1%)	3 (33.3%)	2 (3.9%)	1 (100.0%)	1 (1.8%)	1 (1.5%)	6 (6.9%)	0 (0.0%)	1 (9.1%)	17 (5.5%)	
歳	総数	18 (100.0%)	9 (100.0%)	51 (100.0%)	1 (100.0%)	55 (100.0%)	65 (100.0%)	87 (100.0%)	11 (100.0%)	11 (100.0%)	308 (100.0%)	
60	ほぼ毎日食べている(週5~7日)	20 (95.2%)	7 (100.0%)	51 (94.4%)	3 (100.0%)	42 (95.5%)	67 (100.0%)	73 (97.3%)	5 (100.0%)	4 (100.0%)	272 (97.1%)	
~	時々食べている(週2~4日)	1 (4.8%)	0 (0.0%)	1 (1.9%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (1.3%)	0 (0.0%)	0 (0.0%)	3 (1.1%)	
69	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	2 (3.7%)	0 (0.0%)	2 (4.5%)	0 (0.0%)	1 (1.3%)	0 (0.0%)	0 (0.0%)	5 (1.8%)	
歳	総数	21 (100.0%)	7 (100.0%)	54 (100.0%)	3 (100.0%)	44 (100.0%)	67 (100.0%)	75 (100.0%)	5 (100.0%)	4 (100.0%)	280 (100.0%)	
70	ほぼ毎日食べている(週5~7日)	23 (100.0%)	6 (100.0%)	28 (100.0%)	8 (100.0%)	33 (97.1%)	51 (100.0%)	46 (100.0%)	5 (100.0%)	12 (85.7%)	212 (98.6%)	
~	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (2.9%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (0.5%)	
79	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 (14.3%)	2 (0.9%)	
歳	総数	23 (100.0%)	6 (100.0%)	28 (100.0%)	8 (100.0%)	34 (100.0%)	51 (100.0%)	46 (100.0%)	5 (100.0%)	14 (100.0%)	215 (100.0%)	
80	ほぼ毎日食べている(週5~7日)	12 (100.0%)	4 (100.0%)	20 (100.0%)		22 (100.0%)	26 (100.0%)	25 (100.0%)	3 (100.0%)	1 (100.0%)	113 (100.0%)	
歳	時々食べている(週2~4日)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
以上	ほとんど食べていない(週0~1日)	0 (0.0%)	0 (0.0%)	0 (0.0%)		0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	
歳	総数	12 (100.0%)	4 (100.0%)	20 (100.0%)		22 (100.0%)	26 (100.0%)	25 (100.0%)	3 (100.0%)	1 (100.0%)	113 (100.0%)	
総	ほぼ毎日食べている(週5~7日)	87 (94.6%)	34 (85.0%)	288 (88.6%)	34 (81.0%)	231 (91.3%)	314 (94.6%)	305 (93.3%)	41 (97.6%)	46 (88.5%)	1380 (91.7%)	
数	時々食べている(週2~4日)	2 (2.2%)	1 (2.5%)	21 (6.5%)	5 (11.9%)	11 (4.3%)	8 (2.4%)	11 (3.4%)	1 (2.4%)	1 (1.9%)	61 (4.1%)	
	ほとんど食べていない(週0~1日)	3 (3.3%)	5 (12.5%)	16 (4.9%)	3 (7.1%)	11 (4.3%)	10 (3.0%)	11 (3.4%)	0 (0.0%)	5 (9.6%)	64 (4.3%)	
	総数	92 (100.0%)	40 (100.0%)	325 (100.0%)	42 (100.0%)	253 (100.0%)	332 (100.0%)	327 (100.0%)	42 (100.0%)	52 (100.0%)	1505 (100.0%)	