

資料3

アンチバイオグラム 2018-2025 静岡県全体の経年変化

JANISデータは外来検体と比較した

Escherichia coli 大腸菌

Klebsiella pneumoniae subsp. Pneumoniae クレブシエラ菌

Streptococcus pneumoniae 肺炎球菌(髄液検体以外)

Streptococcus pyogenes 溶連菌

Haemophilus influenzae インフルエンザ菌

その他の情報: MRSA、VRE バンコマイシン耐性腸球菌

略称	一般名
PCG	ベンジルペニシリンカリウム
ABPC	アンピシリン水和物
CVA/AMPC	アモキシシリン水和物・クラブラン酸カリウム
CCL	セファクロル
CTX	セフトキシムナトリウム
MEPM	メロペネム水和物
GM	ゲンタマイシン硫酸塩
LVFX	レボフロキサシン水和物
ST	スルファメトキサゾール・トリメトプリム
EM	エリスロマイシン
CAM	クラリスロマイシン
CLDM	クリンダマイシンリン酸エステル
FOM	ホスホマイシンナトリウム

データ提供施設数(カッコ内はクリニック)

	2018年	2019年	2020年	2021年	2022年	2023年	2024年	2025年
東部	16	17	19	16	15	15(3)	20(3)	32 (10)
中部	13	14	16	9	15	16(3)	18(4)	27 (13)
西部	14	14	14	8	13	15	22(0)	28 (7)
全体	40	45	49	33	43	46(6)	60(7)	87 (30)

腸内細菌目細菌の固有耐性

CLSI M100-ED35:2025 Performance Standards for Antimicrobial Susceptibility Testing, 35th Edition より引用

Antimicrobial Agent →	Ampicillin	Amoxicillin-Clavulanate	Ampicillin-Sulbactam	Ticarcillin	Cephalosporins I: Cefazolin, Cephalothin	Cephamycins: Cefoxitin, Cefotetan	Cephalosporins II: Cefuroxime	Imipenem	Tetracyclines	Tigecycline	Nitrofurantoin	Polymyxin B Colistin	Aminoglycosides
Organism ↓													
<i>Citrobacter freundii</i>	R	R	R		R	R	R						
<i>Citrobacter koseri</i> , <i>Citrobacter amalonaticus</i> group ^a	R			R									
<i>Enterobacter cloacae</i> complex ^b	R	R	R		R	R							
<i>Escherichia coli</i>	There is no intrinsic resistance to β-lactams in this organism.												
<i>Escherichia hermannii</i>	R			R									
<i>Hafnia alvei</i>	R	R	R		R	R						R ^c	
<i>Klebsiella</i> (formerly <i>Enterobacter</i>) <i>aerogenes</i>	R	R	R		R	R							
<i>Klebsiella pneumoniae</i> , <i>Klebsiella oxytoca</i> , <i>Klebsiella variicola</i>	R			R									
<i>Morganella morganii</i>	R	R			R		R	d		R	R	R	
<i>Proteus mirabilis</i>	There is no intrinsic resistance to penicillins and cephalosporins in this organism.							d	R	R	R	R	
<i>Proteus penneri</i>	R				R		R	d	R	R	R	R	
<i>Proteus vulgaris</i>	R				R		R	d	R	R	R	R	
<i>Providencia rettgeri</i>	R	R			R			d	R	R	R	R	
<i>Providencia stuartii</i>	R	R			R			d	R	R	R	R	e
<i>Raoultella</i> spp. ^f	R			R									
<i>Salmonella</i> and <i>Shigella</i> spp.	There is no intrinsic resistance to β-lactams in these organisms; refer to WARNING below for reporting.												
<i>Serratia marcescens</i>	R	R	R		R	R	R				R	R	
<i>Yersinia enterocolitica</i>	R	R		R	R								

Abbreviations: AST, antimicrobial susceptibility testing; MIC, minimal inhibitory concentration; R, resistant.

WARNING: For *Salmonella* and *Shigella* spp., aminoglycosides, first- and second-generation cephalosporins, and cephamycins may appear active *in vitro* but are not effective clinically and should not be reported as susceptible.

Footnotes




- C. amalonaticus* group includes *C. amalonaticus*, *Citrobacter farmeri*, and *Citrobacter sedlakii*.
- E. cloacae* complex includes *Enterobacter asburiae*, *E. cloacae*, and *Enterobacter hormaechei*. Other members of the complex include *Enterobacter kobei* and *Enterobacter ludwigii*, for which AST data are not available.
- Colistin and polymyxin B resistance also applies to *Hafnia paralvei*.
- Proteus*, *Providencia*, and *Morganella* spp. may have elevated MICs to imipenem by mechanisms other than by production of carbapenemases. Isolates that test as susceptible should be reported as susceptible.
- P. stuartii* should be considered resistant to gentamicin, netilmicin, and tobramycin but not intrinsically resistant to amikacin.
- Raoultella* spp. include *Raoultella ornithinolytica*, *Raoultella terrigena*, and *Raoultella planticola*.

NOTE 1: Cephalosporins III, cefepime, cefiderocol, aztreonam, ticarcillin-clavulanate, piperacillin-tazobactam, imipenem-relebactam, ceftazidime-avibactam, meropenem-vaborbactam, and carbapenems are not listed because there is no intrinsic resistance in Enterobacterales.

NOTE 2: Enterobacterales are also intrinsically resistant to clindamycin, daptomycin, fusidic acid, glycopeptides (vancomycin), lipoglycopeptides (oritavancin, teicoplanin, telavancin), linezolid, tedizolid, quinupristin-dalfopristin, rifampin, and macrolides (erythromycin, clarithromycin, and azithromycin). However, there are some exceptions with macrolides (eg, *Salmonella* and *Shigella* spp. with azithromycin).

【*Escherichia coli*】 大腸菌


S:感受性、I:中間、R:耐性、NS:非感受性




【*Escherichia coli*】 大腸菌

S:感受性、I:中間、R:耐性、NS:非感受性


CTX



GM





LVFX



【*Escherichia coli*】 大腸菌




S: 感受性、I : 中間、R: 耐性、NS: 非感受性



CLSI M100-ED34:2024 Performance Standards for Antimicrobial Susceptibility Testing, 34rd Editionでは、大腸菌に対するFOMの判定基準は、尿路分離株のみに適応される。




【 *Klebsiella pneumoniae subsp. pneumoniae* 】 クレブシエラ菌

S: 感受性、I: 中間、R: 耐性、NS: 非感受性






【 *Klebsiella pneumoniae subsp. pneumoniae* 】 クレブシエラ菌

S: 感受性、I : 中間、R: 耐性、NS: 非感受性






【*Streptococcus pneumoniae* (髄液検体以外)】 肺炎球菌

S: 感受性、I : 中間、R: 耐性、NS: 非感受性






【Streptococcus pneumoniae (髄液検体以外)】 肺炎球菌




S:感受性、I:中間、R:耐性、NS:非感受性



S:感受性、I:中間、R:耐性、NS:非感受性




S:感受性、I:中間、R:耐性、NS:非感受性




【*Haemophilus influenzae*】 インフルエンザ菌

S:感受性、I:中間、R:耐性、NS:非感受性


ABPC



CVA/AMPC




CTX




【*Haemophilus influenzae*】 インフルエンザ菌

S:感受性、I:中間、R:耐性、NS:非感受性


MEPM



CAM




LVFX






【*Haemophilus influenzae*】 インフルエンザ菌

S:感受性、I:中間、R:耐性、NS:非感受性




【*Staphylococcus aureus*】 黄色ブドウ球菌(メチシリン耐性/感受性)




【静岡県内のVRE検出状況】

(グラフ作成にあたり、感受性結果が“S”以外(非感受性)を用いました)

Enterococcus faecium (VRE) 保菌者数



Enterococcus faecium (VRE) 施設数



【*Enterococcus faecium* (VRE) 延べ58菌株の検出材料】

表中の数字は菌株数(重複検出を含む)

検査材料	西部	中部	東部	総計
カテーテル尿(採尿、留置カテの区別不能)			3	3
その他(泌尿・生殖)			1	1
その他の材料		1		1
開放性膿			1	1
採尿カテーテル尿	2			2
自然排尿	1		6	7
静脈血			2	2
胆汁			2	2
腹水		1	1	2
糞便	12		24	36
喀出痰			1	1
総計	15	2	41	58