

令和8年1月分

ふじさん工業用水道 (東駿河湾) 水質試験結果報告書 (岳南)

採水時間 9:00

日	天候	気温 °C	水質試験結果 (厚原浄水場 着水井 (原水))									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	7.5	8.6	26.8	7.59							
2	晴	6.9	8.9	14.6	7.63							
3	晴	6.0	8.1	23.4	7.40							
4	晴	3.5	7.8	8.2	7.73							
5	晴	4.0	7.2	2.6	7.63	60.0	77.7	166	9.7	0.18	<0.02	
6	晴	6.0	7.6	2.1	7.65							
7	曇	4.0	8.0	2.8	7.36							
8	晴	4.5	8.0	3.2	7.60							
9	晴	4.0	7.7	3.2	7.61							
10	晴	2.5	7.5	3.3	7.57							
11	曇	1.2	8.6	3.7	7.54							
12	晴	1.0	8.2	3.9	7.52							
13	晴	2.8	7.0	2.9	7.57							
14	晴	5.5	7.0	3.3	7.38							
15	晴	5.5	8.5	4.4	7.37							
16	晴	8.0	7.5	3.4	7.61							
17	晴	6.0	8.8	3.8	7.62							
18	晴	8.0	9.1	4.3	7.64							
19	晴	7.0	9.0	5.1	7.63	59.5	77.4	175	12.7	0.19	<0.02	
20	晴	10.0	10.0	3.6	7.73							
21	曇	3.0	9.0	4.5	7.63							
22	晴	3.0	7.0	3.8	7.63							
23	晴	1.2	7.0	3.7	7.61							
24	晴	2.0	6.4	3.9	7.60							
25	晴	3.5	7.2	7.9	7.73							
26	晴	4.0	7.0	6.8	7.61							
27	晴	3.0	6.0	2.9	7.60							
28	曇	3.8	7.0	5.4	7.62							
29	晴	4.8	7.0	5.5	7.60							
30	晴	3.8	8.1	4.0	7.64							
31	晴	1.0	6.7	4.8	7.62							
平均		4.4	7.8	5.9	7.59	59.7	77.6	171	11.2	0.18	<0.02	
最高		10.0	10.0	26.8	7.73	60.0	77.7	175	12.7	0.19	<0.02	
最低		1.0	6.0	2.1	7.36	59.5	77.4	166	9.7	0.18	<0.02	

令和8年1月分

ふじさん工業用水道 (東駿河湾) 水質試験結果報告書 (岳南)

採水時間 9:00

日	天候	気温 °C	水質試験結果 (厚原浄水場 配水池 (浄水))									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	7.5	8.6	0.8	7.48							
2	晴	6.9	8.6	0.7	7.47							
3	晴	6.0	8.7	0.7	7.36							
4	晴	3.5	8.7	0.8	7.58							
5	晴	4.0	8.5	1.1	7.63	54.8	78.2	150	9.5	0.05	0.020	
6	晴	6.0	8.0	0.8	7.49							
7	曇	4.0	8.0	2.0	7.20							
8	晴	4.5	7.5	1.8	7.31							
9	晴	4.0	7.5	1.6	7.24							
10	晴	2.5	7.1	1.6	7.18							
11	曇	1.2	7.6	1.6	7.21							
12	晴	1.0	7.9	1.6	7.25							
13	晴	2.8	7.6	1.7	7.31							
14	晴	5.5	7.5	1.4	7.15							
15	晴	5.5	7.5	2.1	7.14							
16	晴	8.0	7.5	1.6	7.27							
17	晴	6.0	7.8	1.5	7.29							
18	晴	8.0	8.6	1.9	7.28							
19	晴	7.0	9.1	1.4	7.28	54.1	79.9	143	12.3	0.04	<0.02	
20	晴	10.0	9.5	1.3	7.44							
21	曇	3.0	9.5	1.3	7.29							
22	晴	3.0	8.5	1.4	7.30							
23	晴	1.2	7.3	1.1	7.27							
24	晴	2.0	7.1	1.0	7.26							
25	晴	3.5	6.7	1.2	7.32							
26	晴	4.0	7.4	1.1	7.36							
27	晴	3.0	7.0	1.0	7.40							
28	曇	3.8	7.2	1.4	7.31							
29	晴	4.8	8.0	1.6	7.27							
30	晴	3.8	7.6	0.8	7.30							
31	晴	1.0	7.6	1.6	7.31							
平均		4.4	7.9	1.3	7.32	54.4	79.0	147	10.9	0.05	<0.02	
最高		10.0	9.5	2.1	7.63	54.8	79.9	150	12.3	0.05	0.02	
最低		1.0	6.7	0.7	7.14	54.1	78.2	143	9.5	0.04	<0.02	