

令和6年1月分

ふじさん工業用水道 (東駿河湾) 水質試験結果報告書 (静岡庵)

採水時間 8:30

日	天候	気温 °C	水質試験結果 (富士川浄水場 分水井 (原水))									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	9.0	8.8	4.0	7.89							
2	曇	7.0	9.1	2.3	8.06							
3	晴	3.0	7.9	2.4	7.86							
4	晴	6.5	8.1	2.1	8.01							
5	晴	6.0	9.0	2.8	8.09							
6	晴	3.0	8.5	2.8	7.95							
7	晴	3.5	8.5	2.4	8.01							
8	晴	2.0	8.4	2.9	8.13							
9	晴	1.0	7.3	2.5	7.90							
10	晴	1.0	6.9	2.1	7.84							
11	晴	7.0	7.5	2.4	7.98							
12	晴	1.0	7.1	3.1	8.13							
13	晴	0.0	7.2	2.4	7.96							
14	晴	1.0	7.4	2.9	8.16							
15	晴	2.0	6.4	2.3	7.98	56.8	78.7	145	8.9	0.17	<0.02	
16	晴	4.0	7.0	2.2	7.88							
17	晴	1.0	5.9	10.5	7.88							
18	晴	3.5	7.0	3.5	8.10							
19	晴	8.5	8.3	2.7	7.88							
20	雨	8.0	9.6	3.2	8.05							
21	雨	9.0	9.2	4.1	7.89							
22	曇	7.5	8.4	51.2	7.67							
23	晴	4.0	8.6	12.7	7.76	53.2	75.1	156	7.3	0.69	0.02	
24	晴	1.0	8.3	6.0	7.81							
25	晴	-2.0	6.1	4.2	7.73							
26	晴	-1.0	6.1	3.9	7.79							
27	晴	4.0	6.7	3.0	7.74							
28	曇	5.0	7.0	3.0	7.76							
29	晴	2.5	7.4	3.6	7.79							
30	晴	2.5	8.0	3.2	7.78							
31	晴	2.5	8.8	3.6	7.81							
平均		3.6	7.8	5.2	7.91	55.0	76.9	151	8.1	0.43	<0.02	
最高		9.0	9.6	51.2	8.16	56.8	78.7	156	8.9	0.69	0.02	
最低		-2.0	5.9	2.1	7.67	53.2	75.1	145	7.3	0.17	<0.02	

令和6年1月分

ふじさん工業用水道 (東駿河湾) 水質試験結果報告書 (静岡庵)

採水時間 8:30

日	天候	気温 °C	水質試験結果 (富士川浄水場 浄水池 (浄水))									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	9.0	9.1	0.9	7.79							
2	曇	7.0	9.5	1.1	7.81							
3	晴	3.0	8.7	1.0	7.79							
4	晴	6.5	8.6	1.1	7.82							
5	晴	6.0	8.9	1.0	7.85							
6	晴	3.0	8.4	0.6	7.75							
7	晴	3.5	8.3	1.0	7.73							
8	晴	2.0	8.1	1.2	7.74							
9	晴	1.0	7.5	1.0	7.75							
10	晴	1.0	7.0	1.0	7.78							
11	晴	7.0	7.3	1.0	7.74							
12	晴	1.0	7.0	1.3	7.60							
13	晴	0.0	6.8	1.0	7.68							
14	晴	1.0	7.0	1.3	7.68							
15	晴	2.0	6.5	1.0	7.73	54.4	74.5	110	9.9	0.05	<0.02	
16	晴	4.0	6.5	0.8	7.79							
17	晴	1.0	6.5	1.3	7.79							
18	晴	3.5	6.3	1.3	7.67							
19	晴	8.5	7.3	1.4	7.71							
20	雨	8.0	8.6	1.5	7.81							
21	雨	9.0	9.4	1.8	7.74							
22	曇	7.5	9.2	2.8	7.57							
23	晴	4.0	8.3	1.1	7.56	46.8	64.9	140	8.5	0.09	<0.02	
24	晴	1.0	8.2	1.2	7.57							
25	晴	-2.0	7.4	1.3	7.59							
26	晴	-1.0	6.0	1.1	7.64							
27	晴	4.0	6.0	0.9	7.61							
28	曇	5.0	6.4	1.0	7.66							
29	晴	2.5	6.7	0.7	7.63							
30	晴	2.5	7.5	0.7	7.67							
31	晴	2.5	7.9	0.7	7.64							
平均		3.6	7.6	1.1	7.71	50.6	69.7	125	9.2	0.07	<0.02	
最高		9.0	9.5	2.8	7.85	54.4	74.5	140	9.9	0.09	<0.02	
最低		-2.0	6.0	0.6	7.56	46.8	64.9	110	8.5	0.05	<0.02	