

令和 7年 5月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	20.7	15.6	3.9	7.77							
2	雨	15.5	14.4	4.3	7.78							
3	晴	17.0	14.2	4.3	7.79							
4	晴	21.3	15.1	4.0	7.81							
5	晴	22.0	15.5	4.2	7.88							
6	雨	13.0	15.2	4.2	7.75							
7	晴	18.9	14.8	4.1	7.71							
8	晴	22.6	15.0	4.0	7.82	35.6	42.8	104	4.7	0.07	<0.02	
9	曇	20.3	15.7	3.8	7.85							
10	雨	19.1	15.5	5.1	7.84							
11	晴	22.2	15.5	4.9	7.90							
12	曇	16.9	15.1	4.8	7.85							
13	晴	21.6	15.2	3.9	7.76							
14	曇	19.9	15.6	3.5	7.85							
15	晴	22.5	15.8	4.2	7.82							
16	曇	23.3	16.0	3.3	7.88							
17	雨	20.6	16.9	3.1	7.86							
18	曇	23.3	16.5	5.1	7.76							
19	曇	22.1	15.8	10.6	7.71							
20	晴	25.7	16.4	4.1	7.94							
21	曇	24.8	16.8	4.2	7.80							
22	曇	22.9	16.9	4.3	7.85	37.0	42.1	56	4.0	0.14	<0.02	
23	曇	20.6	17.1	3.3	7.86							
24	曇	21.4	17.0	3.4	7.85							
25	曇	25.2	17.0	3.7	7.86							
26	曇	21.5	17.0	5.5	7.94							
27	曇	19.4	17.4	5.6	7.76							
28	晴	23.2	17.4	5.5	7.78							
29	曇	22.5	17.5	5.9	7.77							
30	雨	17.8	17.6	6.8	7.80							
31	曇	21.6	17.5	6.4	7.80							
平均		20.9	16.1	4.6	7.82	36.3	42.4	80	4.4	0.10	<0.02	
最高		25.7	17.6	10.6	7.94	37.0	42.8	104	4.7	0.14	<0.02	
最低		13.0	14.2	3.1	7.71	35.6	42.1	56	4.0	0.07	<0.02	

令和 7年 5月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄 水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	20.7	15.2	0.2	7.43							
2	雨	15.5	15.7	0.4	7.37							
3	晴	17.0	15.5	0.3	7.36							
4	晴	21.3	16.5	0.1	7.41							
5	晴	22.0	16.9	0.3	7.47							
6	雨	13.0	16.7	0.3	7.42							
7	晴	18.9	16.1	0.5	7.37							
8	晴	22.6	16.4	0.3	7.49	32.5	41.5	105	7.6	<0.03	<0.02	
9	曇	20.3	16.7	0.3	7.41							
10	雨	19.1	17.2	0.3	7.44							
11	晴	22.2	17.5	0.3	7.42							
12	曇	16.9	16.6	0.2	7.49							
13	晴	21.6	16.7	0.3	7.38							
14	曇	19.9	17.1	0.3	7.36							
15	晴	22.5	17.5	0.4	7.39							
16	曇	23.3	17.6	0.4	7.57							
17	雨	20.6	18.8	0.2	7.39							
18	曇	23.3	18.6	0.3	7.42							
19	曇	22.1	18.0	0.4	7.38							
20	晴	25.7	18.0	0.4	7.58							
21	曇	24.8	18.5	0.4	7.41							
22	曇	22.9	18.8	0.4	7.53	33.2	41.3	53	6.3	<0.03	<0.02	
23	曇	20.6	19.0	0.4	7.55							
24	曇	21.4	19.1	0.4	7.42							
25	曇	25.2	18.8	0.3	7.65							
26	曇	21.5	18.8	0.4	7.66							
27	曇	19.4	18.7	0.4	7.38							
28	晴	23.2	18.8	0.4	7.41							
29	曇	22.5	19.1	0.4	7.38							
30	雨	17.8	19.0	0.5	7.38							
31	曇	21.6	19.0	0.5	7.34							
平均		20.9	17.6	0.3	7.44	32.8	41.4	79	7.0	<0.03	<0.02	
最高		25.7	19.1	0.5	7.66	33.2	41.5	105	7.6	<0.03	<0.02	
最低		13.0	15.2	0.1	7.34	32.5	41.3	53	6.3	<0.03	<0.02	