

令和 7年 12月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	16.1	12.2	9.8	7.91							
2	晴	15.4	12.2	6.4	7.83							
3	曇	13.6	12.7	3.5	7.71							
4	晴	5.8	11.5	6.5	7.90	44.2	49.6	108	5.7	0.15	<0.02	
5	晴	5.3	11.3	10.0	7.86							
6	晴	4.6	11.3	8.5	7.85							
7	晴	10.8	11.4	6.9	7.53							
8	晴	13.1	10.9	5.9	7.87							
9	晴	11.1	10.8	3.3	7.92							
10	晴	9.9	11.0	7.2	7.92							
11	晴	6.5	10.6	3.3	7.87							
12	晴	9.1	10.2	5.8	7.82							
13	晴	6.9	10.2	6.2	7.78							
14	雨	11.1	10.0	4.5	7.86							
15	晴	9.6	9.6	4.3	7.89							
16	晴	8.6	9.7	2.4	7.75							
17	晴	7.5	9.6	4.3	7.86							
18	晴	10.3	9.5	3.1	7.83	47.2	54.4	95	6.5	0.10	0.05	
19	晴	6.7	9.3	5.4	7.85							
20	雨	13.8	9.2	4.6	7.78							
21	雨	12.0	9.5	13.1	7.87							
22	曇	11.1	9.2	6.7	7.80							
23	晴	8.8	9.2	6.6	7.75							
24	雨	12.1	9.2	8.3	7.82							
25	曇	12.1	9.4	8.2	7.86							
26	晴	7.3	9.0	10.1	7.76							
27	晴	2.0	8.5	10.2	7.78							
28	晴	4.1	9.0	9.1	7.75							
29	晴	9.3	9.0	9.4	7.80							
30	晴	9.3	8.3	9.4	7.77							
31	晴	8.5	8.7	9.3	7.76							
平均		9.4	10.1	6.8	7.82	45.7	52.0	102	6.1	0.12	0.02	
最高		16.1	12.7	13.1	7.92	47.2	54.4	108	6.5	0.15	0.05	
最低		2.0	8.3	2.4	7.53	44.2	49.6	95	5.7	0.10	<0.02	

令和 7年 12月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄 水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	16.1	13.2	0.1	7.58							
2	晴	15.4	13.1	0.3	7.42							
3	曇	13.6	13.3	0.3	7.41							
4	晴	5.8	12.5	0.3	7.54	41.0	49.5	104	8.1	0.03	<0.02	
5	晴	5.3	12.1	0.5	7.46							
6	晴	4.6	12.1	0.5	7.51							
7	晴	10.8	12.1	0.2	7.53							
8	晴	13.1	11.5	0.3	7.54							
9	晴	11.1	11.5	0.2	7.54							
10	晴	9.9	11.6	0.2	7.55							
11	晴	6.5	11.3	0.4	7.47							
12	晴	9.1	11.2	0.4	7.48							
13	晴	6.9	11.3	0.6	7.52							
14	雨	11.1	11.0	0.3	7.52							
15	晴	9.6	10.8	0.2	7.60							
16	晴	8.6	10.4	0.4	7.42							
17	晴	7.5	10.3	0.3	7.46							
18	晴	10.3	10.5	0.3	7.50	43.9	53.8	91	8.6	<0.03	0.05	
19	晴	6.7	10.4	0.3	7.53							
20	雨	13.8	10.2	0.5	7.55							
21	雨	12.0	11.0	0.3	7.54							
22	曇	11.1	10.8	0.3	7.47							
23	晴	8.8	10.6	0.5	7.42							
24	雨	12.1	10.5	0.5	7.47							
25	曇	12.1	10.6	1.0	7.41							
26	晴	7.3	10.5	0.3	7.39							
27	晴	2.0	10.0	0.4	7.38							
28	晴	4.1	10.0	0.4	7.39							
29	晴	9.3	9.5	0.3	7.41							
30	晴	9.3	9.5	0.2	7.41							
31	晴	8.5	9.9	0.2	7.43							
平均		9.4	11.1	0.4	7.48	42.4	51.6	98	8.4	<0.03	0.02	
最高		16.1	13.3	1.0	7.60	43.9	53.8	104	8.6	0.03	0.05	
最低		2.0	9.5	0.1	7.38	41.0	49.5	91	8.1	<0.03	<0.02	