

令和 8年 6月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	26.8	18.5	11.1	7.81							
2	曇	22.8	18.7	9.7	7.82							
3	雨	18.9	18.7	7.2	7.76							
4	雨	18.6	18.2	16.9	7.72	34.4	39.3	76	3.1	0.36	0.03	
5	曇	21.4	18.2	12.1	7.79							
6	曇	22.5	19.3	10.8	7.85							
7	曇	20.2	18.6	10.0	7.81							
8	晴	26.1	18.0	11.8	7.83							
9	曇	21.4	18.3	10.9	7.77							
10	晴	23.9	18.2	10.8	7.77							
11	晴	25.8	18.5	11.1	7.80							
12	晴	24.4	18.6	12.0	7.79							
13	曇	23.5	19.2	12.4	7.80							
14	曇	23.3	19.4	12.8	7.82							
15	曇	22.2	18.7	12.3	7.85							
16	曇	23.3	18.7	12.0	7.84							
17	晴	26.3	19.0	11.8	7.88							
18	曇	23.8	19.2	11.3	7.85	39.0	44.6	73	3.5	0.14	0.14	
19	曇	25.5	19.5	10.8	7.85							
20	雨	23.9	20.0	9.7	7.86							
21	曇	28.6	20.8	8.6	7.88							
22	曇	25.8	19.6	9.2	7.85							
23	曇	23.2	19.7	9.6	7.81							
24	曇	21.9	19.8	7.8	7.86							
25	雨	20.6	19.6	7.2	7.85							
26	曇	24.5	19.6	8.0	7.84							
27	雨	21.3	20.5	34.3	7.78							
28	曇	22.9	18.5	214.0	7.70							台風で濁度上昇
29	曇	25.5	17.8	448.3	7.77							台風で濁度上昇
30	晴	28.3	18.2	327.2	7.77							台風で濁度上昇
平均		23.6	19.0	43.4	7.81	36.7	42.0	74	3.3	0.25	0.08	
最高		28.6	20.8	448.3	7.88	39.0	44.6	76	3.5	0.36	0.14	
最低		18.6	17.8	7.2	7.70	34.4	39.3	73	3.1	0.14	0.03	

令和 8年 6月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄 水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	26.8	20.4	1.3	7.47							
2	曇	22.8	20.2	0.9	7.49							
3	雨	18.9	19.8	1.1	7.41							
4	雨	18.6	19.4	0.6	7.30	31.8	40.6	71	6.6	0.03	<0.02	
5	曇	21.4	19.3	0.5	7.26							
6	曇	22.5	20.5	0.4	7.31							
7	曇	20.2	20.0	0.1	7.35							
8	晴	26.1	19.1	0.1	7.37							
9	曇	21.4	19.4	0.3	7.30							
10	晴	23.9	19.2	0.3	7.31							
11	晴	25.8	19.8	0.3	7.32							
12	晴	24.4	19.9	0.3	7.29							
13	曇	23.5	20.8	0.4	7.32							
14	曇	23.3	21.3	0.1	7.38							
15	曇	22.2	20.2	0.3	7.36							
16	曇	23.3	20.2	0.2	7.29							
17	晴	26.3	20.4	0.3	7.35							
18	曇	23.8	20.6	0.3	7.40	34.4	42.9	76	7.9	<0.03	<0.02	
19	曇	25.5	21.0	0.3	7.39							
20	雨	23.9	22.0	0.3	7.41							
21	曇	28.6	22.6	0.2	7.41							
22	曇	25.8	21.4	0.2	7.41							
23	曇	23.2	21.0	0.3	7.34							
24	曇	21.9	21.2	0.3	7.39							
25	雨	20.6	20.8	0.2	7.38							
26	曇	24.5	20.7	0.2	7.41							
27	雨	21.3	21.8	0.2	7.37							
28	曇	22.9	20.5	0.3	7.29							台風で濁度上昇
29	曇	25.5	20.2	0.3	7.16							台風で濁度上昇
30	晴	28.3	20.5	0.6	7.01							台風で濁度上昇
平均		23.6	20.5	0.4	7.34	33.1	41.8	74	7.2	<0.03	<0.02	
最高		28.6	22.6	1.3	7.49	34.4	42.9	76	7.9	0.03	<0.02	
最低		18.6	19.1	0.1	7.01	31.8	40.6	71	6.6	<0.03	<0.02	