

令和 8年 7月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	26.7	18.1	274.1	7.78							
2	雨	24.6	18.6	197.6	7.80	37.1	41.6	236	2.5	8.00	<0.02	
3	曇	22.9	18.6	152.6	7.77							
4	曇	24.6	19.0	118.8	7.78							
5	雨	21.9	19.7	170.1	7.77							
6	雨	21.9	18.5	186.3	7.80							
7	晴	26.3	18.7	159.3	7.78							
8	晴	26.7	18.8	139.2	7.79							
9	晴	28.9	19.0	112.2	7.80							
10	晴	28.1	19.3	90.7	7.82							
11	晴	27.6	20.0	68.3	7.82							
12	曇	26.1	20.0	70.4	7.81							
13	曇	30.2	20.1	52.2	7.81							
14	晴	33.8	20.2	43.8	7.76							
15	晴	32.1	20.3	37.8	7.81							
16	晴	34.1	20.7	33.2	7.82	37.6	41.9	87	2.6	0.58	0.03	
17	晴	31.6	21.2	29.5	7.83							
18	曇	28.8	21.7	24.7	7.85							
19	晴	30.9	21.8	23.7	7.82							
20	晴	29.7	22.0	19.5	7.84							
21	晴	33.8	21.8	15.8	7.80							
22	晴	32.6	22.3	12.3	7.85							
23	晴	35.5	23.1	10.5	7.86							
24	晴	32.9	23.0	8.6	7.88							
25	晴	31.5	23.5	8.3	7.86							
26	晴	29.5	23.6	8.0	7.87							
27	晴	31.8	23.6	7.0	7.88							
28	曇	29.5	23.6	6.6	7.88							
29	晴	30.6	24.0	6.0	7.90							
30	晴	30.5	24.1	5.1	7.88							
31	晴	32.3	24.3	5.7	7.89							
平均		29.3	21.1	69.8	7.83	37.4	41.8	162	2.6	4.29	0.02	
最高		35.5	24.3	274.1	7.90	37.6	41.9	236	2.6	8.00	0.03	
最低		21.9	18.1	5.7	7.76	37.1	41.6	87	2.5	0.58	<0.02	

令和 8年 7月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果 (配水池)									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	26.7	20.3	0.9	7.04							
2	雨	24.6	20.5	0.7	7.12	31.3	42.0	90	8.2	0.06	<0.02	
3	曇	22.9	20.5	0.9	7.14							
4	曇	24.6	20.5	0.9	7.18							
5	雨	21.9	22.0	0.6	7.25							
6	雨	21.9	20.5	0.6	7.24							
7	晴	26.3	20.3	1.0	7.16							
8	晴	26.7	20.6	0.7	7.21							
9	晴	28.9	21.0	0.7	7.21							
10	晴	28.1	21.3	0.6	7.23							
11	晴	27.6	22.0	0.5	7.27							
12	曇	26.1	22.5	0.5	7.33							
13	曇	30.2	22.2	0.4	7.32							
14	晴	33.8	22.1	0.5	7.27							
15	晴	32.1	22.6	0.8	7.31							
16	晴	34.1	22.9	0.5	7.31	33.6	43.1	68	5.8	0.05	<0.02	
17	晴	31.6	23.4	0.8	7.34							
18	曇	28.8	24.2	0.4	7.38							
19	晴	30.9	24.6	0.7	7.43							
20	晴	29.7	25.0	0.6	7.48							
21	晴	33.8	24.2	0.4	7.39							
22	晴	32.6	24.8	0.4	7.43							
23	晴	35.5	24.8	0.2	7.43							
24	晴	32.9	25.2	0.3	7.48							
25	晴	31.5	25.5	0.5	7.49							
26	晴	29.5	26.5	0.3	7.55							
27	晴	31.8	26.0	0.2	7.58							
28	曇	29.5	25.7	0.1	7.55							
29	晴	30.6	25.6	0.3	7.54							
30	晴	30.5	25.7	0.2	7.56							
31	晴	32.3	25.8	0.4	7.50							
平均		29.3	23.2	0.5	7.35	32.4	42.6	79	7.0	0.06	<0.02	
最高		35.5	26.5	1.0	7.58	33.6	43.1	90	8.2	0.06	<0.02	
最低		21.9	20.3	0.1	7.04	31.3	42.0	68	5.8	0.05	<0.02	