

令和7年9月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温	水温	濁度	pH	アルカリ度	硬度	蒸発残留物	塩化物イオン	鉄	マンガン	
		℃	℃	度		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
1	晴	30.0	27.3	4.8	7.65	—	—	—	—	—	—	
2	晴	29.7	27.3	4.1	7.66	41.3	41.8	84	3.6	0.25	<0.02	
3	晴	29.8	27.4	4.3	7.64	—	—	—	—	—	—	
4	曇	27.5	27.2	3.4	7.70	—	—	—	—	—	—	
5	雨	26.5	27.0	3.3	7.70	—	—	—	—	—	—	
6	曇	28.6	26.1	135.3	7.54	—	—	—	—	—	—	
7	晴	28.3	26.0	18.8	7.64	—	—	—	—	—	—	
8	晴	29.6	26.1	33.0	7.57	—	—	—	—	—	—	
9	晴	29.0	26.1	26.1	7.57	—	—	—	—	—	—	
10	曇	30.2	26.3	21.3	7.54	—	—	—	—	—	—	
11	晴	28.0	26.4	17.4	7.56	—	—	—	—	—	—	
12	曇	26.6	26.3	17.5	7.56	—	—	—	—	—	—	
13	曇	25.8	25.9	14.2	7.61	—	—	—	—	—	—	
14	曇	27.6	25.7	23.4	7.57	—	—	—	—	—	—	
15	晴	28.6	25.6	19.6	7.57	—	—	—	—	—	—	
16	晴	27.8	25.6	13.1	7.59	32.7	34.1	86	3.0	0.63	0.03	
17	晴	29.4	25.8	9.6	7.58	—	—	—	—	—	—	
18	曇	28.8	26.0	9.4	7.61	—	—	—	—	—	—	
19	曇	25.4	25.8	9.4	7.61	—	—	—	—	—	—	
20	曇	23.1	25.4	7.8	7.65	—	—	—	—	—	—	
21	晴	26.5	25.3	6.5	7.67	—	—	—	—	—	—	
22	晴	24.4	25.3	5.7	7.64	—	—	—	—	—	—	
23	晴	23.0	25.1	4.6	7.66	—	—	—	—	—	—	
24	晴	23.2	25.0	4.8	7.69	—	—	—	—	—	—	
25	曇	24.9	25.0	5.0	7.65	—	—	—	—	—	—	
26	晴	25.0	25.1	5.3	7.67	—	—	—	—	—	—	
27	曇	27.5	25.1	4.7	7.71	—	—	—	—	—	—	
28	晴	26.7	25.1	4.2	7.69	—	—	—	—	—	—	
29	曇	25.5	25.1	4.3	7.67	—	—	—	—	—	—	
30	晴	24.6	24.9	3.1	7.68	—	—	—	—	—	—	
平均		27.1	25.9	14.8	7.63	37.0	38.0	85	3.3	0.44	<0.02	
最高		30.2	27.4	135.3	7.71	41.3	41.8	86	3.6	0.63	0.03	
最低		23.0	24.9	3.1	7.54	32.7	34.1	84	3.0	0.25	<0.02	

令和7年9月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	30.0	28.0	0.6	7.57	—	—	—	—	—	—	
2	晴	29.7	28.0	0.5	7.47	36.8	41.8	79	8.2	<0.03	<0.02	
3	晴	29.8	28.0	0.9	7.52	—	—	—	—	—	—	
4	曇	27.5	28.0	0.7	7.61	—	—	—	—	—	—	
5	雨	26.5	27.6	0.5	7.57	—	—	—	—	—	—	
6	曇	28.6	27.4	0.6	7.64	—	—	—	—	—	—	
7	晴	28.3	27.1	0.5	7.57	—	—	—	—	—	—	
8	晴	29.6	27.1	0.5	7.47	—	—	—	—	—	—	
9	晴	29.0	27.1	0.5	7.43	—	—	—	—	—	—	
10	曇	30.2	27.2	0.6	7.40	—	—	—	—	—	—	
11	晴	28.0	27.3	0.7	7.43	—	—	—	—	—	—	
12	曇	26.6	27.1	0.5	7.41	—	—	—	—	—	—	
13	曇	25.8	27.0	0.7	7.47	—	—	—	—	—	—	
14	曇	27.6	26.4	0.5	7.43	—	—	—	—	—	—	
15	晴	28.6	26.8	0.4	7.44	—	—	—	—	—	—	
16	晴	27.8	26.8	0.5	7.44	29.0	33.9	64	5.7	<0.03	0.02	
17	晴	29.4	26.8	0.4	7.44	—	—	—	—	—	—	
18	曇	28.8	27.0	0.5	7.48	—	—	—	—	—	—	
19	曇	25.4	26.8	0.5	7.49	—	—	—	—	—	—	
20	曇	23.1	26.5	0.5	7.58	—	—	—	—	—	—	
21	晴	26.5	26.4	0.4	7.57	—	—	—	—	—	—	
22	晴	24.4	26.3	0.4	7.54	—	—	—	—	—	—	
23	晴	23.0	26.2	0.4	7.56	—	—	—	—	—	—	
24	晴	23.2	26.0	0.4	7.55	—	—	—	—	—	—	
25	曇	24.9	26.0	0.4	7.57	—	—	—	—	—	—	
26	晴	25.0	26.1	0.3	7.61	—	—	—	—	—	—	
27	曇	27.5	26.1	0.2	7.68	—	—	—	—	—	—	
28	晴	26.7	26.2	0.2	7.60	—	—	—	—	—	—	
29	曇	25.5	26.2	0.3	7.64	—	—	—	—	—	—	
30	晴	24.6	26.0	0.2	7.59	—	—	—	—	—	—	
平均		27.1	26.8	0.5	7.53	32.9	37.8	72	7.0	<0.03	<0.02	
最高		30.2	28.0	0.9	7.68	36.8	41.8	79	8.2	<0.03	0.02	
最低		23.0	26.0	0.2	7.40	29.0	33.9	64	5.7	<0.03	<0.02	