

令和7年12月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))										備考
	天候	気温 °C	水温 °C	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残 留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	
1	晴	13.1	15.0	2.2	7.69	—	—	—	—	—	—
2	晴	12.1	15.0	2.4	7.68	45.2	45.4	86	5.4	0.15	<0.02
3	曇	13.7	15.0	2.2	7.67	—	—	—	—	—	—
4	晴	3.5	14.3	2.0	7.71	—	—	—	—	—	—
5	晴	5.3	14.0	1.8	7.71	—	—	—	—	—	—
6	晴	7.0	13.7	1.9	7.68	—	—	—	—	—	—
7	晴	11.1	13.6	1.8	7.75	—	—	—	—	—	—
8	晴	9.0	13.5	1.6	7.67	—	—	—	—	—	—
9	晴	8.7	13.6	2.0	7.63	—	—	—	—	—	—
10	晴	6.3	13.3	1.4	7.65	—	—	—	—	—	—
11	晴	7.6	13.3	1.3	7.64	—	—	—	—	—	—
12	晴	8.5	13.2	1.3	7.63	—	—	—	—	—	—
13	曇	8.6	13.0	3.0	7.65	—	—	—	—	—	—
14	雨	11.6	13.1	1.5	7.61	—	—	—	—	—	—
15	晴	7.5	12.8	1.4	7.65	—	—	—	—	—	—
16	晴	4.8	12.5	1.2	7.60	48.5	51.0	92	6.3	0.12	0.02
17	晴	7.3	12.5	1.1	7.60	—	—	—	—	—	—
18	晴	7.0	12.5	1.2	7.57	—	—	—	—	—	—
19	晴	9.1	12.5	1.5	7.57	—	—	—	—	—	—
20	雨	14.1	12.6	1.2	7.60	—	—	—	—	—	—
21	雨	12.6	12.8	1.4	7.57	—	—	—	—	—	—
22	曇	9.8	12.7	1.4	7.59	—	—	—	—	—	—
23	晴	7.7	12.6	1.4	7.56	—	—	—	—	—	—
24	雨	12.5	12.8	1.3	7.53	—	—	—	—	—	—
25	曇	13.9	12.8	1.7	7.55	—	—	—	—	—	—
26	晴	5.9	12.5	1.9	7.56	—	—	—	—	—	—
27	晴	2.8	11.8	2.0	7.57	—	—	—	—	—	—
28	晴	5.1	11.6	2.7	7.55	—	—	—	—	—	—
29	晴	5.0	11.6	2.1	7.55	—	—	—	—	—	—
30	晴	8.0	11.6	2.1	7.50	—	—	—	—	—	—
31	晴	8.9	11.4	2.2	7.62	—	—	—	—	—	—
平均		8.6	13.0	1.7	7.62	46.8	48.2	89	5.8	0.14	<0.02
最高		14.1	15.0	3.0	7.75	48.5	51.0	92	6.3	0.15	0.02
最低		2.8	11.4	1.1	7.50	45.2	45.4	86	5.4	0.12	<0.02

令和7年12月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))										備考
	天候	気温 °C	水温 °C	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残 留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	
1	晴	13.1	16.6	0.1	7.58	—	—	—	—	—	—
2	晴	12.1	16.7	<0.1	7.53	42.2	44.5	84	7.9	<0.03	<0.02
3	曇	13.7	16.8	0.1	7.52	—	—	—	—	—	—
4	晴	3.5	16.0	0.1	7.59	—	—	—	—	—	—
5	晴	5.3	15.5	<0.1	7.57	—	—	—	—	—	—
6	晴	7.0	15.1	0.2	7.54	—	—	—	—	—	—
7	晴	11.1	15.2	<0.1	7.60	—	—	—	—	—	—
8	晴	9.0	15.1	<0.1	7.54	—	—	—	—	—	—
9	晴	8.7	15.1	0.1	7.49	—	—	—	—	—	—
10	晴	6.3	14.9	0.2	7.53	—	—	—	—	—	—
11	晴	7.6	14.8	0.1	7.51	—	—	—	—	—	—
12	晴	8.5	14.9	0.1	7.56	—	—	—	—	—	—
13	曇	8.6	14.6	0.4	7.56	—	—	—	—	—	—
14	雨	11.6	14.8	0.4	7.53	—	—	—	—	—	—
15	晴	7.5	14.5	0.1	7.56	—	—	—	—	—	—
16	晴	4.8	14.1	0.3	7.55	45.8	50.2	68	8.8	<0.03	<0.02
17	晴	7.3	14.1	0.1	7.51	—	—	—	—	—	—
18	晴	7.0	14.0	0.1	7.53	—	—	—	—	—	—
19	晴	9.1	14.1	0.2	7.47	—	—	—	—	—	—
20	雨	14.1	14.3	<0.1	7.50	—	—	—	—	—	—
21	雨	12.6	14.4	0.1	7.48	—	—	—	—	—	—
22	曇	9.8	14.3	<0.1	7.51	—	—	—	—	—	—
23	晴	7.7	14.1	0.1	7.45	—	—	—	—	—	—
24	雨	12.5	14.4	0.1	7.45	—	—	—	—	—	—
25	曇	13.9	14.4	0.1	7.46	—	—	—	—	—	—
26	晴	5.9	14.1	0.2	7.45	—	—	—	—	—	—
27	晴	2.8	14.0	<0.1	7.47	—	—	—	—	—	—
28	晴	5.1	13.7	<0.1	7.47	—	—	—	—	—	—
29	晴	5.0	13.6	0.1	7.47	—	—	—	—	—	—
30	晴	8.0	13.7	<0.1	7.40	—	—	—	—	—	—
31	晴	8.9	13.6	<0.1	7.49	—	—	—	—	—	—
平均		8.6	14.7	0.1	7.51	44.0	47.4	76	8.4	<0.03	<0.02
最高		14.1	16.8	0.4	7.60	45.8	50.2	84	8.8	<0.03	<0.02
最低		2.8	13.6	<0.1	7.40	42.2	44.5	68	7.9	<0.03	<0.02