

令和8年2月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温	水温	濁度	pH	アルカリ度	硬度	蒸発残留物	塩化物イオン	鉄	マンガン	
		℃	℃	度		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
1	晴	3.8	8.2	3.4	7.75	—	—	—	—	—	—	
2	晴	3.9	8.2	3.6	7.67	—	—	—	—	—	—	
3	晴	3.1	8.3	3.2	7.61	46.4	49.7	74	7.3	0.19	0.04	
4	晴	3.5	8.2	3.2	7.58	—	—	—	—	—	—	
5	晴	6.1	8.5	3.4	7.58	—	—	—	—	—	—	
6	晴	8.2	8.7	2.9	7.61	—	—	—	—	—	—	
7	雨	7.2	8.6	3.4	7.64	—	—	—	—	—	—	
8	晴	3.9	8.6	3.3	7.66	—	—	—	—	—	—	
9	晴	0.7	8.2	2.8	7.61	—	—	—	—	—	—	
10	晴	1.5	8.1	2.5	7.64	—	—	—	—	—	—	
11	雨	7.5	8.6	2.6	7.62	—	—	—	—	—	—	
12	晴	5.1	8.4	3.1	7.60	—	—	—	—	—	—	
13	晴	5.0	8.5	2.4	7.62	—	—	—	—	—	—	
14	晴	6.2	8.5	2.7	7.65	—	—	—	—	—	—	
15	晴	12.0	9.0	2.6	7.60	—	—	—	—	—	—	
16	晴	12.9	9.2	2.6	7.61	—	—	—	—	—	—	
17	雨	8.0	9.4	2.9	7.62	45.9	54.0	90	7.5	0.15	0.03	
18	晴	5.7	9.3	2.8	7.60	—	—	—	—	—	—	
19	晴	2.5	9.0	2.6	7.64	—	—	—	—	—	—	
20	晴	4.7	9.1	2.4	7.61	—	—	—	—	—	—	
21	晴	8.3	9.0	2.6	7.62	—	—	—	—	—	—	
22	曇	12.2	9.3	2.5	7.63	—	—	—	—	—	—	
23	曇	15.5	9.9	2.9	7.64	—	—	—	—	—	—	
24	晴	11.0	9.6	4.2	7.67	—	—	—	—	—	—	
25	雨	14.6	10.5	3.5	7.65	—	—	—	—	—	—	
26	曇	12.8	10.3	3.2	7.62	—	—	—	—	—	—	
27	曇	13.2	10.4	2.9	7.61	—	—	—	—	—	—	
28	晴	15.4	10.6	2.8	7.60	—	—	—	—	—	—	
平均		7.7	9.0	3.0	7.63	46.2	51.8	82	7.4	0.17	0.04	
最高		15.5	10.6	4.2	7.75	46.4	54.0	90	7.5	0.19	0.04	
最低		0.7	8.1	2.4	7.58	45.9	49.7	74	7.3	0.15	0.03	

令和8年2月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温	水温	濁度	pH	アルカリ度	硬度	蒸発残留物	塩化物イオン	鉄	マンガン	
		℃	℃	度		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
1	晴	3.8	9.8	<0.1	7.60	—	—	—	—	—	—	
2	晴	3.9	9.8	<0.1	7.53	—	—	—	—	—	—	
3	晴	3.1	9.8	0.1	7.47	43.2	49.0	88	11.4	<0.03	<0.02	
4	晴	3.5	9.8	0.1	7.43	—	—	—	—	—	—	
5	晴	6.1	10.1	0.1	7.46	—	—	—	—	—	—	
6	晴	8.2	10.3	0.4	7.57	—	—	—	—	—	—	
7	雨	7.2	10.3	0.1	7.56	—	—	—	—	—	—	
8	晴	3.9	10.3	<0.1	7.41	—	—	—	—	—	—	
9	晴	0.7	9.8	0.2	7.52	—	—	—	—	—	—	
10	晴	1.5	9.7	<0.1	7.57	—	—	—	—	—	—	
11	雨	7.5	10.0	<0.1	7.53	—	—	—	—	—	—	
12	晴	5.1	9.8	0.4	7.54	—	—	—	—	—	—	
13	晴	5.0	9.9	<0.1	7.49	—	—	—	—	—	—	
14	晴	6.2	10.0	<0.1	7.48	—	—	—	—	—	—	
15	晴	12.0	10.5	0.1	7.48	—	—	—	—	—	—	
16	晴	12.9	10.8	<0.1	7.50	—	—	—	—	—	—	
17	雨	8.0	10.8	0.1	7.49	43.7	55.1	82	10.4	<0.03	<0.02	
18	晴	5.7	10.7	<0.1	7.45	—	—	—	—	—	—	
19	晴	2.5	10.5	0.4	7.53	—	—	—	—	—	—	
20	晴	4.7	10.5	<0.1	7.54	—	—	—	—	—	—	
21	晴	8.3	10.5	0.1	7.52	—	—	—	—	—	—	
22	曇	12.2	10.8	0.2	7.51	—	—	—	—	—	—	
23	曇	15.5	11.4	0.3	7.52	—	—	—	—	—	—	
24	晴	11.0	11.4	0.1	7.55	—	—	—	—	—	—	
25	雨	14.6	12.0	0.1	7.49	—	—	—	—	—	—	
26	曇	12.8	12.0	<0.1	7.46	—	—	—	—	—	—	
27	曇	13.2	11.9	0.8	7.44	—	—	—	—	—	—	
28	晴	15.4	12.0	0.4	7.52	—	—	—	—	—	—	
平均		7.7	10.5	0.1	7.51	43.4	52.0	85	10.9	<0.03	<0.02	
最高		15.5	12.0	0.8	7.60	43.7	55.1	88	11.4	<0.03	<0.02	
最低		0.7	9.7	<0.1	7.41	43.2	49.0	82	10.4	<0.03	<0.02	