

令和8年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

| 日  | 水質試験結果(着水井(原水)) |      |      |       |      |       |      |       |        |      |      | 備考 |
|----|-----------------|------|------|-------|------|-------|------|-------|--------|------|------|----|
|    | 天候              | 気温   | 水温   | 濁度    | pH   | アルカリ度 | 硬度   | 蒸発残留物 | 塩化物イオン | 鉄    | マンガン |    |
|    |                 | ℃    | ℃    | 度     |      | mg/l  | mg/l | mg/l  | mg/l   | mg/l | mg/l |    |
| 1  | 晴               | 25.8 | 20.5 | 175.7 | 7.67 | —     | —    | —     | —      | —    | —    |    |
| 2  | 雨               | 24.5 | 20.7 | 129.2 | 7.68 | —     | —    | —     | —      | —    | —    |    |
| 3  | 曇               | 24.6 | 20.8 | 82.7  | 7.66 | —     | —    | —     | —      | —    | —    |    |
| 4  | 曇               | 26.6 | 20.8 | 64.9  | 7.68 | —     | —    | —     | —      | —    | —    |    |
| 5  | 曇               | 23.2 | 20.7 | 109.1 | 7.65 | —     | —    | —     | —      | —    | —    |    |
| 6  | 雨               | 21.5 | 20.6 | 121.0 | 7.73 | —     | —    | —     | —      | —    | —    |    |
| 7  | 曇               | 24.8 | 20.6 | 74.4  | 7.70 | 35.3  | 36.6 | 133   | 4.0    | 3.60 | 0.10 |    |
| 8  | 晴               | 25.8 | 20.8 | 67.0  | 7.66 | —     | —    | —     | —      | —    | —    |    |
| 9  | 晴               | 25.1 | 21.0 | 65.4  | 7.72 | —     | —    | —     | —      | —    | —    |    |
| 10 | 晴               | 26.5 | 21.4 | 54.6  | 7.70 | —     | —    | —     | —      | —    | —    |    |
| 11 | 晴               | 29.1 | 21.6 | 43.4  | 7.71 | —     | —    | —     | —      | —    | —    |    |
| 12 | 曇               | 28.0 | 22.0 | 34.1  | 7.67 | —     | —    | —     | —      | —    | —    |    |
| 13 | 曇               | 29.3 | 22.1 | 28.8  | 7.69 | —     | —    | —     | —      | —    | —    |    |
| 14 | 晴               | 29.4 | 22.3 | 23.4  | 7.63 | —     | —    | —     | —      | —    | —    |    |
| 15 | 晴               | 29.5 | 22.6 | 23.7  | 7.63 | —     | —    | —     | —      | —    | —    |    |
| 16 | 晴               | 30.0 | 23.1 | 20.9  | 7.65 | —     | —    | —     | —      | —    | —    |    |
| 17 | 曇               | 31.5 | 23.4 | 18.2  | 7.62 | —     | —    | —     | —      | —    | —    |    |
| 18 | 曇               | 29.8 | 23.6 | 15.8  | 7.64 | —     | —    | —     | —      | —    | —    |    |
| 19 | 晴               | 30.1 | 23.6 | 14.2  | 7.62 | —     | —    | —     | —      | —    | —    |    |
| 20 | 晴               | 29.5 | 23.8 | 11.7  | 7.63 | —     | —    | —     | —      | —    | —    |    |
| 21 | 晴               | 30.1 | 24.1 | 9.8   | 7.62 | 38.4  | 37.4 | 76    | 2.8    | 0.47 | 0.02 |    |
| 22 | 晴               | 30.1 | 24.4 | 8.7   | 7.61 | —     | —    | —     | —      | —    | —    |    |
| 23 | 晴               | 32.3 | 24.7 | 7.4   | 7.67 | —     | —    | —     | —      | —    | —    |    |
| 24 | 晴               | 30.6 | 25.0 | 6.8   | 7.69 | —     | —    | —     | —      | —    | —    |    |
| 25 | 晴               | 31.1 | 25.3 | 5.7   | 7.71 | —     | —    | —     | —      | —    | —    |    |
| 26 | 晴               | 31.3 | 25.4 | 5.1   | 7.73 | —     | —    | —     | —      | —    | —    |    |
| 27 | 晴               | 30.0 | 25.5 | 4.5   | 7.70 | —     | —    | —     | —      | —    | —    |    |
| 28 | 晴               | 29.1 | 25.6 | 3.8   | 7.72 | —     | —    | —     | —      | —    | —    |    |
| 29 | 晴               | 28.6 | 25.5 | 3.4   | 7.66 | —     | —    | —     | —      | —    | —    |    |
| 30 | 晴               | 30.1 | 25.7 | 3.7   | 7.63 | —     | —    | —     | —      | —    | —    |    |
| 31 | 晴               | 31.8 | 26.0 | 3.0   | 7.61 | —     | —    | —     | —      | —    | —    |    |
| 平均 |                 | 28.4 | 23.0 | 40.0  | 7.67 | 36.8  | 37.0 | 104   | 3.4    | 2.04 | 0.06 |    |
| 最高 |                 | 32.3 | 26.0 | 175.7 | 7.73 | 38.4  | 37.4 | 133   | 4.0    | 3.60 | 0.10 |    |
| 最低 |                 | 21.5 | 20.5 | 3.0   | 7.61 | 35.3  | 36.6 | 76    | 2.8    | 0.47 | 0.02 |    |

令和8年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

| 日  | 水質試験結果(配水池(浄水)) |      |      |      |      |       |      |       |        |       |       | 備考 |
|----|-----------------|------|------|------|------|-------|------|-------|--------|-------|-------|----|
|    | 天候              | 気温   | 水温   | 濁度   | pH   | アルカリ度 | 硬度   | 蒸発残留物 | 塩化物イオン | 鉄     | マンガン  |    |
|    |                 | ℃    | ℃    | 度    |      | mg/l  | mg/l | mg/l  | mg/l   | mg/l  | mg/l  |    |
| 1  | 晴               | 25.8 | 21.8 | 0.2  | 7.37 | —     | —    | —     | —      | —     | —     |    |
| 2  | 雨               | 24.5 | 21.7 | 0.3  | 7.37 | —     | —    | —     | —      | —     | —     |    |
| 3  | 曇               | 24.6 | 21.8 | 0.4  | 7.33 | —     | —    | —     | —      | —     | —     |    |
| 4  | 曇               | 26.6 | 21.7 | 0.2  | 7.42 | —     | —    | —     | —      | —     | —     |    |
| 5  | 曇               | 23.2 | 21.6 | 0.1  | 7.44 | —     | —    | —     | —      | —     | —     |    |
| 6  | 雨               | 21.5 | 22.0 | 0.3  | 7.42 | —     | —    | —     | —      | —     | —     |    |
| 7  | 曇               | 24.8 | 21.9 | 0.6  | 7.35 | 30.0  | 35.7 | 53    | 6.4    | 0.03  | <0.02 |    |
| 8  | 晴               | 25.8 | 22.5 | 0.3  | 7.35 | —     | —    | —     | —      | —     | —     |    |
| 9  | 晴               | 25.1 | 22.6 | 0.6  | 7.48 | —     | —    | —     | —      | —     | —     |    |
| 10 | 晴               | 26.5 | 23.3 | 0.3  | 7.43 | —     | —    | —     | —      | —     | —     |    |
| 11 | 晴               | 29.1 | 23.7 | 0.4  | 7.40 | —     | —    | —     | —      | —     | —     |    |
| 12 | 曇               | 28.0 | 23.7 | 0.2  | 7.44 | —     | —    | —     | —      | —     | —     |    |
| 13 | 曇               | 29.3 | 23.8 | 0.4  | 7.51 | —     | —    | —     | —      | —     | —     |    |
| 14 | 晴               | 29.4 | 24.0 | 0.2  | 7.48 | —     | —    | —     | —      | —     | —     |    |
| 15 | 晴               | 29.5 | 24.7 | 0.2  | 7.46 | —     | —    | —     | —      | —     | —     |    |
| 16 | 晴               | 30.0 | 24.8 | 0.6  | 7.52 | —     | —    | —     | —      | —     | —     |    |
| 17 | 曇               | 31.5 | 25.3 | 0.2  | 7.54 | —     | —    | —     | —      | —     | —     |    |
| 18 | 曇               | 29.8 | 25.3 | 0.1  | 7.50 | —     | —    | —     | —      | —     | —     |    |
| 19 | 晴               | 30.1 | 25.6 | 0.2  | 7.54 | —     | —    | —     | —      | —     | —     |    |
| 20 | 晴               | 29.5 | 26.0 | 0.1  | 7.53 | —     | —    | —     | —      | —     | —     |    |
| 21 | 晴               | 30.1 | 26.0 | 0.1  | 7.51 | 35.1  | 37.2 | 67    | 6.2    | <0.03 | <0.02 |    |
| 22 | 晴               | 30.1 | 26.6 | 0.1  | 7.51 | —     | —    | —     | —      | —     | —     |    |
| 23 | 晴               | 32.3 | 27.0 | 0.1  | 7.58 | —     | —    | —     | —      | —     | —     |    |
| 24 | 晴               | 30.6 | 27.1 | 0.2  | 7.58 | —     | —    | —     | —      | —     | —     |    |
| 25 | 晴               | 31.1 | 27.3 | <0.1 | 7.57 | —     | —    | —     | —      | —     | —     |    |
| 26 | 晴               | 31.3 | 27.6 | <0.1 | 7.61 | —     | —    | —     | —      | —     | —     |    |
| 27 | 晴               | 30.0 | 27.5 | 0.2  | 7.62 | —     | —    | —     | —      | —     | —     |    |
| 28 | 晴               | 29.1 | 27.4 | 0.1  | 7.59 | —     | —    | —     | —      | —     | —     |    |
| 29 | 晴               | 28.6 | 27.5 | 0.1  | 7.62 | —     | —    | —     | —      | —     | —     |    |
| 30 | 晴               | 30.1 | 27.6 | 0.2  | 7.65 | —     | —    | —     | —      | —     | —     |    |
| 31 | 晴               | 31.8 | 28.0 | 0.1  | 7.62 | —     | —    | —     | —      | —     | —     |    |
| 平均 |                 | 28.4 | 24.8 | 0.2  | 7.49 | 32.6  | 36.4 | 60    | 6.3    | <0.03 | <0.02 |    |
| 最高 |                 | 32.3 | 28.0 | 0.6  | 7.65 | 35.1  | 37.2 | 67    | 6.4    | 0.03  | <0.02 |    |
| 最低 |                 | 21.5 | 21.6 | <0.1 | 7.33 | 30.0  | 35.7 | 53    | 6.2    | <0.03 | <0.02 |    |