

令和 2年 6月分

湖西工業用水道水質試験結果報告書 (梅田浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/l	硬度 mg/l	蒸 発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	曇	27.7	17.2	0.5	7.48							
2	晴	30.2	16.7	0.5	7.57							
3	晴	31.0	17.3	0.5	7.61							
4	晴	29.5	17.8	0.5	7.66							
5	晴	31.2	17.3	0.6	7.69							
6	曇	29.0	17.2	0.5	7.52							
7	曇	29.0	17.5	0.6	7.64							
8	晴	30.9	16.9	0.5	7.66	14.2	16.5	30	2.6	0.06	<0.02	
9	曇	31.5	17.0	0.5	7.64							
10	雨	27.9	17.2	0.5	7.59							
11	雨	29.6	16.9	1.6	7.69							
12	曇	29.9	18.1	5.6	7.46							
13	曇	30.5	16.8	1.8	7.07							
14	雨	31.0	17.8	1.1	7.29							
15	晴	34.0	18.1	1.1	7.39							
16	曇	28.1	18.0	0.7	7.42							
17	晴	28.8	18.8	0.5	7.70							
18	曇	28.0	19.5	0.5	7.91							
19	雨	24.6	19.7	0.4	8.00							
20	晴	28.0	19.2	0.6	7.50							
21	晴	29.1	18.8	0.6	7.60							
22	雨	25.2	18.2	0.7	7.69	13.7	15.6	36	2.6	0.08	<0.02	
23	晴	30.0	18.4	0.5	7.90							
24	曇	30.0	18.6	0.3	7.85							
25	雨	29.1	18.5	0.4	7.52							
26	曇	32.2	19.4	0.4	7.72							
27	晴	31.5	19.5	0.4	7.91							
28	雨	28.2	19.8	0.5	7.98							
29	晴	30.4	19.5	0.5	7.92							
30	雨	28.1	19.9	0.6	7.93							
平均		29.5	18.2	0.8	7.65	13.9	16.1	33	2.6	0.07	<0.02	
最高		34.0	19.9	5.6	8.00	14.2	16.5	36	2.6	0.08	<0.02	
最低		24.6	16.7	0.3	7.07	13.7	15.6	30	2.6	0.06	<0.02	

令和 2年 6月分

湖西工業用水道水質試験結果報告書（梅田浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	曇	27.7	17.6	0.6	7.48							
2	晴	30.2	17.4	0.5	7.50							
3	晴	31.0	17.4	0.5	7.51							
4	晴	29.5	17.5	0.5	7.61							
5	晴	31.2	17.6	0.5	7.63							
6	曇	29.0	17.7	0.6	7.72							
7	曇	29.0	17.6	0.6	7.60							
8	晴	30.9	17.8	0.5	7.68	14.0	16.5	34	2.5	0.05	<0.02	
9	曇	31.5	17.7	0.5	7.67							
10	雨	27.9	17.6	0.5	7.66							
11	雨	29.6	17.9	0.7	7.71							
12	曇	29.9	18.5	0.6	7.51							
13	曇	30.5	17.9	1.6	6.73							
14	雨	31.0	18.0	0.9	7.08							
15	晴	34.0	18.7	0.9	7.43							
16	曇	28.1	18.6	0.8	7.44							
17	晴	28.8	18.8	0.7	7.54							
18	曇	28.0	19.2	0.5	7.60							
19	雨	24.6	19.4	0.5	7.54							
20	晴	28.0	19.4	0.7	7.56							
21	晴	29.1	19.5	0.7	7.51							
22	雨	25.2	19.2	0.8	7.63	17.7	20.4	32	2.9	0.05	<0.02	
23	晴	30.0	18.5	0.7	7.47							
24	曇	30.0	18.9	0.4	7.60							
25	雨	29.1	19.5	0.4	7.62							
26	曇	32.2	19.9	0.4	7.56							
27	晴	31.5	20.6	0.5	7.55							
28	雨	28.2	20.4	0.6	7.69							
29	晴	30.4	20.1	0.6	7.63							
30	雨	28.1	20.2	0.6	7.60							
平均		29.5	18.6	0.6	7.54	15.9	18.4	33	2.7	0.05	<0.02	
最高		34.0	20.6	1.6	7.72	17.7	20.4	34	2.9	0.05	<0.02	
最低		24.6	17.4	0.4	6.73	14.0	16.5	32	2.5	0.05	<0.02	