

令和 4年 5月分

湖西工業用水道水質試験結果報告書 (梅田浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/l	硬度 mg/l	蒸 発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	曇	16.0	15.2	0.6	7.51							
2	晴	14.0	15.1	0.7	7.68							
3	晴	16.5	14.5	0.5	7.59							
4	晴	21.2	14.7	0.4	7.85							
5	晴	21.8	14.7	0.4	8.09							
6	曇	18.4	14.8	0.4	8.17							
7	晴	24.1	15.2	0.4	8.30							
8	晴	21.5	15.6	0.4	8.40							
9	曇	19.0	16.2	0.5	8.28							
10	曇	16.2	16.8	0.7	8.35							
11	曇	19.0	16.6	0.6	7.57							
12	曇	20.0	15.8	0.6	7.74	20.8	23.3	61	3.1	0.04	<0.02	
13	雨	18.0	15.7	0.6	7.46							
14	曇	20.0	15.9	0.8	7.43							
15	晴	19.3	16.5	0.9	7.80							
16	雨	15.6	16.0	0.8	7.54							
17	雨	16.0	15.6	0.6	7.68							
18	晴	19.1	14.9	0.5	7.44							
19	晴	21.5	14.9	0.4	7.34							
20	曇	19.5	15.5	0.4	7.60							
21	雨	18.5	16.1	0.4	7.50							
22	晴	22.6	16.5	0.5	7.53							
23	晴	21.5	15.7	0.6	7.40							
24	晴	21.0	16.5	0.5	7.44							
25	晴	22.3	17.2	0.5	7.33							
26	雨	18.5	17.4	0.5	7.27	15.7	17.7	44	2.7	0.04	<0.02	
27	曇	20.0	17.6	0.5	7.34							
28	晴	24.4	17.4	3.8	7.18							
29	晴	27.3	17.2	1.4	7.30							
30	晴	24.0	17.1	0.7	7.47							
31	雨	18.0	17.8	0.6	7.53							
平均		19.8	16.0	0.7	7.65	18.3	20.5	53	2.9	0.04	<0.02	
最高		27.3	17.8	3.8	8.40	20.8	23.3	61	3.1	0.04	<0.02	
最低		14.0	14.5	0.4	7.18	15.7	17.7	44	2.7	0.04	<0.02	

令和 4年 5月分

湖西工業用水道水質試験結果報告書（梅田浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	曇	16.0	15.4	0.6	7.35							
2	晴	14.0	15.2	0.5	7.43							
3	晴	16.5	15.2	0.7	7.48							
4	晴	21.2	15.1	0.5	7.49							
5	晴	21.8	15.3	0.5	7.54							
6	曇	18.4	15.6	0.5	7.80							
7	晴	24.1	15.7	0.5	7.78							
8	晴	21.5	16.2	0.4	7.80							
9	曇	19.0	16.4	0.4	7.82							
10	曇	16.2	16.5	0.6	7.69							
11	曇	19.0	16.9	0.6	7.62							
12	曇	20.0	16.9	0.6	7.71	19.8	21.9	56	3.3	0.04	<0.02	
13	雨	18.0	16.7	0.7	7.66							
14	曇	20.0	16.8	0.7	7.63							
15	晴	19.3	16.3	0.7	7.64							
16	雨	15.6	16.2	1.2	7.47							
17	雨	16.0	16.0	0.8	7.34							
18	晴	19.1	15.7	0.5	7.40							
19	晴	21.5	15.9	0.4	7.55							
20	曇	19.5	16.0	0.4	7.63							
21	雨	18.5	16.3	0.4	7.60							
22	晴	22.6	16.5	0.3	7.54							
23	晴	21.5	16.8	0.5	7.66							
24	晴	21.0	17.0	0.5	7.60							
25	晴	22.3	17.5	0.5	7.54							
26	雨	18.5	18.1	0.5	7.47	15.4	17.9	42	2.8	0.03	<0.02	
27	曇	20.0	18.1	0.5	7.39							
28	晴	24.4	18.1	0.6	7.38							
29	晴	27.3	18.0	2.0	7.24							
30	晴	24.0	17.9	1.2	7.24							
31	雨	18.0	18.2	0.6	7.39							
平均		19.8	16.5	0.6	7.54	17.6	19.9	49	3.1	0.04	<0.02	
最高		27.3	18.2	2.0	7.82	19.8	21.9	56	3.3	0.04	<0.02	
最低		14.0	15.1	0.3	7.24	15.4	17.9	42	2.8	0.03	<0.02	