

令和 4年 6月分

湖西工業用水道水質試験結果報告書 (梅田浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/l	硬度 mg/l	蒸 発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	24.0	18.4	0.5	7.52							
2	晴	24.2	18.1	0.6	7.36	17.8	18.9	57	2.9	<0.03	<0.02	
3	晴	24.5	18.3	0.6	7.43							
4	曇	23.9	17.8	0.5	7.37							
5	曇	25.2	18.1	0.6	7.43							
6	雨	16.9	18.0	0.7	7.39							
7	晴	20.5	17.7	0.7	7.37							
8	晴	21.9	17.3	0.7	7.33							
9	曇	21.5	17.6	1.0	7.29							
10	晴	21.5	18.3	0.6	7.31							
11	曇	22.2	18.6	0.5	7.29							
12	晴	24.2	19.1	0.4	7.49							
13	晴	22.9	18.5	0.5	7.37							
14	雨	16.5	18.6	0.5	7.37							
15	曇	16.2	18.7	0.5	7.38							
16	曇	21.5	18.2	0.5	7.34	17.5	19.5	67	2.7	0.05	<0.02	
17	曇	22.0	17.7	0.5	7.28							
18	雨	21.8	18.1	0.4	7.35							
19	晴	25.7	18.9	0.4	7.40							
20	晴	25.1	18.8	0.4	7.27							
21	曇	23.8	18.9	0.4	7.39							
22	曇	22.0	19.3	3.5	7.36							
23	曇	24.9	17.9	2.9	6.98							
24	曇	24.8	19.3	1.0	7.45							
25	晴	29.9	19.7	0.7	7.40							
26	雨	27.5	20.3	0.5	7.48							
27	晴	29.7	20.6	0.4	7.36							
28	晴	32.0	20.4	0.4	7.24							
29	晴	31.0	20.5	0.5	7.30							
30	晴	32.0	21.8	0.5	7.50							
平均		24.0	18.8	0.7	7.36	17.7	19.2	62	2.8	0.04	<0.02	
最高		32.0	21.8	3.5	7.52	17.8	19.5	67	2.9	0.05	<0.02	
最低		16.2	17.3	0.4	6.98	17.5	18.9	57	2.7	<0.03	<0.02	

令和 4年 6月分

湖西工業用水道水質試験結果報告書（梅田浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	24.0	18.4	0.5	7.46							
2	晴	24.2	19.1	0.4	7.60	16.5	17.8	56	3.1	0.03	<0.02	
3	晴	24.5	19.1	0.5	7.55							
4	曇	23.9	18.9	0.4	7.54							
5	曇	25.2	18.8	0.5	7.55							
6	雨	16.9	18.6	0.5	7.51							
7	晴	20.5	18.5	0.7	7.49							
8	晴	21.9	18.3	0.7	7.51							
9	曇	21.5	18.4	0.8	7.53							
10	晴	21.5	18.8	0.8	7.46							
11	曇	22.2	19.2	0.6	7.45							
12	晴	24.2	19.2	0.5	7.43							
13	晴	22.9	19.3	0.5	7.48							
14	雨	16.5	19.3	0.5	7.45							
15	曇	16.2	19.0	0.5	7.44							
16	曇	21.5	19.0	0.4	7.40	17.8	19.3	53	2.7	0.06	<0.02	
17	曇	22.0	18.9	0.4	7.39							
18	雨	21.8	18.9	0.5	7.44							
19	晴	25.7	18.9	0.4	7.35							
20	晴	25.1	19.4	0.4	7.41							
21	曇	23.8	19.6	0.4	7.38							
22	曇	22.0	19.8	0.4	7.36							
23	曇	24.9	19.8	1.0	7.14							
24	曇	24.8	19.6	1.2	7.12							
25	晴	29.9	19.9	0.9	7.22							
26	雨	27.5	20.7	0.6	7.45							
27	晴	29.7	21.3	0.5	7.34							
28	晴	32.0	21.9	0.4	7.38							
29	晴	31.0	21.9	0.5	7.42							
30	晴	32.0	22.1	0.6	7.35							
平均		24.0	19.5	0.6	7.42	17.2	18.6	55	2.9	0.04	<0.02	
最高		32.0	22.1	1.2	7.60	17.8	19.3	56	3.1	0.06	<0.02	
最低		16.2	18.3	0.4	7.12	16.5	17.8	53	2.7	0.03	<0.02	