

令和 7年 8月分

湖西工業用水道水質試験結果報告書（梅田浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/l	硬度 mg/l	蒸 発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	32.4	23.4	2.2	7.36							
2	晴	31.0	23.2	2.7	7.27							
3	晴	32.3	23.6	2.1	7.06							
4	晴	31.2	23.3	1.8	7.02							
5	晴	32.9	23.4	1.1	7.05							
6	晴	33.5	23.6	1.2	7.25							
7	曇	30.0	24.0	0.8	7.13	14.9	15.9	34	2.1	0.12	<0.02	
8	晴	29.0	23.6	1.0	7.27							
9	晴	28.5	23.1	1.0	7.27							
10	雨	27.5	22.7	0.9	7.32							
11	雨	26.0	21.9	0.8	7.19							
12	曇	27.6	21.9	1.6	7.15							
13	曇	22.4	22.4	1.6	7.10							
14	晴	28.5	21.9	0.2	7.15							
15	晴	31.1	21.9	1.2	6.96							
16	晴	29.9	22.1	1.1	6.99							
17	晴	32.0	22.4	1.1	7.00							
18	晴	31.5	22.4	1.0	6.99							
19	晴	30.8	22.1	1.3	7.23							
20	晴	32.0	22.1	1.4	7.14							
21	晴	32.9	22.0	1.2	7.14	15.0	15.8	26	2.2	0.05	<0.02	
22	晴	31.0	21.9	1.1	7.15							
23	晴	30.5	21.8	1.1	7.22							
24	曇	29.0	21.6	1.1	7.20							
25	曇	29.7	21.5	0.9	7.07							
26	晴	30.2	21.3	1.0	7.20							
27	晴	32.0	22.2	1.1	7.30							
28	晴	31.0	22.3	0.7	7.21							
29	晴	30.0	22.4	0.7	7.22							
30	晴	34.0	22.8	0.6	7.33							
31	晴	33.0	23.1	0.6	7.34							
平均		30.4	22.5	1.2	7.17	15.0	15.8	30	2.2	0.08	<0.02	
最高		34.0	24.0	2.7	7.36	15.0	15.9	34	2.2	0.12	<0.02	
最低		22.4	21.3	0.2	6.96	14.9	15.8	26	2.1	0.05	<0.02	

令和 7年 8月分

湖西工業用水道水質試験結果報告書（梅田浄水場）

採水時間 9:00

日	天候	気温 ℃	浄 水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/l	硬度 mg/l	蒸 発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	32.4	25.4	0.8	7.08							
2	晴	31.0	25.3	1.7	7.43							
3	晴	32.3	25.4	1.3	7.31							
4	晴	31.2	25.5	1.1	7.12							
5	晴	32.9	25.3	1.1	7.07							
6	晴	33.5	25.2	0.9	7.19							
7	曇	30.0	25.0	0.9	7.14	14.9	15.7	31	2.1	0.11	<0.02	
8	晴	29.0	24.7	0.9	7.16							
9	晴	28.5	24.4	0.9	7.06							
10	雨	27.5	24.2	0.8	7.15							
11	雨	26.0	23.8	0.8	7.08							
12	曇	27.6	23.3	0.8	7.15							
13	曇	22.4	23.7	1.0	7.10							
14	晴	28.5	23.8	0.9	7.14							
15	晴	31.1	23.7	0.8	6.96							
16	晴	29.9	24.0	0.7	6.98							
17	晴	32.0	24.2	0.7	7.01							
18	晴	31.5	24.2	0.7	7.00							
19	晴	30.8	24.4	0.7	7.24							
20	晴	32.0	24.1	1.1	7.26							
21	晴	32.9	24.1	1.2	7.28	15.0	16.6	26	2.2	0.03	<0.02	
22	晴	31.0	24.1	1.0	7.29							
23	晴	30.5	24.0	0.9	7.22							
24	曇	29.0	23.7	0.9	7.30							
25	曇	29.7	23.6	1.0	7.07							
26	晴	30.2	23.5	0.8	7.32							
27	晴	32.0	23.4	0.9	7.32							
28	晴	31.0	23.5	0.9	7.08							
29	晴	30.0	23.5	0.8	7.10							
30	晴	34.0	23.6	0.8	7.09							
31	晴	33.0	23.6	0.9	7.07							
平均		30.4	24.2	0.9	7.15	15.0	16.2	28	2.2	0.07	<0.02	
最高		34.0	25.5	1.7	7.43	15.0	16.6	31	2.2	0.11	<0.02	
最低		22.4	23.3	0.7	6.96	14.9	15.7	26	2.1	0.03	<0.02	