

令和 8年 5月分

湖西工業用水道水質試験結果報告書（梅田浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	雨	15.4	15.7	0.9	7.62							
2	晴	16.0	15.8	0.6	7.49							
3	晴	19.0	15.8	0.6	7.45							
4	曇	17.5	16.4	0.9	7.41							
5	晴	17.5	16.0	0.5	7.33							
6	曇	16.2	15.8	0.8	7.42							
7	曇	23.0	16.0	0.7	7.46	9.3	9.9	36	2.2	0.06	<0.02	
8	曇	22.4	15.1	0.5	7.42							
9	晴	17.0	16.3	0.4	7.71							
10	晴	20.0	16.1	0.4	7.84							
11	晴	21.9	16.7	0.4	8.22							
12	晴	21.9	16.9	0.4	8.33							
13	晴	22.5	16.7	0.4	8.27							
14	晴	22.0	16.4	0.4	7.77							
15	曇	20.2	17.1	0.7	7.76							
16	晴	21.2	18.2	1.1	8.14							
17	晴	24.5	19.1	1.0	8.21							
18	晴	25.2	19.0	0.8	7.77							
19	晴	25.0	19.1	0.7	7.58							
20	晴	25.4	18.9	0.7	7.45							
21	雨	22.5	19.2	0.7	7.34	13.3	16.4	39	2.7	0.09	<0.02	
22	曇	18.2	18.4	1.7	7.09							
23	曇	16.8	18.4	1.8	7.14							
24	晴	21.5	18.3	1.0	7.22							
25	晴	25.5	17.9	0.8	7.61							
26	晴	24.1	18.5	0.6	7.96							
27	曇	22.0	19.4	0.6	7.77							
28	雨	21.0	19.4	0.6	7.60							
29	晴	25.2	18.8	0.6	7.35							
30	晴	25.0	18.5	0.6	7.14							
31	曇	20.5	18.8	0.4	7.21							
平均		21.2	17.5	0.7	7.62	11.3	13.2	38	2.4	0.08	<0.02	
最高		25.5	19.4	1.8	8.33	13.3	16.4	39	2.7	0.09	<0.02	
最低		15.4	15.1	0.4	7.09	9.3	9.9	36	2.2	0.06	<0.02	

令和 8年 5月分

湖西工業用水道水質試験結果報告書 (梅田浄水場)

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果 (配水池)									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	雨	15.4	15.9	0.9	7.36							
2	晴	16.0	16.0	1.4	7.29							
3	晴	19.0	16.3	0.8	7.38							
4	曇	17.5	16.7	1.0	7.30							
5	晴	17.5	16.2	0.9	7.15							
6	曇	16.2	16.0	0.7	7.15							
7	曇	23.0	16.0	0.9	7.18	12.3	13.6	38	2.4	0.08	<0.02	
8	曇	22.4	16.3	0.7	7.17							
9	晴	17.0	16.3	0.5	7.30							
10	晴	20.0	15.9	0.5	7.68							
11	晴	21.9	16.5	0.4	7.70							
12	晴	21.9	17.0	0.4	7.82							
13	晴	22.5	17.0	0.3	7.62							
14	晴	22.0	17.0	0.4	7.51							
15	曇	20.2	17.3	0.6	7.52							
16	晴	21.2	17.8	0.6	7.41							
17	晴	24.5	18.4	0.7	7.26							
18	晴	25.2	18.1	0.7	7.27							
19	晴	25.0	18.6	0.7	7.24							
20	晴	25.4	18.5	0.8	7.13							
21	雨	22.5	19.0	0.9	7.12	13.8	15.5	36	2.7	0.10	<0.02	
22	曇	18.2	19.2	1.1	7.13							
23	曇	16.8	19.1	1.2	7.19							
24	晴	21.5	18.9	1.2	7.06							
25	晴	25.5	18.3	1.0	7.17							
26	晴	24.1	18.5	0.8	7.25							
27	曇	22.0	19.1	0.8	7.29							
28	雨	21.0	19.2	0.7	7.23							
29	晴	25.2	19.4	0.6	7.16							
30	晴	25.0	19.0	0.7	7.05							
31	曇	20.5	19.3	0.6	7.12							
平均		21.2	17.6	0.8	7.30	13.0	14.6	37	2.6	0.09	<0.02	
最高		25.5	19.4	1.4	7.82	13.8	15.5	38	2.7	0.10	<0.02	
最低		15.4	15.9	0.3	7.05	12.3	13.6	36	2.4	0.08	<0.02	