


事 務 連 絡  
平成 30 年 6 月 7 日

各都道府県衛生主管部（局）薬務主管課 御中

厚生労働省医薬・生活衛生局医薬品審査管理課

第十七改正日本薬局方（英文版）正誤表の送付について（その2）

第十七改正日本薬局方（平成 28 年厚生労働省告示第 64 号）の英文版につきまして、一部に誤植等がありましたので別紙のとおり正誤表を送付いたします。



# JP17 table of errata

June 7, 2018

## General Tests / 9.41 Reagents, Test Solutions

### 0.5 mol/L Tris buffer solution (pH 8.1)

Page	Line	Correction	Error
346	right ↓ 25	in 100 mL of water	in 160 mL of water

## Official Monographs

### Cefaclor Capsules セファクロルカプセル

Page	Line	Correction	Error
593	right ↑ 29	$A_T$	$A_{T_i}$
593	right ↑ 27	$\Sigma A_T$	$\Sigma A_{T_n}$
593	right ↑ 22	$A_T$	$A_{T_i}$

### Doxazosin Mesilate ドキサゾシンメシル酸塩

Page	Line	Correction	Error
833	left ↑ 9	1-(4-Amino-6,7-dimethoxyquinazolin-2-yl)-4- <u>[[<i>(2RS)</i>-2,3-dihydro-1,4-benzodioxin-2-yl]carbonyl]piperazine monomethanesulfonate</u>	1-(4-Amino-6,7-dimethoxyquinazolin-2-yl)-4- <u>[[<i>(2RS)</i>-2,3-dihydro-1,4-benzodioxin-2-yl]carbonyl]piperazine monomethanesulfonate</u>

### Ticlopidine Hydrochloride Tablets チクロピジン塩酸塩錠

Page	Line	Correction	Error
1688	right ↑ 11	Pipet 2 mL of this solution, add <u>the mixture of water and methanol (1:1)</u> to make 50 mL, and use this solution as the standard solution.	Pipet 2 mL of this solution, add <u>water</u> to make 50 mL, and use this solution as the standard solution.

## General Information / Crude Drugs

### Analytical Methods for Aflatoxins in Crude Drug and Crude Drug Preparations

Page	Line	Correction	Error
2515	left ↓ 5	1) IARC, IARC monographs on the evaluation of <u>carcinogenic</u> risks to humans, Volume 82.	1) IARC, IARC monographs on the evaluation of <u>cartino-genic</u> risks to humans, Volume 82.