

[illegible]

水域名 遠州灘水域（海域） 地点名 （地点統一番号） （ 類 型 ）										調査担当機関名 静岡県				
			菊川沖			61702			海域 A			令和6年度		
月 日 採 取 時 刻			04月23日 09:28	04月30 09:30	04月23日 09:34	06月07日 09:20	06月07日 09:23	06月07日 09:27	08月02日 09:50	08月02日 09:53	08月02日 09:57	11月08日 09:52	11月08日 09:55	11月08日 09:59
一般項目	天 候		曇り	曇り	曇り	晴れ	晴れ	晴れ	晴れ	晴れ	晴れ	曇り	曇り	曇り
	気 温	(℃)	19. 8	19. 8	19. 8	23. 5	23. 5	23. 5	30. 6	30. 6	30. 6	18. 1	18. 1	18. 1
	水 温	(℃)	17. 9	18. 2	18. 3	21. 7	21. 7	21. 6	29. 8	29. 8	29. 2	23. 4	23. 8	24. 0
	色 相													
	臭 気													
	河川流量	(m³/s)												
	採取位置													
湖・海	透 視 度	(cm)												
	採取水深	(m)	0. 5	2. 0	5. 0	0. 5	2. 0	5. 0	0. 5	2. 0	5. 0	0. 5	2. 0	5. 0
	全 水 深	(m)												
	透 明 度	(m)	10. 0	10. 0	10. 0	7. 0	7. 0	7. 0	9. 5	9. 5	9. 5	8. 0	8. 0	8. 0
生活環境項目	p H		8. 2	8. 2	8. 2	8. 3	8. 3	8. 3	8. 3	8. 3	8. 2	8. 3	8. 3	8. 3
	D O	(mg/L)	8. 2	8. 2	8. 2	8. 0	8. 0	7. 9	6. 5	6. 5	6. 5	7. 2	7. 1	7. 0
	C O D	(mg/L)	1. 0	0. 9	0. 8	1. 5	1. 4	1. 4	1. 6	1. 3	1. 3	0. 9	1. 0	0. 8
	大腸菌数	(CFU/100ml)	<1. 0E+00			<1. 0E+00			<1. 0E+00			<1. 0E+00		
	全亜鉛	(mg/L)							0. 005					
	ノニルフェノール	(mg/L)							<0. 00006					
	L A S	(mg/L)							<0. 0006					
健康項目	カドミウム	(mg/L)	<0. 0003						<0. 0003					
	鉛	(mg/L)	<0. 005						<0. 005					
	六価クロム	(mg/L)	<0. 01						<0. 01					
	砒素	(mg/L)	<0. 005						<0. 005					
	総水銀	(mg/L)	<0. 0005						<0. 0005					
	ジクロロメタン	(mg/L)							<0. 002					
	四塩化炭素	(mg/L)							<0. 0002					
	1, 2-ジクロロエタン	(mg/L)							<0. 0004					
	1, 1-ジクロロエチレン	(mg/L)							<0. 01					
	シス-1, 2-ジクロロエチレン	(mg/L)							<0. 004					
	1, 1, 1-トリクロロエタン	(mg/L)							<0. 0005					
	1, 1, 2-トリクロロエタン	(mg/L)							<0. 0006					
	トリクロロエチレン	(mg/L)							<0. 001					
	テトラクロロエチレン	(mg/L)							<0. 0005					
	1, 3-ジクロロプロペン	(mg/L)							<0. 0002					
	チウラム	(mg/L)							<0. 0006					
	シマジン	(mg/L)							<0. 0003					
	チオベンカルブ	(mg/L)							<0. 002					
	ベンゼン	(mg/L)							<0. 001					
	セレン	(mg/L)	<0. 002						<0. 002					
特殊項目	硝酸性窒素及び亜硝酸	(mg/L)	<0. 02						<0. 02					
	1, 4-ジオキサン	(mg/L)							<0. 005					
	銅	(mg/L)	<0. 01						<0. 01					
	クロム	(mg/L)	<0. 01											

[illegible]

調査担当機関名 浜松市

地点名（地点統一番号） （ 類 型 ）		馬込川沖					61704		海域 A			令和6年度		
月 日 採 取 時 刻		04月23日 07:39	04月23日 07:41	04月23日 07:45	06月07日 07:35	06月07日 07:38	06月07日 07:42	08月02日 08:01	08月02日 08:04	08月02日 08:07	11月08日 08:07	11月08日 08:10	11月08日 08:14	
一般項目	天 候	曇り	曇り	曇り	曇り	曇り	曇り	晴れ	晴れ	晴れ	曇り	曇り	曇り	
	気 温	(℃) 17.9	17.9	17.9	22.2	22.2	22.2	29.5	29.5	29.5	13.3	13.3	13.3	
	水 温	(℃) 17.6	17.8	17.8	21.9	21.9	21.7	27.6	28.3	28.0	21.4	23.4	24.3	
	色 相													
	臭 気													
	河 川													
	流量	(m ³ /s)												
	採取位置													
	透 視 度	(cm)												
	湖・海													
採取水深	(m)	0.5	2.0	5.0	0.5	2.0	5.0	0.5	2.0	5.0	0.5	2.0	5.0	
全 水 深	(m)													
透 明 度	(m)	4.5	4.5	4.5	8.0	8.0	8.0	7.0	7.0	7.0	1.5	1.5	1.5	
生活環境項目	p H	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	8.3	
	DO	(mg/L) 8.8	8.2	8.2	8.1	8.0	8.0	7.1	6.5	6.5	7.6	6.9	6.8	
	C O D	(mg/L) 1.6	1.4	1.4	1.5	1.2	1.3	2.0	1.6	1.4	1.8	1.0	0.9	
	大腸菌数	(CFU/100ml) 1.2E+01						5.0E+00						
健康項目	全亜鉛	(mg/L)						0.005						
	ノニルフェノール	(mg/L)						<0.00006						
	L A S	(mg/L)						<0.0006						
	カドミウム	(mg/L)						<0.0003						
	鉛	(mg/L)						<0.005						
	六価クロム	(mg/L)						<0.01						
	砒素	(mg/L)						<0.005						
	総水銀	(mg/L)						<0.0005						
	ジクロロメタン	(mg/L)						<0.002						
	四塩化炭素	(mg/L)						<0.0002						
	1,2-ジクロロエタン	(mg/L)						<0.0004						
	1,1-ジクロロエチレン	(mg/L)						<0.01						
	シス-1,2-ジクロロエチレン	(mg/L)						<0.004						
	1,1,1-トリクロロエタン	(mg/L)						<0.0005						
	1,1,2-トリクロロエタン	(mg/L)						<0.0006						
	トリクロロエチレン	(mg/L)						<0.001						
	テトラクロロエチレン	(mg/L)						<0.0005						
	1,3-ジクロロプロペン	(mg/L)						<0.0002						
	チウラム	(mg/L)						<0.0006						
	シマジン	(mg/L)						<0.0003						
	チオベンカルブ	(mg/L)						<0.002						
	ベンゼン	(mg/L)						<0.001						
	セレン	(mg/L)						<0.002						
	硝酸性窒素及び亜硝酸	(mg/L)						0.04						
	1,4-ジオキサン	(mg/L)						<0.005						
	特殊項目	銅	(mg/L)						<0.01					
クロム		(mg/L)						<0.01						
その他項目														
	亜硝酸性窒素	(mg/L)						<0.01						
	硝酸性窒素	(mg/L)						0.03						
	塩素イオン	(mg/L)	13120	18270	18700	18460	18500	18590	13850	18230	18330	15630	18580	18700

調査担当機関名 浜松市

[illegible]

[illegible]